JOURNAL OF VASCULAR SURGERY

Copyright © 2005 by The Society for Vascular Surgery

EDITORS

Jack L. Cronenwett, Lebanon, NH **James M. Seeger,** Gainesville, FL

ASSOCIATE EDITORS

K. Craig Kent **Anton N. Sidawy**

ASSISTANT EDITORS

G. Patrick Clagett **James W. Jones** **Gregory L. Moneta**

EDITORIAL BOARD

Joseph P. Archie, Jr, Raleigh, NC
Jan D. Blankensteijn, Nijmegen (The Netherlands)
Jacob Buth, Eindhoven (The Netherlands)
Richard P. Cambria, Boston
Timothy A. M. Chuter, San Francisco
Michael S. Conte, Boston
Ronald L. Dalman, Palo Alto, Calif
Michael C. Dalsing, Indianapolis
Mark G. Davies, Rochester, NY
Mark F. Fillinger, Lebanon, NH
William R. Flinn, Baltimore
Thomas L. Forbes, London, ON (Canada)
Kimberley J. Hansen, Winston-Salem
William R. Hiatt, Denver
Thomas S. Huber, Gainesville, FL
Ted R. Kohler, Seattle
Thomas F. Lindsay, Toronto
William C. Mackey, Boston
Michel S. Makaroun, Pittsburgh
James May, Sydney (Australia)
Louis M. Messina, San Francisco
Joseph L. Mills, Sr, Tucson
Stuart I. Myers, Richmond, Va
A. Ross Naylor, Leicester (UK)
Peter Neglén, Flowood, Miss
Patrick J. O'Hara, Cleveland
Takao Ohki, New York
Bruce A. Perler, Baltimore
Janet T. Powell, Coventry & Warwick (UK)
William J. Quiñones-Baldrich, Los Angeles
Joseph R. Schneider, Evanston, Ill
Timothy M. Sullivan, Rochester, Minn
R. James Valentine, Dallas
Thomas W. Wakefield, Ann Arbor
Daniel B. Walsh, Lebanon, NH

FOUNDING EDITOR

Michael E. DeBakey

EDITORS EMERITI

D. Emerick Szilagyi **K. Wayne Johnston**
Calvin B. Ernst **Jesse E. Thompson**
James C. Stanley **Robert B. Rutherford**

Official Publication of
The Society for Vascular Surgery

Volume 42 2005
St Louis, Missouri

Index to Volume 42

*Author index**

A

Abilez O (*see* Picquet et al). 2005;42:788-91 (Case rep.)
Abou-Chebl A (*see* Edgell et al). 2005;42:854-60
Abraham N, May J. Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms." 2005;42:595 (Letter reply)
Abraham N (*see* May and Abraham). 2005;42:594-5 (Letter reply)
Abul-Khoudoud OR (*see* Cagiannos et al). 2005;42:980-8
Abularrage CJ, Sidawy AN, Aidinian G, Singh N, Weiswasser JM, Arora S. Evaluation of the microcirculation in vascular disease. 2005;42:574-81 (Review article)
Abularrage CJ, Sidawy AN, Weiswasser JM, White PW, Aidinian G, Arora S. Chronic mesenteric ischemia: treatment of recurrent disease. 2005;42:1026 (Vascular Images)
Ackerstaff GA (*see* Verhoeven et al). 2005;42:1082
Adam DJ, Berce M, Hartley DE, Anderson JL. Repair of juxtarenal para-anastomotic aortic aneurysms after previous open repair with fenestrated and branched endovascular stent grafts. 2005; 42:997-1001 (Case rep.)
Adam DJ (*see* Anderson et al). 2005;42:600-7
Adams DJ, Bradbury AW. Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms." 2005;42:595 (Letter)
Adelman MA (*see* Rockman et al). 2005;42:878-83
Ahn SS (*see* Altobelli et al). 2005;42:122-8
Ahn SS (*see* Kudo et al). 2005;42:466-75
Aidinian G (*see* Abularrage et al). 2005;42:574-81 (Review article), 1026 (Vascular Images)
Akagi D (*see* Hosaka et al). 2005;42:116-21
Al-Badawi H (*see* Hua et al). 2005;42:337-43
Albers M, Romiti M, Brochado-Neto FC, Pereira CAB. Meta-analysis of alternate autologous vein bypass grafts to infrapopliteal arteries. 2005;42:449-55
Alfonsi P (*see* Coggia et al). 2005;42:906-11
Alfonsi P (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Ali A (*see* D'Addio et al). 2005;42:35-9
Ali AT, Bell C, Modrall JG, Valentine RJ, Clagett GP. Graft-associated hemorrhage from femoropopliteal vein grafts. 2005; 42:667-72
Alimi YS (*see* Hartung et al). 2005;42:275-80, 1138
Allen RJ (*see* Hayter et al). 2005;42:912-18
Allenberg JR (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Allenberg JR (*see* Schwarzbach et al). 2005;42:88-97
Allison J (*see* Ho et al). 2005;42:81-7
Almasio PL (*see* Milio et al). 2005;42:304-8
Altobelli GG, Kudo T, Hass BT, Chandra FA, Moy JL, Ahn SS. Thoracic outlet syndrome: pattern of clinical success after operative decompression. 2005;42:122-8
Alvi K (*see* Asada et al). 2005;42:772-80
Amaral S (*see* Labropoulos et al). 2005;42:515-18
Anderson JL, Adam DJ, Berce M, Hartley DE. Repair of thoracoabdominal aortic aneurysms with fenestrated and branched endovascular stent grafts. 2005;42:600-7
Anderson JL (*see* Adam et al). 2005;42:997-1001 (Case rep.)
Andreou P (*see* Ogata et al). 2005;42:891-7
Andrikopoulos V (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Angelini A (*see* Ballotta et al). 2005;42:838-46
Angle N, Chandra A. The two-stage brachial artery–brachial vein autogenous fistula for hemodialysis: an alternative autogenous option for hemodialysis access. 2005;42:806-10 (Tech. Note)
Antignani PL (*see* Uhl et al). 2005;42:1237
Antonello M, Frigatti P, Battocchio P, Lepidi S, Cognolato D, Dall'Antonio A, Stramanà R, Deriu GP, Grego F. Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study. 2005;42:185-93
Aramoto H (*see* Hosaka et al). 2005;42:200-5
Archie JP. Surgical vs. medical treatment for isolated internal carotid artery elongation with coiling or kinking in symptomatic patients: a prospective randomized clinical study. 2005;42: 838-46 (Invited commentary)
Arko F (*see* D'Addio et al). 2005;42:35-9
Arko FR (*see* Hill et al). 2005;42:945-50
Armstrong PA, Back MR, Wilson JS, Shames ML, Johnson BL, Bandyk DF. Improved outcomes in the recent management of secondary aortoenteric fistula. 2005;42:660-6
Arnold W (*see* Greiner et al). 2005;42:259-67
Arora S (*see* Abularrage et al). 2005;42:574-81 (Review article), 1026 (Vascular Images)
Arthur C (*see* Ogata et al). 2005;42:891-7
Asada H, Paszkowiak J, Teso D, Alvi K, Thorisson A, Frattini JC, Kudo FA, Sumpio BE, Dardik A. Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway. 2005;42:772-80
Ascher E, Hingorani A, Marks N, Schutzer RW, Mutyala M, Nahata S, Yorkovich W, Jacob T. Mini skin incision for carotid endarterectomy (CAW): a new and safe alternative to the standard approach. 2005;42:1089
Ascher E, Marks NA, Hingorani AP, Schutzer RW, Nahata S. Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material. 2005;42:1114
Ascher E, Marks NA, Schutzer RW, Hingorani AP. Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency. 2005;42:1108
Ascher E. Regarding: Carotid endarterectomy in patients with chronic renal insufficiency: a recent series of 184 cases. 2005; 42:597 (Letter reply)
Åstrand H, Rydén-Ahlgren Å, Sandgren T, Länne T. Age-related increase in wall stress of the human abdominal aorta: an in vivo study. 2005;42:926-31
Aubry MC (*see* Cordera et al). 2005;42:168-71 (Case rep.)
Aydin U (*see* Kalko et al). 2005;42:673-7
Ayel J (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Azas L (*see* Fatini et al). 2005;42:415-19
Azizzadeh A (*see* Huynh et al). 2005;42:206-12

B

Bachoo P (*see* Cassar et al). 2005;42:252-8
Back MR (*see* Armstrong et al). 2005;42:660-6
Badiomon J (*see* Rhee et al). 2005;42:321-8
Bakhru A (*see* Wolford et al). 2005;42:951-6
Bakogiannis K (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Ball CG (*see* Moore et al). 2005;42:645-9

Ballotta E, Thiene G, Baracchini C, Ermani M, Militello C, Da Giau G, Barbon B, Angelini A. Surgical vs. medical treatment for isolated internal carotid artery elongation with coiling or kinking in symptomatic patients: a prospective randomized clinical study. 2005;42:838-46
Bandyk DF (*see* Armstrong et al). 2005;42:660-6
Bandyk DF (*see* Conte et al). 2005;42:456-65
Banno H (*see* Yamanouchi et al). 2005;42:757-64
Baracchini C (*see* Ballotta et al). 2005;42:838-46
Barani J, Nilsson JÅ, Mattiasson I, Lindblad B, Gottsäter A. Inflammatory mediators are associated with 1-year mortality in critical limb ischemia. 2005;42:75-80
Barbon B (*see* Ballotta et al). 2005;42:838-46
Barret A (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Barros MB (*see* Lozano et al). 2005;42:129-39
Bartelink ML (*see* Willigendael et al). 2005;42:67-74
Barthelemy P (*see* Hartung et al). 2005;42:275-80, 1138
Bartula LL (*see* Myers et al). 2005;42:524-31
Basaran M (*see* Kalko et al). 2005;42:673-7
Basaranoglu G (*see* Kalko et al). 2005;42:673-7
Bassiouny HS (*see* Grogan et al). 2005;42:435-41
Battocchio P (*see* Antonello et al). 2005;42:185-93
Bax JJ (*see* Schouten et al). 2005;42:594-5 (Letter), 825-6 (Letter)
Bayazit M (*see* Iscan et al). 2005;42:181-2 (Letter reply)
Becquemin JP (*see* Poussier et al). 2005;42:1190
Bedard PW (*see* Myers et al). 2005;42:329-36
Behensky H (*see* Falkensammer et al). 2005;42:1010-13 (Case rep.)
Belkin M (*see* Chew et al). 2005;42:695-701
Bell C (*see* Ali et al). 2005;42:667-72
Bell-Thomson J (*see* Raghavendran et al). 2005;42:1218-20 (Case rep.)
Bendavid Y (*see* Pescarus et al). 2005;42:344-7 (Case rep.)
Bennet KE (*see* Mozes et al). 2005;42:963-71
Benoit AG, Campbell BI, Tanner JR, Staley JD, Wallbridge HR, Biehl DR, Bradley BD, Louridas G, Guzman RP, Fromm RA. Risk factors and prevalence of perioperative cognitive dysfunction in abdominal aneurysm patients. 2005;42:884-90
Berce M (*see* Adam et al). 2005;42:997-1001 (Case rep.)
Berce M (*see* Anderson et al). 2005;42:600-7
Bergqvist D (*see* Blomgren et al). 2005;42:315-20
Bernd L (*see* Schwarzbach et al). 2005;42:88-97
Bernheim J (*see* Rhee et al). 2005;42:321-8
Bessias N, Moulakakis KG, Lioupis C, Bakogiannis K, Sfyroeras G, Kakaletri K, Andrikopoulos V. Wegener's granulomatosis presenting during pregnancy with acute limb ischemia. 2005;42:800-4 (Case rep.)
Beyersdorf F (*see* Wilhelm et al). 2005;42:690-4
Bhattacharjee S (*see* Singh et al). 2005;42:348-51 (Case rep.)
Bhatti A (*see* Labropoulos et al). 2005;42:710-16
Bhatti AF (*see* Labropoulos et al). 2005;42:515-18
Biehl DR (*see* Benoit et al). 2005;42:884-90
Bielen D (*see* Maleux et al). 2005;42:163-7 (Case rep.)
Bissery A (*see* Long et al). 2005;42:18-26
Björck M (*see* Wanhainen and Björck). 2005;42:1244-5 (Letter reply)
Black JH III, LaMuraglia GM, Kwolek CJ, Brewster DC, Watkins MT, Cambria RP. Contemporary results of angioplasty-based infrainguinal percutaneous interventions. 2005;42:932-9
Blackhurst DW (*see* Taylor et al). 2005;42:227-35
Blanloeil Y (*see* Gouëffic et al). 2005;42:654-9
Blebea J (*see* van Bemmelen et al). 2005;42:957-62
Blecken SR, Villavicencio JL, Kao TC. Comparison of elastic versus nonelastic compression in bilateral venous ulcers: a randomized trial. 2005;42:1150
Blomgren L, Johansson G, Dahlberg-Åkerman A, Thermaenius P, Bergqvist D. Changes in superficial and perforating vein reflux after varicose vein surgery. 2005;42:315-20
Böckler D (*see* Schwarzbach et al). 2005;42:88-97
Bolli P (*see* Fatini et al). 2005;42:415-19
Bonheur JA (*see* Hua et al). 2005;42:337-43
Borge M (*see* Labropoulos et al). 2005;42:515-18, 710-16
Bossavy JP (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Boufi M (*see* Hartung et al). 2005;42:275-80, 1138
Bowen JM (*see* Cordera et al). 2005;42:168-71 (Case rep.)
Bower TC (*see* Oderich et al). 2005;42:98-106
Bradbury AW (*see* Adams and Bradbury). 2005;42:595 (Letter)
Bradley BD (*see* Benoit et al). 2005;42:884-90
Bradshaw SR (*see* Hayter et al). 2005;42:912-18
Brawley JG, Clagett GP. Mycotic aortic aneurysm. 2005;42:172 (Vascular Images)
Brewster DC (*see* Black et al). 2005;42:932-9
Brittenden J (*see* Cassar et al). 2005;42:252-8
Broadbent LP (*see* Garrett et al). 2005;42:1226-9 (Case rep.)
Brochado-Neto FC (*see* Albers et al). 2005;42:449-55
Brody F (*see* Ponsky et al). 2005;42:796-9 (Case rep.)
Brooke BS (*see* McGirt et al). 2005;42:829-37
Brothers TE. Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients. 2005;42:429-34
Brown DJ, Schermerhorn ML, Powell RJ, Fillinger MF, Rzucidlo EM, Walsh DB, Wyers MC, Zwolak RM, Cronenwett JL. Mesenteric stenting for chronic mesenteric ischemia. 2005;42:268-74
Brown H (*see* White et al). 2005;42:365-7 (Case rep.)
Browne TF (*see* Prionidis and Browne). 2005;42:173-5 (Tech. Notes)
Bruggeman CA (*see* Vainas et al). 2005;42:243-51
Bruhnke RE (*see* Mozes et al). 2005;42:963-71
Büchler MW (*see* Schwarzbach et al). 2005;42:88-97
Buck D (*see* McGirt et al). 2005;42:829-37
Büller HR (*see* Willigendael et al). 2005;42:67-74
Bünger CM, Kröger J, Kock L, Henning A, Klar E, Schareck W. Axillary-axillary interarterial chest loop conduit as an alternative for chronic hemodialysis access. 2005;42:290-5
Burger H (*see* Rooijens et al). 2005;42:481-7
Burgmans JPJ (*see* Rooijens et al). 2005;42:481-7
Burke P (*see* O'Brien et al). 2005;42:1169
Burkhard PG (*see* Raghavendran et al). 2005;42:1218-20 (Case rep.)
Burnand K (*see* Waltham et al). 2005;42:1183
Burton KR, Lindsay TF. Assessment of short-term outcomes for protected carotid angioplasty with stents using recent evidence. 2005;42:1094
Busser E (*see* Verhoeven et al). 2005;42:1075
Buth J (*see* Doelman et al). 2005;42:739-46
Buth J (*see* Lange et al). 2005;42:624-30
Buth J (*see* Peppelenbosch et al). 2005;42:608-14

C

Cagiannos C, Abul-Khoudoud OR, DeRijk W, Shell DH IV, Jennings LK, Tolley EA, Handorf CR, Fabian TC. Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model. 2005;42:980-8
Calcagno D (*see* Ha and Calcagno). 2005;42:1058

Callas PW (*see* Stanley et al). 2005;42:546-51
Calligaro KD, Dougherty MJ. Correlation of carotid artery stump pressure and neurologic changes during 474 carotid endarterectomies performed in awake patients. 2005;42:684-9
Cambria RP (*see* Black et al). 2005;42:932-9
Campbell BI (*see* Benoit et al). 2005;42:884-90
Campbell DR (*see* Sheahan et al). 2005;42:476-80
Cappelli A (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Caprini JA, Tapson VF, Hyers TM, Waldo AL, Wittkowsky AK, Friedman R, Colgan KJ, Shillington AC. Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs. 2005;42:726-33
Carabasi A (*see* Eisenberg et al). 2005;42:1210-2 (Case rep.)
CaRESS Steering Committee. Carotid Revascularization Using Endarterectomy or Stenting Systems (CaRESS) phase I clinical trial: 1-year results. 2005;42:213-19
Carmo M (*see* Mozes et al). 2005;42:963-71
Carmo M (*see* Puggioni et al). 2005;42:488-93
Caronno R (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Carpentier PH (*see* Uhl et al). 2005;42:1237
Carrafiello G (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Carsten CG III (*see* Taylor et al). 2005;42:227-35
Cassar K, Bachoo P, Ford I, Greaves M, Brittenden J. Clopidogrel has no effect on D-dimer and thrombin-antithrombin III levels in patients with peripheral arterial disease undergoing peripheral percutaneous transluminal angioplasty. 2005;42:252-8
Castelli P, Caronno R, Piffaretti G, Tozzi M, Lomazzi C, Laganà D, Carrafiello G. Hybrid treatment for juxtarenal aortic occlusion: successful revascularization using iliofemoral semiclosed endarterectomy and kissing-stents technique. 2005;42:559-63 (Case rep.)
Castilla M (*see* Grogan et al). 2005;42:435-41
Castriota F (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Cayne NS (*see* Rockman et al). 2005;42:878-83
Cervera RD (*see* Takach et al). 2005;42:47-54, 55-61
Chaer R (*see* Rhee et al). 2005;42:321-8
Chaikof E (*see* Eidt et al). 2005;42:519-23
Chaikof EL (*see* Kong et al). 2005;42:631-8
Chan AK (*see* Hill et al). 2005;42:945-50
Chandar V, Chopra K. Role of nitric oxide in resveratrol-induced renal protective effects of ischemic preconditioning. 2005;42:1198
Chandra A (*see* Angle and Chandra). 2005;42:806-10 (Tech. Note)
Chandra FA (*see* Altobelli et al). 2005;42:122-8
Chandra FA (*see* Kudo et al). 2005;42:466-75
Chang BB (*see* Mehta et al). 2005;42:1047
Chang DC (*see* Matsen et al). 2005;42:861-9
Charles K, Flinn WR, Neschis DG. Lemierre's syndrome: a potentially fatal complication that may require vascular surgical intervention. 2005;42:1023-5 (Case rep.)
Chassin MR (*see* Halm et al). 2005;42:420-8
Chassin MR (*see* Rockman et al). 2005;42:870-7
Chaufour X (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Chen T (*see* Malas et al). 2005;42:639-44
Cheng H (*see* Grogan et al). 2005;42:435-41
Cherr GS (*see* Dosluoglu et al). 2005;42:989-92 (Case rep.)
Cherr GS (*see* Raghavendran et al). 2005;42:1218-20 (Case rep.)
Cherry KJ Jr (*see* Oderich et al). 2005;42:98-106
Chew DK, Nguyen LL, Owens CD, Conte MS, Whittemore AD, Gravereaux EC, Menard MT, Belkin M. Comparative analysis of autogenous infrainguinal bypass grafts in African Americans and Caucasians: the association of race with graft function and limb salvage. 2005;42:695-701
Chiche L, Koskas F, Kieffer E. Regarding: Carotid endarterectomy in patients with chronic renal insufficiency: a recent series of 184 cases. 2005;42:597 (Letter)
Chiesa R, Melissano G, Marrocco-Trischitta M, Civilini E, Setacci F. Spinal cord ischemia after elective stent-graft repair of the thoracic aorta. 2005;42:11-17
Chisci E (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Cho Y, Ueda T, Mori A, Shimizu H, Haga Y, Yozu R. Protective use of *N*-methyl-D-aspartate receptor antagonists as a spinoplegia against excitatory amino acid neurotoxicity. 2005;42:765-71
Choksy SA (*see* Zwierska et al). 2005;42:1122
Chopra K (*see* Chandar and Chopra). 2005;42:1198
Christie R (*see* van Rij et al). 2005;42:1156
Christos P (*see* Rhee et al). 2005;42:321-8
Chung AWY, Rauniyar P, Luo H, Hsiang YN, van Breemen C, Okon EB. Pressure distention compared with pharmacologic relaxation in vein grafting upregulates matrix metalloproteinase-2 and -9. 2005;42:747-56
Chung JW (*see* Jung et al). 2005;42:678-83
Chuter TAM (*see* Yeh et al). 2005;42:1007-9 (Case rep.)
Cinà CS (*see* Verhoeven et al). 2005;42:402-9
Civilini E (*see* Chiesa et al). 2005;42:11-17
Clagett GP (*see* Ali et al). 2005;42:667-72
Clagett GP (*see* Brawley and Clagett). 2005;42:172 (Vascular Images)
Clagett GP (*see* D'Addio et al). 2005;42:35-9
Clair DG (*see* Resch et al). 2005;42:1206-9 (Case rep.)
Clowes AW (*see* Conte et al). 2005;42:456-65
Cobbold RSC (*see* Lui et al). 2005;42:972-9
Coggia M, Javerliat I, Di Centa I, Alfonsi P, Colacchio G, Kitzis M, Goëau-Brissonnière O. Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study. 2005;42:906-11
Coggia M (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Cognolato D (*see* Antonello et al). 2005;42:185-93
Colacchio G (*see* Coggia et al). 2005;42:906-11
Colacchio G (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Cole CW (*see* Ogata et al). 2005;42:891-7
Coleman D. Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture?. 2005;42:1042 (Letter reply)
Colgan KJ (*see* Caprini et al). 2005;42:726-33
Compton CN, Dillavou ED, Sheehan MK, Rhee RY, Makaroun MS. Is abdominal aortic aneurysm repair appropriate in oxygen-dependent chronic obstructive pulmonary disease patients?. 2005;42:650-3
Conte MS, Bandyk DF, Clowes AW, Moneta GL, Namini H, Seely L. Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial. 2005;42:456-65
Conte MS (*see* Chew et al). 2005;42:695-701
Cooley DA (*see* Takach et al). 2005;42:47-54, 55-61
Coon A (*see* McGirt et al). 2005;42:829-37
Cordera F, Bowen JM, Aubry MC, Gloviczki P. Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome. 2005;42:168-71 (Case rep.)
Cordova AC (*see* Poussier et al). 2005;42:1190
Cornu-Thénard A (*see* Uhl et al). 2005;42:1237

Corrow K (*see* Stanley et al). 2005;42:546-51
Cosnard G (*see* Hammer et al). 2005;42:847-53
Cospite V (*see* Milio et al). 2005;42:304-8
Creemers E (*see* Pirard et al). 2005;42:1213-7 (Case rep.)
Cremonesi A (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Creton D (*see* Pichot and Creton). 2005;42:595-7 (Letter)
Criqui MH (*see* McDermott et al). 2005;42:1131
Cronenwett JL, Seeger JM. Criteria for authorship. 2005;42:599 (Editorial)
Cronenwett JL (*see* Brown et al). 2005;42:268-74
Cronenwett JL (*see* Nolan et al). 2005;42:40-6
Cuadra SA, Padberg FT, Turbin RE, Farkas J, Frohman LP. Cerebral venous hypertension and blindness: a reversible complication. 2005;42:792-5 (Case rep.)
Cull DL (*see* Taylor et al). 2005;42:227-35
Cuypers PWM (*see* Doelman et al). 2005;42:739-46
Cuypers PWM (*see* Peppelenbosch et al). 2005;42:608-14
Czerny M (*see* Gottardi et al). 2005;42:357-60 (Case rep.)

D

Da Giau G (*see* Ballotta et al). 2005;42:838-46
D'Addio V, Ali A, Timaran C, Siragusa T, Valentine J, Arko F, Modrall JG, Clagett GP. Femorofemoral bypass with femoral popliteal vein. 2005;42:35-9
Dahi S, Lee JG, Lovett DH, Sarkar R. Differential transcriptional activation of matrix metalloproteinase-2 and membrane type-1 matrix metalloproteinase by experimental deep venous thrombosis and thrombin. 2005;42:539-45
Dahlberg-Åkerman A (*see* Blomgren et al). 2005;42:315-20
Dall'Antonio A (*see* Antonello et al). 2005;42:185-93
Danetz JS (*see* Schmittling et al). 2005;42:62-6
Dardik A (*see* Asada et al). 2005;42:772-80
Dardik A (*see* Page et al). 2005;42:1014-18 (Case rep.)
Darling RC III (*see* Mehta et al). 2005;42:1047
Dasika N (*see* Peynircioglu et al). 2005;42:1221-5 (Case rep.)
Dattilo JB (*see* Passman et al). 2005;42:1027-32 (Tech. Note)
Davies MG, Suroweic SM. Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery." 2005;42:822-5 (Letter reply)
Davies MG (*see* Wolford et al). 2005;42:951-6
Dayal R (*see* Rhee et al). 2005;42:321-8
de Bruin P (*see* Verhoeven et al). 2005;42:1075
de Donato G (*see* Setacci et al). 2005;42:993-6 (Case rep.)
de Graaf R (*see* Vainas et al). 2005;42:243-51
de Groot HGW (*see* Rooijens et al). 2005;42:481-7
de Jonge LCW (*see* Spronk et al). 2005;42:236-42
de Kleijn DPV (*see* Verhoeven et al). 2005;42:1075, 1082
de Smet AAEA (*see* Rooijens et al). 2005;42:481-7
de Vries JP (*see* Verhoeven et al). 2005;42:1075
de Vries JPM (*see* Verhoeven et al). 2005;42:1082
DeAnda A, Kasirajan V, Henry D, Myers SI. Complete regression of an intramural hematoma of the aorta after distal reperfusion. 2005;42:149-52 (Case rep.)
Deatrick KB, Eliason JL, Lynch EM, Moore AJ, Dewyer NA, Varma MR, Pearce CG, Upchurch GR Jr, Wakefield TW, Henke PK. Vein wall remodeling after deep vein thrombosis involves matrix metalloproteinases and late fibrosis in a mouse model. 2005;42:140-8
Decaridi G (*see* Hartung et al). 2005;42:1138
Deep GM (*see* Peynircioglu et al). 2005;42:1221-5 (Case rep.)
Delis KT, Knaggs AL. Duration and amplitude decay of acute arterial leg inflow enhancement with intermittent pneumatic leg compression: an insight into the implicated physiologic mechanisms. 2005;42:717-25
Delis KT (*see* West et al). 2005;42:1236 (Vascular Images)
den Hoed PT (*see* Spronk et al). 2005;42:236-42
DeRijk W (*see* Cagiannos et al). 2005;42:980-8
Deriu GP (*see* Antonello et al). 2005;42:185-93
DeRose G (*see* Forbes et al). 2005;42:410-14
DeRose G (*see* Harris et al). 2005;42:387-91
Desai T (*see* Grogan et al). 2005;42:435-41
Deshmukh N. Residents with military obligation face discrimination. 2005;42:181 (Letter)
Dewyer NA (*see* Deatrick et al). 2005;42:140-8
Di Centa I (*see* Coggia et al). 2005;42:906-11
Di Centa I (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Diamond RE (*see* Hua et al). 2005;42:337-43
Diaz JA, Tamashiro A. Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study." 2005;42:1040-1 (Letter)
Diethrich EB (*see* Ravi et al). 2005;42:182-3 (Letter)
Dillavou ED (*see* Compton et al). 2005;42:650-3
Dimuzio PJ (*see* Eisenberg et al). 2005;42:1210-2 (Case rep.)
Dodson TF (*see* Kong et al). 2005;42:631-8
Doelman C, Duijm LEM, Liem YS, Froger CL, Tielbeek AV, Donkers-van Rossum AB, Cuypers PWM, Douwes-Draaijer P, Buth J, van den Bosch HCM. Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography. 2005;42:739-46
Doi K (*see* Uchinami et al). 2005;42:552-5 (Case rep.)
Donkers-van Rossum AB (*see* Doelman et al). 2005;42:739-46
Dosluoglu HH, Schimpf DK, Schultz R, Cherr GS. Preservation of infected and exposed vascular grafts using vacuum assisted closure without muscle flap coverage. 2005;42:989-92 (Case rep.)
Dougherty MJ (*see* Calligaro and Dougherty). 2005;42:684-9
Douwes-Draaijer P (*see* Doelman et al). 2005;42:739-46
Driscoll DJ (*see* West et al). 2005;42:1236 (Vascular Images)
Duijm LEM (*see* Doelman et al). 2005;42:739-46
Duncan JM (*see* Takach et al). 2005;42:47-54, 55-61
Duprez T (*see* Hammer et al). 2005;42:847-53

E

Edgell RC, Abou-Chebl A, Yadav JS. Endovascular management of spontaneous carotid artery dissection. 2005;42:854-60
Eidt JF, Chaikof E, Sidawy AN. Characteristics of the applicant pool to vascular surgery residency programs. 2005;42:519-23
Eikelboom BC (*see* Verhoeven et al). 2005;42:1082
Eindhoven GB (*see* Verhoeven et al). 2005;42:402-9
Eisenberg JA, Dimuzio PJ, Carabasi A, Larson R, Lombardi JV. Endovascular repair of symptomatic external carotid artery stenosis. 2005;42:1210-2 (Case rep.)
Eklöf B. The dynamic approach to venous disease—following in the footsteps of Gunnar Bauer and Robert Kistner. 2005;42:369-76 (Presidential address)
Eliason JL (*see* Deatrick et al). 2005;42:140-8
Enon B (*see* Picquet et al). 2005;42:788-91 (Case rep.)
Entabi F (*see* Hua et al). 2005;42:337-43
Erdos LS, Milner TP. Encouraging results with endoscopic vein harvest for infrainguinal bypass. 2005;42:442-8
Ermani M (*see* Ballotta et al). 2005;42:838-46
Ernemann U (*see* Grönschel et al). 2005;42:1101
Esterhammer R (*see* Greiner et al). 2005;42:259-67
Estrera AL (*see* Huynh et al). 2005;42:206-12
Eton D (*see* Yang et al). 2005;42:532-8

Eugster T (*see* Fueglistaler et al). 2005;42:781-3 (Case rep.)
Evans DC, Murphy MP, Lawson JH. Giant cell arteritis manifesting as mesenteric ischemia. 2005;42:1019-22 (Case rep.)

F

Fabian TC (*see* Cagiannos et al). 2005;42:980-8
Falciani M (*see* Fatini et al). 2005;42:415-19
Falkensammer J, Behensky H, Gruber H, Prodinger WM, Fraedrich G. Successful treatment of a tuberculous vertebral osteomyelitis eroding the thoracoabdominal aorta: a case report. 2005;42:1010-13 (Case rep.)
Farber MA (*see* Reisenman et al). 2005;42:1063
Faries PL (*see* Rhee et al). 2005;42:321-8
Farkas J (*see* Cuadra et al). 2005;42:792-5 (Case rep.)
Farris DM (*see* Myers et al). 2005;42:329-36
Faruqi RM (*see* Hill et al). 2005;42:945-50
Fatini C, Sofi F, Sticchi E, Bolli P, Sestini I, Falciani M, Azas L, Pratesi GT. *eNOS* G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm. 2005;42:415-19
Fecteau S (*see* Mehta et al). 2005;42:1047
Feng R (*see* Qu et al). 2005;42:159-62 (Case rep.)
Fenske C (*see* Waltham et al). 2005;42:1183
Feringa HHH (*see* Schouten et al). 2005;42:825-6 (Letter)
Ferrucci L (*see* McDermott et al). 2005;42:1131
Fillinger MF (*see* Brown et al). 2005;42:268-74
Fillinger MF (*see* Nolan et al). 2005;42:40-6
Fleischmann D (*see* Roos et al). 2005;42:1002-6 (Case rep.)
Flinn WR (*see* Charles et al). 2005;42:1023-5 (Case rep.)
Flinn WR (*see* Gardner et al). 2005;42:702-9
Fogarty TJ (*see* Hill et al). 2005;42:945-50
Forbes TL, Lawlor DK, DeRose G, Harris KA. National audit of the recent utilization of endovascular abdominal aortic aneurysm repair in Canada: 2003 to 2004. 2005;42:410-14
Forbes TL. Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial. 2005;42:456-65 (Invited commentary)
Forbes TL (*see* Harris et al). 2005;42:387-91
Ford I (*see* Cassar et al). 2005;42:252-8
Ford PF (*see* Raghavendran et al). 2005;42:1218-20 (Case rep.)
Formisano P (*see* Rockman et al). 2005;42:870-7
Fraedrich G (*see* Falkensammer et al). 2005;42:1010-13 (Case rep.)
Fraedrich G (*see* Greiner et al). 2005;42:259-67
Frattini JC (*see* Asada et al). 2005;42:772-80
Frazier OH (*see* Takach et al). 2005;42:47-54, 55-61
Freischlag JA (*see* McGirt et al). 2005;42:829-37
Friedman R (*see* Caprini et al). 2005;42:726-33
Frigatti P (*see* Antonello et al). 2005;42:185-93
Fritschy WM (*see* Rooijens et al). 2005;42:481-7
Froger CL (*see* Doelman et al). 2005;42:739-46
Frohman LP (*see* Cuadra et al). 2005;42:792-5 (Case rep.)
Fromm RA (*see* Benoit et al). 2005;42:884-90
Frusha JD (*see* Olinde et al). 2005;42:27-34
Fueglistaler P, Wolff T, Guerke L, Stierli P, Eugster T. Endovascular stent graft for symptomatic mobile thrombus of the thoracic aorta. 2005;42:781-3 (Case rep.)
Fujita H (*see* Yamanouchi et al). 2005;42:757-64
Fukuchi K, Ishida Y, Higashi M, Tsunekawa T, Ogino H, Minatoya K, Kiso K, Naito H. Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings. 2005;42:919-25
Fulton JJ (*see* Reisenman et al). 2005;42:1063
Fuster V (*see* Rhee et al). 2005;42:321-8

G

García-Criado FJ (*see* Lozano et al). 2005;42:129-39
Garcia R (*see* Ponsky et al). 2005;42:796-9 (Case rep.)
Gardner AW, Montgomery PS, Flinn WR, Katzel LI. The effect of exercise intensity on the response to exercise rehabilitation in patients with intermittent claudication. 2005;42:702-9
Gargiulo NJ III (*see* Malas et al). 2005;42:639-44
Garrett HE Jr, Heidepriem RW III, Broadbent LP. Ruptured aneurysm of the inferior thyroid artery: repair with coil embolization. 2005;42:1226-9 (Case rep.)
Gavin TJ (*see* Resch et al). 2005;42:1206-9 (Case rep.)
Gemmati D (*see* Zamboni et al). 2005;42:309-14
Gerassimidis TS, Papazoglou KO, Kamparoudis AG, Konstantinidis K, Karkos CD, Karamanos D, Sfyroeras G. Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center. 2005;42:615-23
Geroulakos G (*see* Kakkos et al). 2005;42:296-303
Gewertz B (*see* Grogan et al). 2005;42:435-41
Giannoukas AD. Regarding "Compelling nature of arterial manifestations in Behçet disease." 2005;42:181-2 (Letter)
Giordano J (*see* Ponsky et al). 2005;42:796-9 (Case rep.)
Glagov S (*see* Grogan et al). 2005;42:435-41
Gloviczki P (*see* Cordera et al). 2005;42:168-71 (Case rep.)
Gloviczki P (*see* Kalra et al). 2005;42:182-3 (Letter reply)
Gloviczki P (*see* Mozes et al). 2005;42:963-71
Gloviczki P (*see* Oderich et al). 2005;42:98-106
Gloviczki P (*see* Puggioni et al). 2005;42:488-93
Gloviczki P (*see* West et al). 2005;42:1236 (Vascular Images)
Goëau-Brissonnière O (*see* Coggia et al). 2005;42:906-11
Goëau-Brissonnière O (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Gómez-Alonso A (*see* Lozano et al). 2005;42:129-39
Goodrick JS (*see* Huynh et al). 2005;42:206-12
Gordon R (*see* Rhee et al). 2005;42:321-8
Gottardi R, Seitelberger R, Zimpfer D, Lammer J, Wolner E, Grimm M, Czerny M. An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement. 2005;42:357-60 (Case rep.)
Gottsäter A (*see* Barani et al). 2005;42:75-80
Gouëffic Y, Rozec B, Sonnard A, Patra P, Blanloeil Y. Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial. 2005;42:654-9
Grace P (*see* O'Brien et al). 2005;42:1169
Grandin C (*see* Hammer et al). 2005;42:847-53
Gravereaux EC (*see* Chew et al). 2005;42:695-701
Gray C (*see* van Rij et al). 2005;42:1156
Greaves M (*see* Cassar et al). 2005;42:252-8
Greenland P (*see* McDermott et al). 2005;42:1131
Greenleaf JF (*see* Mozes et al). 2005;42:963-71
Grego F (*see* Antonello et al). 2005;42:185-93
Gregoric ID (*see* Takach et al). 2005;42:47-54, 55-61
Greiner A, Esterhammer R, Pilav S, Arnold W, Santner W, Neuhauser B, Fraedrich G, Jaschke WR, Schocke MFH. High-energy phosphate metabolism in the calf muscle during moderate isotonic exercise under different degrees of cuff compression: a phosphorus 31 magnetic resonance spectroscopy study. 2005;42:259-67
Griffin A (*see* Grogan et al). 2005;42:435-41
Griffin M (*see* Kakkos et al). 2005;42:296-303
Grimm M (*see* Gottardi et al). 2005;42:357-60 (Case rep.)
Grisoli D (*see* Hartung et al). 2005;42:275-80

Grogan JK, Shaalan WE, Cheng H, Gewertz B, Desai T, Schwarze G, Glagov S, Lozanski L, Griffin A, Castilla M, Bassiouny HS. B-mode ultrasonographic characterization of carotid atherosclerotic plaques in symptomatic and asymptomatic patients. 2005;42:435-41
Gröschel K, Ernemann U, Riecker A, Schmidt F, Terborg C, Kastrup A. Incidence and risk factors for medical complications after carotid artery stenting. 2005;42:1101
Gruber H (*see* Falkensammer et al). 2005;42:1010-13 (Case rep.)
Guduguntia M (*see* Hayter et al). 2005;42:912-18
Guerke L (*see* Fueglistaler et al). 2005;42:781-3 (Case rep.)
Guralnik JM (*see* McDermott et al). 2005;42:1131
Gusberg RJ (*see* Page et al). 2005;42:1014-18 (Case rep.)
Guzman RJ (*see* Passman et al). 2005;42:1027-32 (Tech. Note)
Guzman RP (*see* Benoit et al). 2005;42:884-90

H

Ha CD, Calcagno D. Amplatzer Vascular Plug to occlude the internal iliac arteries in patients undergoing aortoiliac aneurysm repair. 2005;42:1058
Ha J (*see* Jung et al). 2005;42:678-83
Haga Y (*see* Cho et al). 2005;42:765-71
Hakam Z (*see* Hartung et al). 2005;42:275-80
Hallet R (*see* Roos et al). 2005;42:1002-6 (Case rep.)
Halm EA, Hannan EL, Rojas M. Tuhrim S, Riles TS, Rockman CB, Chassin MR. Clinical and operative predictors of outcomes of carotid endarterectomy. 2005;42:420-8
Halm EA (*see* Rockman et al). 2005;42:870-7
Hamdan AD (*see* Sheahan et al). 2005;42:476-80
Hammer FD, Lacroix V, Duprez T, Grandin C, Verhelst R, Peeters A, Cosnard G. Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study. 2005;42:847-53
Hamontree SE (*see* Taylor et al). 2005;42:227-35
Handorf CR (*see* Cagiannos et al). 2005;42:980-8
Hannan EL (*see* Halm et al). 2005;42:420-8
Hardman DTA (*see* Hayter et al). 2005;42:912-18
Harris JR, Forbes TL, Steiner SH, Lawlor DK, DeRose G, Harris KA. Risk-adjusted analysis of early mortality after ruptured abdominal aortic aneurysm repair. 2005;42:387-91
Harris KA (*see* Forbes et al). 2005;42:410-14
Harris KA (*see* Harris et al). 2005;42:387-91
Hartley DE (*see* Adam et al). 2005;42:997-1001 (Case rep.)
Hartley DE (*see* Anderson et al). 2005;42:600-7
Hartung O, Grisoli D, Boufi M, Marani I, Hakam Z, Barthelemy P, Alimi YS. Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases. 2005;42:275-80
Hartung O, Otero A, Boufi M, Decaridi G, Barthelemy P, Juhan C, Alimi YS. Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease. 2005;42:1138
Hass BT (*see* Altobelli et al). 2005;42:122-8
Hawley AE (*see* Myers et al). 2005;42:329-36
Hayter CL, Bradshaw SR, Allen RJ, Guduguntia M, Hardman DTA. Follow-up costs increase the cost disparity between endovascular and open abdominal aortic aneurysm repair. 2005;42:912-18
Hebert SA (*see* Olinde et al). 2005;42:27-34
Heidepriem RW III (*see* Garrett et al). 2005;42:1226-9 (Case rep.)
Heikkinen M (*see* Mennander et al). 2005;42:194-9
Heller J (*see* McGirt et al). 2005;42:829-37
Hellinger JC (*see* Roos et al). 2005;42:1002-6 (Case rep.)
Hellings WE (*see* Verhoeven et al). 2005;42:1075
Henke PK (*see* Deatrick et al). 2005;42:140-8
Henke PK (*see* Myers et al). 2005;42:329-36
Henning A (*see* Bünger et al). 2005;42:290-5
Henry D (*see* DeAnda et al). 2005;42:149-52 (Case rep.)
Herfarth C (*see* Schwarzbach et al). 2005;42:88-97
Herngreen SB (*see* Vainas et al). 2005;42:243-51
Hertzer NR, Mascha EJ. A personal experience with factors influencing survival after elective open repair of infrarenal aortic aneurysms. 2005;42:898-905
Heye S (*see* Maleux et al). 2005;42:163-7 (Case rep.)
Higashi M (*see* Fukuchi et al). 2005;42:919-25
Hill BB, Chan AK, Faruqi RM, Arko FR, Zarins CK, Fogarty TJ. Keyhole technique for autologous brachiobasilic transposition arteriovenous fistula. 2005;42:945-50
Hill G (*see* van Rij et al). 2005;42:1156
Hingorani A (*see* Ascher et al). 2005;42:1089
Hingorani AP (*see* Ascher et al). 2005;42:1108, 1114
Hinnen JW, Koning OHJ, Visser MJT, Van Bockel HJ. Effect of intraluminal thrombus on pressure transmission in the abdominal aortic aneurysm. 2005;42:1176
Hinz U (*see* Schwarzbach et al). 2005;42:88-97
Ho V, Wirthlin D, Yun H, Allison J. Physician supply, treatment, and amputation rates for peripheral arterial disease. 2005;42:81-7
Hodgson KJ (*see* Schmittling et al). 2005;42:62-6
Hoh A (*see* Wilhelm et al). 2005;42:690-4
Hollington L (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Honoré P (*see* Pirard et al). 2005;42:1213-7 (Case rep.)
Hop WCJ (*see* Rooijens et al). 2005;42:481-7
Hormann Y (*see* Schwarzbach et al). 2005;42:88-97
Horn JK (*see* Yeh et al). 2005;42:1007-9 (Case rep.)
Hosaka A, Miyata T, Aramoto H, Shigematsu H, Nakazawa T, Okamoto H, Shigematsu K, Nagawa H. Clinical implication of plasma level of soluble fibrin monomer-fibrinogen complex in patients with abdominal aortic aneurysm. 2005;42:200-5
Hosaka A, Miyata T, Shigematsu H, Shigematsu K, Okamoto H, Ishii S, Miyahara T, Yamamoto K, Akagi D, Nagayoshi M, Nagawa H. Long-term outcome after surgical treatment of arterial lesions in Behçet disease. 2005;42:116-21
Hoshino S (*see* Ogawa et al). 2005;42:940-4
Hoskin TL (*see* Mozes et al). 2005;42:963-71
Houser S (*see* Hua et al). 2005;42:337-43
Howe AK (*see* Stanley et al). 2005;42:546-51
Hsiang YN (*see* Chung et al). 2005;42:747-56
Hsu J (*see* Wolford et al). 2005;42:951-6
Hua HT, Al-Badawi H, Entabi F, Stoner MC, Diamond RE, Bonheur JA, Houser S, Watkins MT. CXC chemokine expression and synthesis in skeletal muscle during ischemia/reperfusion. 2005;42:337-43
Huang X (*see* Huang et al). 2005;42:494-501
Huang Y, Jiang M, Li W, Lu X, Huang X, Lu M. Endovenous laser treatment combined with a surgical strategy for treatment of venous insufficiency in lower extremity: a report of 208 cases. 2005;42:494-501
Huang Y (*see* Iwai et al). 2005;42:107-15
Huber TS. 3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy. 2005;42:829-37 (Invited commentary)

Huber TS. Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access. 2005;42:481-7 (Invited commentary)
Humphries J (*see* Waltham et al). 2005;42:1183
Hussain SM (*see* Schmittling et al). 2005;42:62-6
Huynh TTT, van Eps RGS, Miller CC III, Villa MA, Estrera AL, Azizzadeh A, Porat EE, Goodrick JS, Safi HJ. Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery. 2005;42:206-12
Hyers TM (*see* Caprini et al). 2005;42:726-33

I

Illig KA (*see* Wolford et al). 2005;42:951-6
Imamaki M (*see* Ishida et al). 2005;42:556-8 (Case rep.)
Inglese L (*see* Lupattelli et al). 2005;42:1038-40 (Letter)
Inoue Y (*see* Iwai et al). 2005;42:107-15
Iscan ZH, Vural KM, Bayazit M. Regarding "Compelling nature of arterial manifestations in Behçet disease." 2005;42:181-2 (Letter reply)
Ishida A (*see* Ishida et al). 2005;42:556-8 (Case rep.)
Ishida K, Imamaki M, Ishida A, Shimura H, Miyazaki M. A ruptured aneurysm in persistent sciatic artery: a case report. 2005;42:556-8 (Case rep.)
Ishida Y (*see* Fukuchi et al). 2005;42:919-25
Ishii S (*see* Hosaka et al). 2005;42:116-21
Ishikawa I (*see* Iwai et al). 2005;42:107-15
Ishy A (*see* Yazbek et al). 2005;42:281-5
Isso M (*see* Zamboni et al). 2005;42:309-14
Ito S (*see* Tanemoto and Ito). 2005;42:1038-40 (Letter reply)
Iwai T, Inoue Y, Umeda M, Huang Y, Kurihara N, Koike M, Ishikawa I. Oral bacteria in the occluded arteries of patients with Buerger disease. 2005;42:107-15

J

Jackson MR (*see* Taylor et al). 2005;42:227-35
Jacob T (*see* Ascher et al). 2005;42:1089
Jae HJ (*see* Jung et al). 2005;42:678-83
Jain S (*see* McGirt et al). 2005;42:829-37
Jaschke WR (*see* Greiner et al). 2005;42:259-67
Javerliat I, Coggia M, Di Centa I, Alfonsi P, Colacchio G, Kitzis M, Goëau-Brissonnière O. Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization. 2005;42:361-4 (Case rep.)
Javerliat I (*see* Coggia et al). 2005;42:906-11
Jennings LK (*see* Cagiannos et al). 2005;42:980-8
Jiang M (*see* Huang et al). 2005;42:494-501
Jing Z (*see* Qu et al). 2005;42:159-62 (Case rep.)
Johansson G (*see* Blomgren et al). 2005;42:315-20
Johnson BL (*see* Armstrong et al). 2005;42:660-6
Johnston KW (*see* Lui et al). 2005;42:972-9
Jones JW, McCullough LB, Richman BW. The ethics of bylines: would the real authors please stand up?. 2005;42:816-18
Jones JW, McCullough LB, Richman BW. The ethics of operating on a family member. 2005;42:1033-5
Jones JW, McCullough LB, Richman BW. Regarding "Ethics of the new economic credentialing." 2005;42:383-4 (Letter reply)
Jones JW, McCullough LB, Richman BW. Show me the money: the ethics of physicians' income. 2005;42:377-9
Jones JW, McCullough LB, Richman BW. Turf wars: the ethics of professional territorialism. 2005;42:587-9
Jones JW, McCullough LB, Richman BW. Whodunit? Ghost surgery and ethical billing. 2005;42:1239-41
Jones JW (*see* McCullough et al). 2005;42:176-7
Jordan WD Jr. Incidence and risk factors for medical complications after carotid artery stenting. 2005;42:1101 (Invited commentary)
Jousset Y (*see* Picquet et al). 2005;42:788-91 (Case rep.)
Juhan C (*see* Hartung et al). 2005;42:1138
Jung AY, Lee W, Chung JW, Song SY, Kim SJ, Ha J, Jae HJ, Park JH. Role of computed tomographic angiography in the detection and comprehensive evaluation of persistent sciatic artery. 2005;42:678-83

K

Kafa U (*see* Kalko et al). 2005;42:673-7
Kaila N (*see* Myers et al). 2005;42:329-36
Kakaletri K (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Kakkos SK, Griffin M, Geroulakos G, Nicolaides AN. The efficacy of a new portable sequential compression device (SCD Express) in preventing venous stasis. 2005;42:296-303
Kalbaugh CA (*see* Taylor et al). 2005;42:227-35
Kalko Y, Basaran M, Aydin U, Kafa U, Basaranoglu G, Yasar T. The surgical treatment of arterial aneurysms in Behçet disease: a report of 16 patients. 2005;42:673-7
Kalman P (*see* Labropoulos et al). 2005;42:515-18
Kalra M, Mozes G, Gloviczki P. Regarding "Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques." 2005;42:182-3 (Letter reply)
Kalra M (*see* Oderich et al). 2005;42:98-106
Kalra M (*see* Puggioni et al). 2005;42:488-93
Kamparoudis AG (*see* Gerassimidis et al). 2005;42:615-23
Kang SS (*see* Labropoulos et al). 2005;42:710-16
Kao TC (*see* Blecken et al). 2005;42:1150
Kapma MR (*see* Verhoeven et al). 2005;42:402-9
Karamanos D (*see* Gerassimidis et al). 2005;42:615-23
Kardon D (*see* Ponsky et al). 2005;42:796-9 (Case rep.)
Karkos CD (*see* Gerassimidis et al). 2005;42:615-23
Kasirajan K (*see* Kong et al). 2005;42:631-8
Kasirajan V (*see* DeAnda et al). 2005;42:149-52 (Case rep.)
Kastrup A (*see* Gröschel et al). 2005;42:1101
Kato T (*see* Sekino et al). 2005;42:352-6 (Case rep.), 1233-5 (Case rep.)
Kato T (*see* Takagi et al). 2005;42:822-5 (Letter), 1244-5 (Letter)
Katzel LI (*see* Gardner et al). 2005;42:702-9
Katzen BT, MacLean AA, Katzman HE. Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure. 2005;42:784-7 (Case rep.)
Katzman HE (*see* Katzen et al). 2005;42:784-7 (Case rep.)
Kauffman P (*see* Yazbek et al). 2005;42:281-5
Kawata M, Morota T, Takamoto S, Kubota H, Kitahori K. Non-anastomotic rupture in the guideline of a Dacron thoracic aortic graft. 2005;42:573 (Vascular Images)
Keagy BA (*see* Reisenman et al). 2005;42:1063
Kelly P (*see* van Bemmelen et al). 2005;42:957-62
Kent KC (*see* Rhee et al). 2005;42:321-8
Khafif A (*see* Rabinovich et al). 2005;42:567-9 (Case rep.)
Kieffer E (*see* Chiche et al). 2005;42:597 (Letter)
Kim SJ (*see* Jung et al). 2005;42:678-83
Kinnick RR (*see* Mozes et al). 2005;42:963-71
Kinser R (*see* Veldenz et al). 2005;42:220-6

Kiso K (*see* Fukuchi et al). 2005;42:919-25
Kistner RL Endovenous laser treatment combined with a surgical strategy for treatment of venous insufficiency in lower extremity: a report of 208 cases. 2005;42:494-501 (Invited commentary)
Kitahori K (*see* Kawata et al). 2005;42:573 (Vascular Images)
Kitslaar PJEHM (*see* Vainas et al). 2005;42:243-51
Kitzis M (*see* Coggia et al). 2005;42:906-11
Kitzis M (*see* Javerliat et al). 2005;42:361-4 (Case rep.)
Klar E (*see* Bünger et al). 2005;42:290-5
Knaggs AL (*see* Delis and Knaggs). 2005;42:717-25
Knipping L (*see* Wilhelm et al). 2005;42:690-4
Kobayashi M (*see* Yamanouchi et al). 2005;42:757-64
Kock L (*see* Bünger et al). 2005;42:290-5
Kohler TR. Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease. 2005;42:236-42 (Invited commentary)
Koike M (*see* Iwai et al). 2005;42:107-15
Kolvenbach RR. Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study. 2005;42:906-11 (Invited commentary)
Komori K (*see* Yamanouchi et al). 2005;42:757-64
Kong LS, MacMillan D, Kasirajan K, Milner R, Dodson TF, Salam AA, Smith RB III, Chaikof EL. Secondary conversion of the Gore Excluder to operative abdominal aortic aneurysm repair. 2005;42:631-8
Koning OHJ (*see* Hinnen et al). 2005;42:1176
Konstantinidis K (*see* Gerassimidis et al). 2005;42:615-23
Koskas F (*see* Chiche et al). 2005;42:597 (Letter)
Krajcer Z (*see* Takach et al). 2005;42:47-54, 55-61
Kreienberg PB (*see* Mehta et al). 2005;42:1047
Kröger J (*see* Bünger et al). 2005;42:290-5
Kubota H (*see* Kawata et al). 2005;42:573 (Vascular Images)
Kubota H (*see* Sekino et al). 2005;42:352-6 (Case rep.)
Kudo FA (*see* Asada et al). 2005;42:772-80
Kudo T, Chandra FA, Ahn SS. Long-term outcomes and predictors of iliac angioplasty with selective stenting. 2005;42:466-75
Kudo T (*see* Altobelli et al). 2005;42:122-8
Kuivaniemi H (*see* Ogata et al). 2005;42:891-7
Kumar N (*see* Rhee et al). 2005;42:321-8
Kurihara N (*see* Iwai et al). 2005;42:107-15
Kuwano H (*see* Yamanouchi et al). 2005;42:757-64
Kwolek CJ (*see* Black et al). 2005;42:932-9

L

Labropoulos N, Bhatti AF, Amaral S, Leon L, Borge M, Rodriguez H, Kalman P. Neovascularization in acute venous thrombosis. 2005;42:515-18
Labropoulos N, Leon LR Jr, Bhatti A, Melton S, Kang SS, Mansour AM, Borge M. Hemodynamic effects of intermittent pneumatic compression in patients with critical limb ischemia. 2005;42:710-16
Lacroix V (*see* Hammer et al). 2005;42:847-53
Laganà D (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Lai KM (*see* Wellons et al). 2005;42:286-9
Lammer J (*see* Gottardi et al). 2005;42:357-60 (Case rep.)
Lamparello PJ (*see* Pua et al). 2005;42:564-6 (Case rep.)
Lamparello PJ (*see* Rockman et al). 2005;42:878-83
LaMuraglia GM (*see* Black et al). 2005;42:932-9
Lane JS (*see* Yeh et al). 2005;42:1007-9 (Case rep.)
Langan EM III (*see* Taylor et al). 2005;42:227-35
Lange C, Leurs LJ, Buth J, Myhre HO. Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data. 2005;42:624-30
Länne T (*see* Åstrand et al). 2005;42:926-31
Larson R (*see* Eisenberg et al). 2005;42:1210-2 (Case rep.)
Laurent S (*see* Pirard et al). 2005;42:1213-7 (Case rep.)
Lawlor DK (*see* Forbes et al). 2005;42:410-14
Lawlor DK (*see* Harris et al). 2005;42:387-91
Lawson JH (*see* Evans et al). 2005;42:1019-22 (Case rep.)
Lee BB. Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study." 2005;42:821-2 (Letter)
Lee JG (*see* Dahi et al). 2005;42:539-45
Lee W (*see* Jung et al). 2005;42:678-83
Lees T (*see* Subramonia and Lees). 2005;42:510-14
Leon L (*see* Labropoulos et al). 2005;42:515-18
Leon LR Jr (*see* Labropoulos et al). 2005;42:710-16
Lepidi S (*see* Antonello et al). 2005;42:185-93
Leurs LJ (*see* Lange et al). 2005;42:624-30
Levitt A (*see* Wellons et al). 2005;42:286-9
Li W (*see* Huang et al). 2005;42:494-501
Liboni A (*see* Zamboni et al). 2005;42:309-14
Liem YS (*see* Doelman et al). 2005;42:739-46
Lifeline Registry of EVAR Publications Committee. Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures. 2005;42:1-10
Limet R (*see* Pirard et al). 2005;42:1213-7 (Case rep.)
Lin S (*see* Rhee et al). 2005;42:321-8
Lindblad B (*see* Barani et al). 2005;42:75-80
Lindor NM (*see* Oderich et al). 2005;42:98-106
Lindsay TF (*see* Burton and Lindsay). 2005;42:1094
Lioupis C (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Lipsitz EC (*see* Malas et al). 2005;42:639-44
Liu F (*see* Myers et al). 2005;42:524-31
Liu K (*see* McDermott et al). 2005;42:1131
Liu N. Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study." 2005;42:821-2 (Letter reply)
Livesay JJ (*see* Takach et al). 2005;42:47-54, 55-61
Livingstone AS (*see* Yang et al). 2005;42:532-8
LoGerfo FW (*see* Sheahan et al). 2005;42:476-80
Lomazzi C (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Lombardi JV (*see* Eisenberg et al). 2005;42:1210-2 (Case rep.)
Long A, Rouet L, Bissery A, Rossignol P, Mouradian D, Sapoval M. Compliance of abdominal aortic aneurysms evaluated by tissue Doppler imaging: correlation with aneurysm size. 2005;42:18-26
López-Novoa JM (*see* Lozano et al). 2005;42:129-39
Lounsbury KM (*see* Stanley et al). 2005;42:546-51
Louridas G (*see* Benoit et al). 2005;42:884-90
Lovett DH (*see* Dahi et al). 2005;42:539-45
Lozano FS, López-Novoa JM, Rodriguez JM, Barros MB, García-Criado FJ, Nicolás JL, Parreño A, Revilla J, Gómez-Alonso A. Exogenous nitric oxide modulates the systemic inflammatory response and improves kidney function after risk-situation abdominal aortic surgery. 2005;42:129-39
Lozanski L (*see* Grogan et al). 2005;42:435-41
Lu M (*see* Huang et al). 2005;42:494-501
Lu X (*see* Huang et al). 2005;42:494-501

Lui EYL, Steinman AH, Cobbold RSC, Johnston KW. Human factors as a source of error in peak Dopple velocity measurement. 2005;42:972-9
Luo H (*see* Chung et al). 2005;42:747-56
Lupattelli T, Nano G, Inglese L. Regarding "Cutting balloon angioplasty of renal fibromuscular dysplasia: a word of caution." 2005;42:1038-40 (Letter)
Lyden SP (*see* Resch et al). 2005;42:1206-9 (Case rep.)
Lynch EM (*see* Deatrick et al). 2005;42:140-8

M

Macfarlane J (*see* van Rij et al). 2005;42:1156
MacKean GL (*see* Ogata et al). 2005;42:891-7
Mackey WC. Endovascular management of spontaneous carotid artery dissection. 2005;42:854-60 (Invited commentary)
MacLean AA (*see* Katzen et al). 2005;42:784-7 (Case rep.)
MacMillan D (*see* Kong et al). 2005;42:631-8
Magne JL (*see* Sessa et al). 2005;42:153-8 (Case rep.)
Makaroun M, Wholey M. Endovascular treatment for aortic disease: is a surgical environment necessary?. 2005;42:645-9 (Invited commentary)
Makaroun MS (*see* Compton et al). 2005;42:650-3
Malas MB, Ohki T, Veith FJ, Chen T, Lipsitz EC, Shah AR, Timaran C, Suggs W, Gargiulo NJ III, Parodi JC. Absence of proximal neck dilatation and graft migration after endovascular aneurysm repair with balloon-expandable stent-based endografts. 2005;42:639-44
Maldonado TS (*see* Rockman et al). 2005;42:878-83
Male JS (*see* Zwierska et al). 2005;42:1122
Maleux G, Bielen D, Heye S, Van Schaeybroeck P, Nevelsteen A, Vanbeckevoort D. Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery. 2005;42:163-7 (Case rep.)
Mangold G (*see* Wilhelm et al). 2005;42:690-4
Mansat P (*see* Marcheix et al). 2005;42:1230-2 (Case rep.)
Mansour AM (*see* Labropoulos et al). 2005;42:710-16
Marani I (*see* Hartung et al). 2005;42:275-80
Marcheix B, Chaufour X, Ayel J, Hollington L, Mansat P, Barret A, Bossavy JP. Transection of the brachial artery after closed posterior elbow dislocation. 2005;42:1230-2 (Case rep.)
Marin ML (*see* Rhee et al). 2005;42:321-8
Marks N (*see* Ascher et al). 2005;42:1089
Marks NA (*see* Ascher et al). 2005;42:1108, 1114
Marrocco-Trischitta M (*see* Chiesa et al). 2005;42:11-17
Marston WA (*see* Reisenman et al). 2005;42:1063
Mascha EJ (*see* Hertzer and Mascha). 2005;42:898-905
Matsen SL, Perler BA, Chang DC. A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy. 2005;42:861-9
Matsumura JS. Nonoperative approach to endotension. 2005;42:194-9 (Invited commentary)
Matsuno Y (*see* Sekino et al). 2005;42:352-6 (Case rep.), 1233-5 (Case rep.)
Matsuno Y (*see* Takagi et al). 2005;42:822-5 (Letter), 1042 (Letter), 1244-5 (Letter)
Matsuura J (*see* Wellons et al). 2005;42:286-9
Mattiasson I (*see* Barani et al). 2005;42:75-80
Maurin M (*see* Sessa et al). 2005;42:153-8 (Case rep.)
Mauro M (*see* Reisenman et al). 2005;42:1063
May J, Abraham N. Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms." 2005;42:593 (Letter reply)
May J. Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data. 2005;42:624-30 (Invited commentary)
May J (*see* Abraham and May). 2005;42:595 (Letter reply)
McArthur CS (*see* Sheahan et al). 2005;42:476-80
McCullough LB, Richman BW, Jones JW. Withdrawal of life-sustaining low-burden care. 2005;42:176-7
McCullough LB (*see* Jones et al). 2005;42:377-9, 383-4 (Letter reply), 587-9, 816-18, 1033-5, 1239-41
McDermott MM, Guralnik JM, Ferrucci L, Criqui MH, Greenland P, Tian L, Liu K, Tan J. Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race. 2005;42:1131
McGirt MJ, Perler BA, Brooke BS, Woodworth GF, Coon A, Jain S, Buck D, Roseborough GS, Tamargo RJ, Heller J, Freischlag JA, Williams GM. 3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy. 2005;42:829-37
McGloughlin T (*see* O'Brien et al). 2005;42:1169
McLafferty RB (*see* Schmittling et al). 2005;42:62-6
McNeil JW (*see* Olinde et al). 2005;42:27-34
McPhail IR (*see* West et al). 2005;42:1236 (Vascular Images)
Mechtersheimer G (*see* Schwarzbach et al). 2005;42:88-97
Medlicott SAC (*see* White et al). 2005;42:365-7 (Case rep.)
Mehta K. Radiation: basic principles. 2005;42:1237-8
Mehta M, Darling RC III, Roddy SP, Fecteau S, Ozsvath KJ, Kreienberg PB, Paty PSK, Chang BB, Shah DM. Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms. 2005;42:1047
Melissano G (*see* Chiesa et al). 2005;42:11-17
Melton S (*see* Labropoulos et al). 2005;42:710-16
Menard MT (*see* Chew et al). 2005;42:695-701
Mendes RR (*see* Reisenman et al). 2005;42:1063
Merchant RF, Pichot O. Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency. 2005;42:502-9
Messich HS (*see* Taylor et al). 2005;42:227-35
Messina LM (*see* Schneider and Messina). 2005;42:593 (Letter reply)
Midorikawa H (*see* Ogawa et al). 2005;42:940-4
Milanez de Campos JR (*see* Yazbek et al). 2005;42:281-5
Milio G, Minà C, Cospite V, Almasio PL, Novo S. Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs. 2005;42:304-8
Militello C (*see* Ballotta et al). 2005;42:838-46
Miller CC III (*see* Huynh et al). 2005;42:206-12
Milner R (*see* Kong et al). 2005;42:631-8
Milner TP (*see* Erdos and Milner). 2005;42:442-8
Minà C (*see* Milio et al). 2005;42:304-8
Minatoya K (*see* Fukuchi et al). 2005;42:919-25
Miyahara T (*see* Hosaka et al). 2005;42:116-21
Miyata T (*see* Hosaka et al). 2005;42:116-21, 200-5
Miyazaki M (*see* Ishida et al). 2005;42:556-8 (Case rep.)
Modarai B (*see* Waltham et al). 2005;42:1183
Modrall JG (*see* Ali et al). 2005;42:667-72
Modrall JG (*see* D'Addio et al). 2005;42:35-9
Molina JE. Regarding "Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty." 2005;42:593 (Letter)
Moll FL (*see* Verhoeven et al). 2005;42:1075, 1082
Monahan DL. Can phlebectomy be deferred in the treatment of varicose veins?. 2005;42:1145

Moneta GL (*see* Conte et al). 2005;42:456-65
Money SR (*see* Tonnessen and Money). 2005;42:585-6 (Editorial)
Money SR (*see* Tonnessen et al). 2005;42:392-401
Montgomery PS (*see* Gardner et al). 2005;42:702-9
Montreuil B (*see* Pescarus et al). 2005;42:344-7 (Case rep.)
Moore AJ (*see* Deatrick et al). 2005;42:140-8
Moore R (*see* White et al). 2005;42:365-7 (Case rep.)
Moore RD, Villalba L, Petrasek PF, Samis G, Ball CG, Motamedi M. Endovascular treatment for aortic disease: is a surgical environment necessary?. 2005;42:645-9
Mori A (*see* Cho et al). 2005;42:765-71
Morioka K (*see* Uchinami et al). 2005;42:552-5 (Case rep.)
Morota T (*see* Kawata et al). 2005;42:573 (Vascular Images)
Motamedi M (*see* Moore et al). 2005;42:645-9
Moulakakis KG (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Mouradian D (*see* Long et al). 2005;42:18-26
Mousa A (*see* Rhee et al). 2005;42:321-8
Moy JL (*see* Altobelli et al). 2005;42:122-8
Mozes G, Kinnick RR, Gloviczki P, Bruhnke RE, Carmo M, Hoskin TL, Bennet KE, Greenleaf JF. Noninvasive measurement of aortic aneurysm sac tension with vibrometry. 2005;42:963-71
Mozes G (*see* Kalra et al). 2005;42:182-3 (Letter reply)
Mozes G (*see* Puggioni et al). 2005;42:488-93
Muhs BE (*see* Pua et al). 2005;42:564-6 (Case rep.)
Murphy MP (*see* Evans et al). 2005;42:1019-22 (Case rep.)
Mutyala M (*see* Ascher et al). 2005;42:1089
Myers DD Jr, Rectenwald JE, Bedard PW, Kaila N, Shaw GD, Schaub RG, Farris DM, Hawley AE, Wrobleski SK, Henke PK, Wakefield TW. Decreased venous thrombosis with an oral inhibitor of P selectin. 2005;42:329-36
Myers MC, Powell RJ. Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study. 2005;42:847-53 (Invited commentary)
Myers SI, Wang L, Liu F, Bartula LL. Suprarenal aortic clamping and reperfusion decreases medullary and cortical blood flow by decreased endogenous renal nitric oxide and PGE_2 synthesis. 2005;42:524-31
Myers SI (*see* DeAnda et al). 2005;42:149-52 (Case rep.)
Myhre HO (*see* Lange et al). 2005;42:624-30

N

Nagawa H (*see* Hosaka et al). 2005;42:116-21, 200-5
Nagayoshi M (*see* Hosaka et al). 2005;42:116-21
Nahata S (*see* Ascher et al). 2005;42:1114, 1089
Naito H (*see* Fukuchi et al). 2005;42:919-25
Nakamura T (*see* Uchinami et al). 2005;42:552-5 (Case rep.)
Nakayama M (*see* Yamanouchi et al). 2005;42:757-64
Nakazawa T (*see* Hosaka et al). 2005;42:200-5
Namini H (*see* Conte et al). 2005;42:456-65
Nano G (*see* Lupattelli et al). 2005;42:1038-40 (Letter)
Nasim A (*see* Stevenson et al). 2005;42:570-2 (Case rep.)
Naslund TC (*see* Passman et al). 2005;42:1027-32 (Tech. Note)
Neglen P. Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease. 2005;42:1138 (Invited commentary)
Neschis DG (*see* Charles et al). 2005;42:1023-5 (Case rep.)
Neuhauser B (*see* Greiner et al). 2005;42:259-67
Nevelsteen A (*see* Maleux et al). 2005;42:163-7 (Case rep.)
Nguyen LL (*see* Chew et al). 2005;42:695-701
Nicolaides AN (*see* Kakkos et al). 2005;42:296-303
Nicolás JL (*see* Lozano et al). 2005;42:129-39
Nilsson JÅ (*see* Barani et al). 2005;42:75-80
Noel AA (*see* Oderich et al). 2005;42:98-106
Nolan BW, Schermerhorn ML, Powell RJ, Rowell E, Fillinger MF, Rzucidlo EM, Wyers MC, Whittaker D, Zwolak RM, Walsh DB, Cronenwett JL. Restenosis in gold-coated renal artery stents. 2005;42:40-6
Novo S. (*see* Milio et al). 2005;42:304-8

O

O'Brien TP, Grace P, Walsh M, Burke P, McGloughlin T. Computational investigations of a new prosthetic femoral-popliteal bypass graft design. 2005;42:1169
Oderich GS, Panneton JM, Bower TC, Lindor NM, Cherry KJ Jr, Noel AA, Kalra M, Sullivan T, Gloviczki P. The spectrum, management and clinical outcome of Ehlers-Danlos syndrome type IV: a 30-year experience. 2005;42:98-106
Ogata T, MacKean GL, Cole CW, Arthur C, Andreou P, Tromp G, Kuivaniemi H. The lifetime prevalence of abdominal aortic aneurysms among siblings of aneurysm patients is eightfold higher than among siblings of spouses: an analysis of 187 aneurysm families in Nova Scotia, Canada. 2005;42:891-7
Ogawa T, Hoshino S, Midorikawa H, Sato K. Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg. 2005;42:940-4
Ogino H (*see* Fukuchi et al). 2005;42:919-25
Ohki T. Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center. 2005;42:615-23 (Invited commentary)
Ohki T (*see* Malas et al). 2005;42:639-44
Okamoto H (*see* Hosaka et al). 2005;42:116-21, 200-5
Okon EB (*see* Chung et al). 2005;42:747-56
Olinde AJ, McNeil JW, Sam A II, Hebert SA, Frusha JD. Total laparoscopic aortobifemoral bypass: a review of 22 cases. 2005;42:27-34
Onodera Y (*see* Yoshimoto et al). 2005;42:805 (Vascular Images)
Otero A (*see* Hartung et al). 2005;42:1138
Ott DA (*see* Takach et al). 2005;42:47-54, 55-61
Ouriel K. Regarding "The study of endovascular repair of small (<5.5-cm) aneurysms. 2005;42:822 (Letter reply)
Owens CD (*see* Chew et al). 2005;42:695-701
Ozsvath KJ (*see* Mehta et al). 2005;42:1047

P

Padberg FT (*see* Cuadra et al). 2005;42:792-5 (Case rep.)
Page C, Rubin LE, Gusberg RJ, Dardik A. Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors. 2005;42:1014-18 (Case rep.)
Palamara AE. Regarding "The study of endovascular repair of small (<5.5-cm) aneurysms. 2005;42:822 (Letter)
Pancaldi F (*see* Zamboni et al). 2005;42:309-14
Panneton JM (*see* Oderich et al). 2005;42:98-106
Papazoglou KO (*see* Gerassimidis et al). 2005;42:615-23
Parikh MS (*see* Pua et al). 2005;42:564-6 (Case rep.)
Park JH (*see* Jung et al). 2005;42:678-83
Parodi JC (*see* Malas et al). 2005;42:639-44
Parreño A (*see* Lozano et al). 2005;42:129-39
Partio T (*see* Mennander et al). 2005;42:194-9
Partsch B, Partsch H. Calf compression pressure required to achieve venous closure from supine to standing positions. 2005;42:734-8

Partsch H (*see* Partsch and Partsch). 2005;42:734-8
Partsch H (*see* Uhl et al). 2005;42:1237
Passman MA, Dattilo JB, Guzman RJ, Naslund TC. Bedside placement of inferior vena cava filters by using transabdominal duplex ultrasonography and intravascular ultrasound imaging. 2005;42:1027-32 (Tech. Note)
Pasterkamp G (*see* Verhoeven et al). 2005;42:1075, 1082
Paszkowiak J (*see* Asada et al). 2005;42:772-80
Patra P (*see* Gouëffic et al). 2005;42:654-9
Pattynama PMT (*see* Spronk et al). 2005;42:236-42
Paty PSK (*see* Mehta et al). 2005;42:1047
Pearce CG (*see* Deatrick et al). 2005;42:140-8
Peeters A (*see* Hammer et al). 2005;42:847-53
Pénard J (*see* Picquet et al). 2005;42:788-91 (Case rep.)
Peppelenbosch N, Cuypers PWM, Vahl AC, Vermassen F, Buth J. Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia. 2005;42:608-14
Pereira CAB (*see* Albers et al). 2005;42:449-55
Perler BA (*see* Matsen et al). 2005;42:861-9
Perler BA (*see* McGirt et al). 2005;42:829-37
Pescarus R, Montreuil B, Bendavid Y. Giant splenic artery aneurysms: case report and review of the literature. 2005;42:344-7 (Case rep.)
Peters RJG (*see* Willigendael et al). 2005;42:67-74
Petrasek PF (*see* Moore et al). 2005;42:645-9
Peynircioglu B, Williams DM, Rubenfire M, Dasika N, Upchurch GR Jr, Deeb GM. Endograft repair of partially anomalous pulmonary venous connection with dual drainage. 2005;42:1221-5 (Case rep.)
Pichot O, Creton D. Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis." 2005;42:595-7 (Letter)
Pichot O (*see* Merchant and Pichot). 2005;42:502-9
Picquet J, Abilez O, Pénard J, Jousset Y, Rousselet MC, Enon B. Superficial femoral artery transposition repair for isolated superior mesenteric artery dissection. 2005;42:788-91 (Case rep.)
Pieraccini M (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Piffaretti G (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Pilav S (*see* Greiner et al). 2005;42:259-67
Pimenoff G (*see* Mennander et al). 2005;42:194-9
Pinjala RK (*see* Singh et al). 2005;42:348-51 (Case rep.)
Pirard L, Creemers E, Van Damme H, Laurent S, Honoré P, Limet R. In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm. 2005;42:1213-7 (Case rep.)
Pockley AG (*see* Zwierska et al). 2005;42:1122
Poldermans D (*see* Schouten et al). 2005;42:594-5 (Letter), 825-6 (Letter)
Pomposelli FB Jr (*see* Sheahan et al). 2005;42:476-80
Ponsky TA, Brody F, Giordano J, Garcia R, Kardon D, Schwartz A. Brachial artery occlusion secondary to hypereosinophilic syndrome. 2005;42:796-9 (Case rep.)
Porat EE (*see* Huynh et al). 2005;42:206-12
Porcu P (*see* Sessa et al). 2005;42:153-8 (Case rep.)
Poussier B, Cordova AC, Becquemin JP, Sumpio BE. Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis. 2005;42:1190
Powell J. Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial." 2005;42:825-6 (Letter reply)
Powell RJ (*see* Brown et al). 2005;42:268-74
Powell RJ (*see* Myers and Powell). 2005;42:847-53 (Invited commentary)
Powell RJ (*see* Nolan et al). 2005;42:40-6
Pratesi GT (*see* Fatini et al). 2005;42:415-19
Prince M (*see* Rhee et al). 2005;42:321-8
Prins MH (*see* Willigendael et al). 2005;42:67-74
Prins TR (*see* Verhoeven et al). 2005;42:402-9
Prionidis I, Browne TF. Catheter occlusion technique to facilitate distal anastomoses using vein grafts. 2005;42:173-5 (Tech. Notes)
Prodinger WM (*see* Falkensammer et al). 2005;42:1010-13 (Case rep.)
Pua BB, Muhs BE, Parikh MS, Lamparello PJ. Interval gangrene complicating superficial femoral artery stent placement. 2005;42:564-6 (Case rep.)
Puech-Leão P (*see* Yazbek et al). 2005;42:281-5
Puggioni A, Kalra M, Carmo M, Mozes G, Gloviczki P. Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications. 2005;42:488-93
Purohit AK (*see* Singh et al). 2005;42:348-51 (Case rep.)

Q

Qu L, Jing Z, Feng R. Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm. 2005;42:159-62 (Case rep.)

R

Rabinovich Y, Sameuls D, Zelmanovich L, Khafif A, Reider E, Wolf YG. Survival with intact cerebral function after gunshot injury to both internal carotid arteries. 2005;42:567-9 (Case rep.)
Raghavendran K, Cherr GS, Ford PF, Burkhard PG, Bell-Thomson J. Successful management of concomitant aortoesophageal and aortotracheal fistulae secondary to thoracic aortic aneurysm: case report and review of the literature. 2005;42:1218-20 (Case rep.)
Ramaiah V (*see* Ravi et al). 2005;42:182-3 (Letter)
Ramani V (*see* Stevenson et al). 2005;42:570-2 (Case rep.)
Ramsey DE (*see* Schmittling et al). 2005;42:62-6
Rauniyar P (*see* Chung et al). 2005;42:747-56
Ravi R, Rodriguez-Lopez J, Ramaiah V, Diethrich EB. Regarding "Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques." 2005;42:182-3 (Letter)
Rectenwald JE (*see* Myers et al). 2005;42:329-36
Reddy LRC (*see* Singh et al). 2005;42:348-51 (Case rep.)
Reider E (*see* Rabinovich et al). 2005;42:567-9 (Case rep.)
Reisenman PJ, Farber MA, Mendes RR, Marston WA, Fulton JJ, Mauro M, Keagy BA. Endovascular repair of lesions involving the descending thoracic aorta. 2005;42:1063
Reiser M (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Resch TA, Lyden SP, Gavin TJ, Clair DG. Combined open and endovascular treatment of a right subclavian artery aneurysm: a case report. 2005;42:1206-9 (Case rep.)
Reul GJ (*see* Takach et al). 2005;42:47-54, 55-61
Revilla J (*see* Lozano et al). 2005;42:129-39
Rhee JY, Trocciola SM, Dayal R, Lin S, Chaer R, Kumar N, Mousa A, Bernheim J, Christos P, Prince M, Marin ML, Gordon R, Badiomon J, Fuster V, Kent KC, Faries PL. Treatment of type II endoleaks with a novel polyurethane thrombogenic foam: induction of endoleak thrombosis and elimination of intraaneurysmal pressure in the canine model. 2005;42:321-8
Rhee RY (*see* Compton et al). 2005;42:650-3

Rhodes JM (*see* Wolford et al). 2005;42:951-6
Ricci MA (*see* Stanley et al). 2005;42:546-51
Richman BW (*see* Jones et al). 2005;42:377-9, 383-4 (Letter reply), 587-9, 816-18, 1033-5, 1239-41
Richman BW (*see* McCullough et al). 2005;42:176-7
Riecker A (*see* Gröschel et al). 2005;42:1101
Riles TS (*see* Halm et al). 2005;42:420-8
Riles TS (*see* Rockman et al). 2005;42:870-7, 878-83
Robertson RT (*see* Taylor et al). 2005;42:227-35
Rockman CB, Halm EA, Wang JJ, Chassin MR, Tuhrim S, Formisano P, Riles TS. Primary closure of the carotid artery is associated with poorer outcomes during carotid endarterectomy. 2005;42:870-7
Rockman CB, Saltzberg SS, Maldonado TS, Adelman MA, Cayne NS, Lamparello PJ, Riles TS. The safety of carotid endarterectomy in diabetic patients: clinical predictors of adverse outcomes. 2005;42:878-83
Rockman CB (*see* Halm et al). 2005;42:420-8
Roddy SP (*see* Mehta et al). 2005;42:1047
Rodriguez H (*see* Labropoulos et al). 2005;42:515-18
Rodriguez JM (*see* Lozano et al). 2005;42:129-39
Rodriguez-Lopez J (*see* Ravi et al). 2005;42:182-3 (Letter)
Rojas DD (*see* Wilhelm et al). 2005;42:690-4
Rojas M (*see* Halm et al). 2005;42:420-8
Romiti M (*see* Albers et al). 2005;42:449-55
Rooijens PPGM, Burgmans JPJ, Yo TI, Hop WCJ, de Smet AAEA, van den Dorpel MA, Fritschy WM, de Groot HGW, Burger H, Tordoir JHM. Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access. 2005;42:481-7
Roos JE, Hellinger JC, Hallet R, Fleischmann D, Zarins CK, Rubin GD. Detection of endograft fractures with multidetector row computed tomography. 2005;42:1002-6 (Case rep.)
Roseborough GS (*see* McGirt et al). 2005;42:829-37
Rosenthal D (*see* Wellons et al). 2005;42:286-9
Rossignol P (*see* Long et al). 2005;42:18-26
Rouet L (*see* Long et al). 2005;42:18-26
Rousselet MC (*see* Picquet et al). 2005;42:788-91 (Case rep.)
Rowell E (*see* Nolan et al). 2005;42:40-6
Rozec B (*see* Gouëffic et al). 2005;42:654-9
Rubenfire M (*see* Peynircioglu et al). 2005;42:1221-5 (Case rep.)
Rubin GD (*see* Roos et al). 2005;42:1002-6 (Case rep.)
Rubin LE (*see* Page et al). 2005;42:1014-18 (Case rep.)
Ruppert V, Salewski J, Wintersperger BJ, Sadeghi-Azandaryani M, Allenberg JR, Reiser M, Steckmeier B. Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization. 2005;42:368 (Vascular Images)
Rydén-Ahlgren Å (*see* Åstrand et al). 2005;42:926-31
Rzucidlo EM (*see* Brown et al). 2005;42:268-74
Rzucidlo EM (*see* Nolan et al). 2005;42:40-6

S

Sadeghi-Azandaryani M (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Safi HJ (*see* Huynh et al). 2005;42:206-12
Salam AA (*see* Kong et al). 2005;42:631-8
Salenius JP (*see* Mennander et al). 2005;42:194-9
Salewski J (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Salles-Cunha S. Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis." 2005;42:595-7 (Letter reply)
Saltzberg SS (*see* Rockman et al). 2005;42:878-83
Sam A II (*see* Olinde et al). 2005;42:27-34
Sameuls D (*see* Rabinovich et al). 2005;42:567-9 (Case rep.)
Samis G (*see* Moore et al). 2005;42:645-9
Sandgren T (*see* Åstrand et al). 2005;42:926-31
Santner W (*see* Greiner et al). 2005;42:259-67
Sapoval M (*see* Long et al). 2005;42:18-26
Sarkar R (*see* Dahi et al). 2005;42:539-45
Satiani B. Regarding "Ethics of the new economic credentialing." 2005;42:383-4 (Letter)
Sato K (*see* Ogawa et al). 2005;42:940-4
Saxton JM (*see* Zwierska et al). 2005;42:1122
Scapoli GL (*see* Zamboni et al). 2005;42:309-14
Schareck W (*see* Bünger et al). 2005;42:290-5
Schaub RG (*see* Myers et al). 2005;42:329-36
Schecter WP (*see* Yeh et al). 2005;42:1007-9 (Case rep.)
Schermerhorn ML (*see* Brown et al). 2005;42:268-74
Schermerhorn ML (*see* Nolan et al). 2005;42:40-6
Schimpf DK (*see* Dosluoglu et al). 2005;42:989-92 (Case rep.)
Schlensak C (*see* Wilhelm et al). 2005;42:690-4
Schmidt F (*see* Gröschel et al). 2005;42:1101
Schmittling ZC, McLafferty RB, Danetz JS, Hussain SM, Ramsey DE, Hodgson KJ. The inaccuracy of simple visual interpretation for measurement of carotid stenosis by arteriography. 2005;42:62-6
Schneider DB, Messina LM. Regarding "Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty." 2005;42:593 (Letter reply)
Schocke MFH (*see* Greiner et al). 2005;42:259-67
Schoneveld AH (*see* Verhoeven et al). 2005;42:1075
Schouten O, Bax JJ, van Urk H, Poldermans D. Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms." 2005;42:594-5 (Letter)
Schouten O, van Urk H, Feringa HHH, Bax JJ, Poldermans D. Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial." 2005;42:825-6 (Letter)
Schultz R (*see* Dosluoglu et al). 2005;42:989-92 (Case rep.)
Schumacher H (*see* Schwarzbach et al). 2005;42:88-97
Schutzer RW (*see* Ascher et al). 2005;42:1108, 1114, 1089
Schwartz A (*see* Ponsky et al). 2005;42:796-9 (Case rep.)
Schwarzbach MHM, Hormann Y, Hinz U, Bernd L, Willeke F, Mechtersheimer G, Böckler D, Schumacher H, Herfarth C, Büchler MW, Allenberg JR. Results of limb-sparing surgery with vascular replacement for soft tissue sarcoma in lower extremity. 2005;42:88-97
Schwarze G (*see* Grogan et al). 2005;42:435-41
Scovell SD (*see* Sheahan et al). 2005;42:476-80
Seeger JM (*see* Cronenwett and Seeger). 2005;42:599 (Editorial)
Seely L (*see* Conte et al). 2005;42:456-65
Seitelberger R (*see* Gottardi et al). 2005;42:357-60 (Case rep.)
Sekido Y (*see* Sekino et al). 2005;42:1233-5 (Case rep.)
Sekino S, Takagi H, Kato T, Matsuno Y, Sekido Y, Umemoto T. Nontraumatic pseudoaneurysm of the proximal ulnar artery with eosinophilia. 2005;42:1233-5 (Case rep.)
Sekino S, Takagi H, Kubota H, Kato T, Matsuno Y, Umemoto T. Intercostal artery pseudoaneurysm due to stab wound. 2005; 42:352-6 (Case rep.)
Sekino S (*see* Takagi et al). 2005;42:822-5 (Letter), 1244-5 (Letter)
Service GJ (*see* West et al). 2005;42:1236 (Vascular Images)

Sessa C, Vokrri L, Porcu P, Maurin M, Stahl JP, Magne JL. Abdominal aortic aneurysm and *Coxiella burnetti* infection: report of three cases and review of the literature. 2005;42: 153-8 (Case rep.)
Sestini I (*see* Fatini et al). 2005;42:415-19
Setacci C, de Donato G, Setacci F, Chisci E, Cappelli A, Pieraccini M, Castriota F, Cremonesi A. Surgical management of acute carotid thrombosis after carotid stenting: a report of three cases. 2005;42:993-6 (Case rep.)
Setacci F (*see* Chiesa et al). 2005;42:11-17
Setacci F (*see* Setacci et al). 2005;42:993-6 (Case rep.)
Sfyroeras G (*see* Bessias et al). 2005;42:800-4 (Case rep.)
Sfyroeras G (*see* Gerassimidis et al). 2005;42:615-23
Shaalan WE (*see* Grogan et al). 2005;42:435-41
Shah AR (*see* Malas et al). 2005;42:639-44
Shah DM. Vascular surgeons and collaterals: president's address, Eastern Vascular Society. 2005;42:582-4
Shah DM (*see* Mehta et al). 2005;42:1047
Shames ML (*see* Armstrong et al). 2005;42:660-6
Shaw GD (*see* Myers et al). 2005;42:329-36
Sheahan MG, Hamdan AD, Veraldi JR, McArthur CS, Skillman JJ, Campbell DR, Scovell SD, LoGerfo FW, Pomposelli FB Jr. Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization. 2005;42:476-80
Sheehan MK (*see* Compton et al). 2005;42:650-3
Shell DH IV (*see* Cagiannos et al). 2005;42:980-8
Shigematsu H (*see* Hosaka et al). 2005;42:116-21, 200-5
Shigematsu K (*see* Hosaka et al). 2005;42:116-21, 200-5
Shiiya N (*see* Yoshimoto et al). 2005;42:805 (Vascular Images)
Shillington AC (*see* Caprini et al). 2005;42:726-33
Shimizu H (*see* Cho et al). 2005;42:765-71
Shimura H (*see* Ishida et al). 2005;42:556-8 (Case rep.)
Shortell CK (*see* Wolford et al). 2005;42:951-6
Sicard GA. Vascular surgery: a specialty in transformation with a bright future. 2005;42:811-15 (Presidential address)
Sidawy AN (*see* Abularrage et al). 2005;42:574-81 (Review article), 1026 (Vascular Images)
Sidawy AN (*see* Eidt et al). 2005;42:519-23
Singh D, Pinjala RK, Purohit AK, Reddy LRC, Bhattacharjee S. Giant mycotic aneurysm of the vertebral artery: a case report. 2005;42:348-51 (Case rep.)
Singh N (*see* Abularrage et al). 2005;42:574-81 (Review article)
Siragusa T (*see* D'Addio et al). 2005;42:35-9
Skillman JJ (*see* Sheahan et al). 2005;42:476-80
Smith A (*see* Waltham et al). 2005;42:1183
Smith RB III (*see* Kong et al). 2005;42:631-8
Snyder BA (*see* Taylor et al). 2005;42:227-35
Sofi F (*see* Fatini et al). 2005;42:415-19
Song SY (*see* Jung et al). 2005;42:678-83
Sonnard A (*see* Gouëffic et al). 2005;42:654-9
Span MM (*see* Verhoeven et al). 2005;42:402-9
Spronk S, den Hoed PT, de Jonge LCW, van Dijk LC, Pattynama PMT. Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease. 2005;42: 236-42
Stahl JP (*see* Sessa et al). 2005;42:153-8 (Case rep.)
Staley JD (*see* Benoit et al). 2005;42:884-90
Stanley AC, Lounsbury KM, Corrow K, Callas PW, Zhar R, Howe AK, Ricci MA. Pressure elevation slows the fibroblast response to wound healing. 2005;42:546-51
Stassen FRM (*see* Vainas et al). 2005;42:243-51
Steckmeier B (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Steiner SH (*see* Harris et al). 2005;42:387-91
Steinman AH (*see* Lui et al). 2005;42:972-9
Sternbergh WC III (*see* Tonnessen et al). 2005;42:392-401
Stevenson S, Ramani V, Nasim A. Extra-adrenal pheochromocytoma: an unusual cause of deep vein thrombosis. 2005;42: 570-2 (Case rep.)
Sticchi E (*see* Fatini et al). 2005;42:415-19
Stierli P (*see* Fueglistaler et al). 2005;42:781-3 (Case rep.)
Stoner MC (*see* Hua et al). 2005;42:337-43
Stramanà R (*see* Antonello et al). 2005;42:185-93
Subramonia S, Lees T. Sensory abnormalities and bruising after long saphenous vein stripping: impact on short-term quality of life. 2005;42:510-14
Suggs W (*see* Malas et al). 2005;42:639-44
Sugimoto M (*see* Yamanouchi et al). 2005;42:757-64
Sullivan T (*see* Oderich et al). 2005;42:98-106
Sumpio BE (*see* Asada et al). 2005;42:772-80
Sumpio BE (*see* Poussier et al). 2005;42:1190
Suroweic SM (*see* Davies and Suroweic). 2005;42:822-5 (Letter reply)

T

Takach TJ, Duncan JM, Livesay JJ, Krajcer Z, Cervera RD, Gregoric ID, Ott DA, Frazier OH, Reul GJ, Cooley DA. Brachiocephalic reconstruction II: operative and endovascular management of single-vessel disease. 2005;42:55-61
Takach TJ, Reul GJ, Cooley DA, Duncan JM, Livesay JJ, Gregoric ID, Krajcer Z, Cervera RD, Ott DA, Frazier OH. Brachiocephalic reconstruction I: operative and long-term results for complex disease. 2005;42:47-54
Takagi H, Matsuno Y, Umemoto T. Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture?. 2005;42:1042 (Letter)
Takagi H, Sekino S, Kato T, Matsuno Y, Umemoto T. Regarding "Cost-effectiveness of different screening strategies for abdominal aortic aneurysm." 2005;42:1244-5 (Letter)
Takagi H, Sekino S, Kato T, Matsuno Y, Umemoto T. Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery." 2005;42:822-5 (Letter)
Takagi H (*see* Sekino et al). 2005;42:352-6 (Case rep.), 1233-5 (Case rep.)
Takamoto S (*see* Kawata et al). 2005;42:573 (Vascular Images)
Tamargo RJ (*see* McGirt et al). 2005;42:829-37
Tamashiro A (*see* Diaz and Tamashiro). 2005;42:1040-1 (Letter)
Tan J (*see* McDermott et al). 2005;42:1131
Tanaka K (*see* Uchinami et al). 2005;42:552-5 (Case rep.)
Tanemoto M, Ito S. Regarding "Cutting balloon angioplasty of renal fibromuscular dysplasia: a word of caution." 2005;42: 1038-40 (Letter reply)
Tanner JR (*see* Benoit et al). 2005;42:884-90
Tapson VF (*see* Caprini et al). 2005;42:726-33
Taylor SM, Kalbaugh CA, Blackhurst DW, Hamontree SE, Cull DL, Messich HS, Robertson RT, Langan EM III, York JW, Carsten CG III, Snyder BA, Jackson MR, Youkey JR. Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients. 2005;42:227-35
Teijink JAW (*see* Willigendael et al). 2005;42:67-74
Temple W (*see* White et al). 2005;42:365-7 (Case rep.)
Terborg C (*see* Gröschel et al). 2005;42:1101
Teso D (*see* Asada et al). 2005;42:772-80
Thermaenius P (*see* Blomgren et al). 2005;42:315-20

Thiene G (*see* Ballotta et al). 2005;42:838-46
Thomson I (*see* van Rij et al). 2005;42:1156
Thorisson A (*see* Asada et al). 2005;42:772-80
Tian L (*see* McDermott et al). 2005;42:1131
Tielbeek AV (*see* Doelman et al). 2005;42:739-46
Tielliu IFJ, Zeebregts CJ, Verhoeven ELG, van den Dungen JJAM. Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study." 2005;42: 1040-1 (Letter reply)
Tielliu IFJ (*see* Verhoeven et al). 2005;42:402-9
Timaran C (*see* D'Addio et al). 2005;42:35-9
Timaran C (*see* Malas et al). 2005;42:639-44
Tognazzo S (*see* Zamboni et al). 2005;42:309-14
Tolley EA (*see* Cagiannos et al). 2005;42:980-8
Tonnessen BH, Money SR. Embracing the fistula first national vascular access improvement initiative. 2005;42:585-6 (Editorial)
Tonnessen BH, Sternbergh WC III, Money SR. Mid- and long-term device migration after endovascular abdominal aortic aneurysm repair: a comparison of AneuRx and Zenith endografts. 2005;42:392-401
Tordoir JHM (*see* Rooijens et al). 2005;42:481-7
Tozzi M (*see* Castelli et al). 2005;42:559-63 (Case rep.)
Trocciola SM (*see* Rhee et al). 2005;42:321-8
Tromp G (*see* Ogata et al). 2005;42:891-7
Tsunekawa T (*see* Fukuchi et al). 2005;42:919-25
Tuhrim S (*see* Halm et al). 2005;42:420-8
Tuhrim S (*see* Rockman et al). 2005;42:870-7
Turbin RE (*see* Cuadra et al). 2005;42:792-5 (Case rep.)
Twiss ELL (*see* Vainas et al). 2005;42:243-51

U

Uchinami M, Morioka K, Doi K, Nakamura T, Yoshida M, Tanaka K. Retroperitoneal laparoscopic management of a lymphocele after abdominal aortic aneurysm surgery: a case report. 2005; 42:552-5 (Case rep.)
Ueda T (*see* Cho et al). 2005;42:765-71
Uhl JF, Cornu-Thénard A, Carpentier PH, Widmer MT, Partsch H, Antignani PL. Clinical and hemodynamic significance of corona phlebectatica in chronic venous disorders. 2005;42: 1237
Umeda M (*see* Iwai et al). 2005;42:107-15
Umemoto T (*see* Sekino et al). 2005;42:352-6 (Case rep.), 1233-5 (Case rep.)
Umemoto T (*see* Takagi et al). 2005;42:822-5 (Letter), 1042 (Letter), 1244-5 (Letter)
Upchurch GR Jr (*see* Deatrick et al). 2005;42:140-8
Upchurch GR Jr (*see* Peynircioglu et al). 2005;42:1221-5 (Case rep.)

V

Vahl AC (*see* Peppelenbosch et al). 2005;42:608-14
Vainas T, Stassen FRM, de Graaf R, Twiss ELL, Herngreen SB, Welten RJTJ, van den Akker LHJM, van Dieijen-Visser MP, Bruggeman CA, Kitslaar PJEHM. C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events. 2005;42:243-51
Valentine J (*see* D'Addio et al). 2005;42:35-9
Valentine RJ. A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy. 2005;42:861-9 (Invited commentary)
Valentine RJ. Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients. 2005;42:227-35 (Invited commentary)
Valentine RJ (*see* Ali et al). 2005;42:667-72
van Bemmelen PS, Kelly P, Blebea J. Improvement in the visualization of superficial arm veins being evaluated for access and bypass. 2005;42:957-62
Van Bockel HJ (*see* Hinnen et al). 2005;42:1176
van Breemen C (*see* Chung et al). 2005;42:747-56
Van Damme H (*see* Pirard et al). 2005;42:1213-7 (Case rep.)
van den Akker LHJM (*see* Vainas et al). 2005;42:243-51
van den Bosch HCM (*see* Doelman et al). 2005;42:739-46
van den Dorpel MA (*see* Rooijens et al). 2005;42:481-7
van den Dungen JJAM (*see* Tielliu et al). 2005;42:1040-1 (Letter reply)
van den Dungen JJAM (*see* Verhoeven et al). 2005;42:402-9
van Dieijen-Visser MP (*see* Vainas et al). 2005;42:243-51
van Dijk LC (*see* Spronk et al). 2005;42:236-42
van Eps RGS (*see* Huynh et al). 2005;42:206-12
van Rij AM, Hill G, Gray C, Christie R, Macfarlane J, Thomson I. A prospective study of the fate of venous leg perforators after varicose vein surgery. 2005;42:1156
Van Schaeybroeck P (*see* Maleux et al). 2005;42:163-7 (Case rep.)
van Urk H (*see* Schouten et al). 2005;42:594-5 (Letter), 825-6 (Letter)
Vanbeckevoort D (*see* Maleux et al). 2005;42:163-7 (Case rep.)
Varma MR (*see* Deatrick et al). 2005;42:140-8
Veith FJ (*see* Malas et al). 2005;42:639-44
Veldenz HC, Kinser R, Yates GN. Carotid graft replacement: a durable option. 2005;42:220-6
Veraldi JR (*see* Sheahan et al). 2005;42:476-80
Verhelst R (*see* Hammer et al). 2005;42:847-53
Verhoeven B, Hellings WE, Moll FL, de Vries JP, de Kleijn DPV, de Bruin P, Busser E, Schoneveld AH, Pasterkamp G. Carotid atherosclerotic plaques in patients with transient ischemic attacks and stroke have unstable characteristics compared with plaques in asymptomatic and amaurosis fugax patients. 2005; 42:1075
Verhoeven BAN, Pasterkamp G, de Vries JPM, Ackerstaff GA, de Kleijn DPV, Eikelboom BC, Moll FL. Closure of the arteriotomy after carotid endarterectomy: patch type is related to intraoperative microemboli and restenosis rate. 2005;42:1082
Verhoeven ELG, Cinà CS, Tielliu IFJ, Zeebregts CJ, Prins TR, Eindhoven GB, Span MM, Kapma MR, van den Dungen JJAM. Local anesthesia for endovascular abdominal aortic aneurysm repair. 2005;42:402-9
Verhoeven ELG (*see* Tielliu et al). 2005;42:1040-1 (Letter reply)
Vermassen F (*see* Peppelenbosch et al). 2005;42:608-14
Villa MA (*see* Huynh et al). 2005;42:206-12
Villalba L (*see* Moore et al). 2005;42:645-9
Villavicencio JL (*see* Blecken et al). 2005;42:1150
Visser MJT (*see* Hinnen et al). 2005;42:1176
Vokrri L (*see* Sessa et al). 2005;42:153-8 (Case rep.)
Vural KM (*see* Iscan et al). 2005;42:181-2 (Letter reply)

W

Wakefield TW. Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency. 2005;42:502-9 (Invited commentary)
Wakefield TW (*see* Deatrick et al). 2005;42:140-8
Wakefield TW (*see* Myers et al). 2005;42:329-36

Waldo AL (*see* Caprini et al). 2005;42:726-33
Walker RD (*see* Zwierska et al). 2005;42:1122
Wallbridge HR (*see* Benoit et al). 2005;42:884-90
Walsh DB (*see* Brown et al). 2005;42:268-74
Walsh DB (*see* Nolan et al). 2005;42:40-6
Walsh M (*see* O'Brien et al). 2005;42:1169
Waltham M, Burnand K, Fenske C, Modarai B, Humphries J, Smith A. Vascular endothelial growth factor naked DNA gene transfer enhances thrombus recanalizaiton and resolution. 2005;42:1183
Wang JJ (*see* Rockman et al). 2005;42:870-7
Wang L (*see* Myers et al). 2005;42:524-31
Wanhainen A, Björck M. Regarding "Cost-effectiveness of different screening strategies for abdominal aortic aneurysm." 2005; 42:1244-5 (Letter reply)
Watkins MT (*see* Black et al). 2005;42:932-9
Watkins MT (*see* Hua et al). 2005;42:337-43
Weiswasser JM (*see* Abularrage et al). 2005;42:574-81 (Review article), 1026 (Vascular Images)
Wellons ED, Matsuura J, Lai KM, Levitt A, Rosenthal D. Transthoracic cuffed hemodialysis catheters: a method for difficult hemodialysis access. 2005;42:286-9
Welten RJTJ (*see* Vainas et al). 2005;42:243-51
West CA, Delis KT, Service GJ, Driscoll DJ, McPhail IR, Gloviczki P. Middle aortic syndrome: surgical treatment in a child with neurofibromatosis. 2005;42:1236 (Vascular Images)
White JS, Medlicott SAC, Brown H, Moore R, Temple W. Intravascular synovial sarcoma of the external iliac vein and reconstruction with the superficial femoral vein. 2005;42:365-7 (Case rep.)
White PW (*see* Abularrage et al). 2005;42:1026 (Vascular Images)
Whittaker D (*see* Nolan et al). 2005;42:40-6
Whittemore AD (*see* Chew et al). 2005;42:695-701
Wholey M (*see* Makaroun and Wholey). 2005;42:645-9 (Invited commentary)
Widmer MT (*see* Uhl et al). 2005;42:1237
Wilhelm MP, Schlensak C, Hoh A, Knipping L, Mangold G, Rojas DD, Beyersdorf F. Controlled reperfusion using a simplified perfusion system preserves function after acute and persistent limb ischemia: a preliminary study. 2005;42:690-4
Willeke F (*see* Schwarzbach et al). 2005;42:88-97
Williams DM (*see* Peynircioglu et al). 2005;42:1221-5 (Case rep.)
Williams GM (*see* McGirt et al). 2005;42:829-37
Willigendael EM, Teijink JAW, Bartelink ML, Peters RJG, Büller HR, Prins MH. Smoking and the patency of lower extremity bypass grafts: a meta-analysis. 2005;42:67-74
Wilson JS (*see* Armstrong et al). 2005;42:660-6
Wintersperger BJ (*see* Ruppert et al). 2005;42:368 (Vascular Images)
Wirthlin D (*see* Ho et al). 2005;42:81-7
Wittkowsky AK (*see* Caprini et al). 2005;42:726-33
Wolf YG (*see* Rabinovich et al). 2005;42:567-9 (Case rep.)
Wolff T (*see* Fueglistaler et al). 2005;42:781-3 (Case rep.)
Wolford HY, Hsu J, Rhodes JM, Shortell CK, Davies MG, Bakhru A, Illig KA. Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era. 2005;42:951-6
Wolner E (*see* Gottardi et al). 2005;42:357-60 (Case rep.)
Wolosker N (*see* Yazbek et al). 2005;42:281-5
Woodworth GF (*see* McGirt et al). 2005;42:829-37
Wrobleski SK (*see* Myers et al). 2005;42:329-36
Wyers MC (*see* Brown et al). 2005;42:268-74
Wyers MC (*see* Nolan et al). 2005;42:40-6

Y

Yadav JS (*see* Edgell et al). 2005;42:854-60
Yamamoto K (*see* Hosaka et al). 2005;42:116-21
Yamanouchi D, Banno H, Nakayama M, Sugimoto M, Fujita H, Kobayashi M, Kuwano H, Komori K. Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition. 2005;42:757-64
Yang Z, Eton D, Zheng F, Livingstone AS, Yu H. Effect of tissue plasminogen activator on vascular smooth muscle cells. 2005; 42:532-8
Yasar T (*see* Kalko et al). 2005;42:673-7
Yasuda K (*see* Yoshimoto et al). 2005;42:805 (Vascular Images)
Yates GN (*see* Veldenz et al). 2005;42:220-6
Yazbek G, Wolosker N, Milanez de Campos JR, Kauffman P, Ishy A, Puech-Leão P. Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion?. 2005;42:281-5
Yeh MW, Horn JK, Schecter WP, Chuter TAM, Lane JS. Endovascular repair of an actively hemorrhaging gunshot injury to the abdominal aorta. 2005;42:1007-9 (Case rep.)
Yo TI (*see* Rooijens et al). 2005;42:481-7
York JW (*see* Taylor et al). 2005;42:227-35
Yorkovich W (*see* Ascher et al). 2005;42:1089
Yoshida M (*see* Uchinami et al). 2005;42:552-5 (Case rep.)
Yoshimoto K, Shiiya N, Onodera Y, Yasuda K. Secondary aortoenteric fistula. 2005;42:805 (Vascular Images)
Youkey JR (*see* Taylor et al). 2005;42:227-35
Yozu R (*see* Cho et al). 2005;42:765-71
Yu H (*see* Yang et al). 2005;42:532-8
Yun H (*see* Ho et al). 2005;42:81-7

Z

Zamboni P, Tognazzo S, Isso M, Pancaldi F, Scapoli GL, Liboni A, Gemmati D. Hemochromatosis C282Y gene mutation increases the risk of venous leg ulceration. 2005;42:309-14
Zarins CK (*see* Hill et al). 2005;42:945-50
Zarins CK (*see* Roos et al). 2005;42:1002-6 (Case rep.)
Zeebregts CJ (*see* Tielliu et al). 2005;42:1040-1 (Letter reply)
Zeebregts CJ (*see* Verhoeven et al). 2005;42:402-9
Zeitlin R (*see* Mennander et al). 2005;42:194-9
Zelmanovich L (*see* Rabinovich et al). 2005;42:567-9 (Case rep.)
Zhar R (*see* Stanley et al). 2005;42:546-51
Zheng F (*see* Yang et al). 2005;42:532-8
Zimpfer D (*see* Gottardi et al). 2005;42:357-60 (Case rep.)
Zwierska I, Walker RD, Choksy SA, Male JS, Pockley AG, Saxton JM. Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial. 2005;42:1122
Zwolak RM (*see* Brown et al). 2005;42:268-74
Zwolak RM (*see* Nolan et al). 2005;42:40-6

*Subject index**

A

Abdomen
Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms (Mehta et al). 2005;42:1047

Abstracts
Abstracts. 2005;42:178-80, 380-2, 590-2, 819-20, 1036-7

Adrenergic beta-antagonists
Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial" (Schouten et al) (Letter); (Powell) (Reply). 2005;42:825-6

African Americans
Comparative analysis of autogenous infrainguinal bypass grafts in African Americans and Caucasians: the association of race with graft function and limb salvage (Chew et al). 2005;42:695-701
Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race (McDermott et al). 2005;42:1131

Age factors
Age-related increase in wall stress of the human abdominal aorta: an in vivo study (Åstrand et al). 2005;42:926-31
Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data (Lange et al); (May) (Commentary). 2005;42:624-30

Amaurosis fugax
Carotid atherosclerotic plaques in patients with transient ischemic attacks and stroke have unstable characteristics compared with plaques in asymptomatic and amaurosis fugax patients (Verhoeven et al). 2005;42:1075
Endovascular repair of symptomatic external carotid artery stenosis (Eisenberg et al). 2005;42:1210-2 (Case rep.)

American Venous Forum
The dynamic approach to venous disease—following in the footsteps of Gunnar Bauer and Robert Kistner (Eklöf). 2005;42:369-76 (Presidential address)

Amputation
Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization (Sheahan et al). 2005;42:476-80
Physician supply, treatment, and amputation rates for peripheral arterial disease (Ho et al). 2005;42:81-7
Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients (Taylor et al); (Valentine) (Commentary). 2005;42:227-35

Anastomosis, surgical
Catheter occlusion technique to facilitate distal anastomoses using vein grafts (Prionidis and Browne). 2005;42:173-5 (Tech. Note)
Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography (Doelman et al). 2005;42:739-46

Anesthesia, local
Local anesthesia for endovascular abdominal aortic aneurysm repair (Verhoeven et al). 2005;42:402-9

Aneurysm
Combined open and endovascular treatment of a right subclavian artery aneurysm: a case report (Resch et al). 2005;42:1206-9 (Case rep.)
Giant splenic artery aneurysms: case report and review of the literature (Pescarus et al). 2005;42:344-7 (Case rep.)
Long-term outcome after surgical treatment of arterial lesions in Behçet disease (Hosaka et al). 2005;42:116-21
Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study (Antonello et al). 2005;42:185-93
Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study" (Diaz and Tamashiro) (Letter); (Tielliu et al) (Reply). 2005;42:1040-1
Regarding "The study of endovascular repair of small (<5.5-cm) aneurysms (Palamara) (Letter); (Ouriel) (Reply). 2005;42:822
The surgical treatment of arterial aneurysms in Behçet disease: a report of 16 patients (Kalko et al). 2005;42:673-7

Aneurysm, false
Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm (Qu et al). 2005;42:159-62 (Case rep.)
Giant mycotic aneurysm of the vertebral artery: a case report (Singh et al). 2005;42:348-51 (Case rep.)
Intercostal artery pseudoaneurysm due to stab wound (Sekino et al). 2005;42:352-6 (Case rep.)
Nontraumatic pseudoaneurysm of the proximal ulnar artery with eosinophilia (Sekino et al). 2005;42:1233-5 (Case rep.)
Successful treatment of a tuberculous vertebral osteomyelitis eroding the thoracoabdominal aorta: a case report (Falkensammer et al). 2005;42:1010-13 (Case rep.)
Survival with intact cerebral function after gunshot injury to both internal carotid arteries (Rabinovich et al). 2005;42:567-0 (Case rep.)
Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery (Maleux et al). 2005;42:163-7 (Case rep.)

Aneurysm, infected
Abdominal aortic aneurysm and *Coxiella burnett* infection: report of three cases and review of the literature (Sessa et al). 2005;42:153-8 (Case rep.)
Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm (Qu et al). 2005;42:159-62 (Case rep.)
Giant mycotic aneurysm of the vertebral artery: a case report (Singh et al). 2005;42:348-51 (Case rep.)
Mycotic aortic aneurysm (Brawley and Clagett). 2005;42:172 (Vascular Images)

Aneurysm, ruptured
Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia (Peppelenbosch et al). 2005;42:608-14
Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center (Gerassimidis et al); (Ohki) (Commentary). 2005;42:615-23
Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms (Mehta et al). 2005;42:1047
Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture? (Takagi et al) (Letter); (Coleman) (Reply). 2005;42:1040-1
Risk-adjusted analysis of early mortality after ruptured abdominal aortic aneurysm repair (Harris et al). 2005;42:387-91

A ruptured aneurysm in persistent sciatic artery: a case report (Ishida et al). 2005;42:556-8 (Case rep.)
Ruptured aneurysm of the inferior thyroid artery: repair with coil embolization (Garrett et al). 2005;42:1226-9 (Case rep.)

Angiography
The inaccuracy of simple visual interpretation for measurement of carotid stenosis by arteriography (Schmittling et al). 2005;42:62-6
Role of computed tomographic angiography in the detection and comprehensive evaluation of persistent sciatic artery (Jung et al). 2005;42:678-83

Angiography, digital subtraction
Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography (Doelman et al). 2005;42:739-46

Angioplasty
Combined open and endovascular treatment of a right subclavian artery aneurysm: a case report (Resch et al). 2005;42:1206-9 (Case rep.)
Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study (Antonello et al). 2005;42:185-93
Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study (Coggia et al); (Kolvenbach) (Commentary). 2005;42:906-11

Angioplasty, balloon
Absence of proximal neck dilatation and graft migration after endovascular aneurysm repair with balloon-expandable stent-based endografts (Malas et al). 2005;42:639-44
Assessment of short-term outcomes for protected carotid angioplasty with stents using recent evidence (Burton and Lindsay). 2005;42:1094
Brachiocephalic reconstruction II: operative and endovascular management of single-vessel disease (Takach et al). 2005;42:55-61
Clopidogrel has no effect on D-dimer and thrombin-antithrombin III levels in patients with peripheral arterial disease undergoing peripheral percutaneous transluminal angioplasty (Cassar et al). 2005;42:252-8
Contemporary results of angioplasty-based infrainguinal percutaneous interventions (Black et al). 2005;42:932-9
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material (Ascher et al). 2005;42:1114
Endovascular repair of symptomatic external carotid artery stenosis (Eisenberg et al). 2005;42:1210-2 (Case rep.)
Incidence and risk factors for medical complications after carotid artery stenting (Gröschel et al); (Jordan) (Commentary). 2005;42:1101
Long-term outcomes and predictors of iliac angioplasty with selective stenting (Kudo et al). 2005;42:466-75
Regarding "Cutting balloon angioplasty of renal fibromuscular dysplasia: a word of caution" (Lupattelli et al) (Letter); (Tanemoto and Ito) (Reply). 2005;42:1038-40
Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery" (Takagi et al) (Letter); (Davies and Suroweic) (Reply). 2005;42:822-5
Repair of thoracoabdominal aortic aneurysms with fenestrated and branched endovascular stent grafts (Anderson et al). 2005;42:600-7

Aorta
In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm (Pirard et al). 2005;42:1213-7 (Case rep.)
Total laparoscopic aortobifemoral bypass: a review of 22 cases (Olinde et al). 2005;42:27-34
Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization (Javerliat et al). 2005;42:361-4 (Case rep.)

Aorta, abdominal
Age-related increase in wall stress of the human abdominal aorta: an in vivo study (Åstrand et al). 2005;42:926-31
Endovascular repair of an actively hemorrhaging gunshot injury to the abdominal aorta (Yeh et al). 2005;42:1007-9 (Case rep.)
Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial (Gouëffic et al). 2005;42:654-9
Hybrid treatment for juxtarenal aortic occlusion: successful revascularization using iliofemoral semiclosed endarterectomy and kissing-stents technique (Castelli et al). 2005;42:559-63 (Case rep.)

Aorta, thoracic
Complete regression of an intramural hematoma of the aorta after distal reperfusion (DeAnda et al). 2005;42:149-52 (Case rep.)
Endovascular repair of lesions involving the descending thoracic aorta (Reisenman et al). 2005;42:1063
Endovascular stent graft for symptomatic mobile thrombus of the thoracic aorta (Fueglistaler et al). 2005;42:781-3 (Case rep.)

Aortic aneurysm, abdominal
Abdominal aortic aneurysm and *Coxiella burnett* infection: report of three cases and review of the literature (Sessa et al). 2005;42:153-8 (Case rep.)
Absence of proximal neck dilatation and graft migration after endovascular aneurysm repair with balloon-expandable stent-based endografts (Malas et al). 2005;42:639-44
Clinical implication of plasma level of soluble fibrin monomer-fibrinogen complex in patients with abdominal aortic aneurysm (Hosaka et al). 2005;42:200-5
Compliance of abdominal aortic aneurysms evaluated by tissue Doppler imaging: correlation with aneurysm size (Long et al). 2005;42:18-26
Effect of intraluminal thrombus on pressure transmission in the abdominal aortic aneurysm (Hinnen et al). 2005;42:1176
Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia (Peppelenbosch et al). 2005;42:608-14
Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center (Gerassimidis et al); (Ohki) (Commentary). 2005;42:615-23
Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data (Lange et al); (May) (Commentary). 2005;42:624-30
Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization (Ruppert et al). 2005;42:368 (Vascular Images)
eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm (Fatini et al). 2005;42:415-19

Exogenous nitric oxide modulates the systemic inflammatory response and improves kidney function after risk-situation abdominal aortic surgery (Lozano et al). 2005;42:129-39
Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms (Mehta et al). 2005;42:1047
Follow-up costs increase the cost disparity between endovascular and open abdominal aortic aneurysm repair (Hayter et al). 2005;42:912-18
Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery (Huynh et al). 2005;42:206-12
Is abdominal aortic aneurysm repair appropriate in oxygen-dependent chronic obstructive pulmonary disease patients? (Compton et al). 2005;42:650-3
Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures (Lifeline Registry of EVAR Publications Committee). 2005;42:1-10
The lifetime prevalence of abdominal aortic aneurysms among siblings of aneurysm patients is eightfold higher than among siblings of spouses: an analysis of 187 aneurysm families in Nova Scotia, Canada (Ogata et al). 2005;42:891-7
Local anesthesia for endovascular abdominal aortic aneurysm repair (Verhoeven et al). 2005;42:402-9
Mid- and long-term device migration after endovascular abdominal aortic aneurysm repair: a comparison of AneuRx and Zenith endografts (Tonnessen et al). 2005;42:392-401
Mycotic aortic aneurysm (Brawley and Clagett). 2005;42:172 (Vascular Images)
National audit of the recent utilization of endovascular abdominal aortic aneurysm repair in Canada: 2003 to 2004 (Forbes et al). 2005;42:410-14
Noninvasive measurement of aortic aneurysm sac tension with vibrometry (Mozes et al). 2005;42:963-71
Nonoperative approach to endotension (Mennander et al); (Matsumura) (Commentary). 2005;42:194-9
A personal experience with factors influencing survival after elective open repair of infrarenal aortic aneurysms (Hertzer and Mascha). 2005;42:898-905
Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture? (Takagi et al) (Letter); (Coleman) (Reply). 2005;42:1040-1
Regarding "Cost-effectiveness of different screening strategies for abdominal aortic aneurysm" (Takagi et al) (Letter); (Wanhainen and Björck) (Reply). 2005;42:1244-5
Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Adams and Bradbury) (Letter); (Abraham and May) (Reply). 2005;42:595
Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Schouten et al) (Letter); (May and Abraham) (Reply). 2005;42:594-5
Repair of juxtarenal para-anastomotic aortic aneurysms after previous open repair with fenestrated and branched endovascular stent grafts (Adam et al). 2005;42:997-1001 (Case rep.)
Repair of thoracoabdominal aortic aneurysms with fenestrated and branched endovascular stent grafts (Anderson et al). 2005;42:600-7
Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure (Katzen et al). 2005;42:784-7 (Case rep.)
Retroperitoneal laparoscopic management of a lymphocele after abdominal aortic aneurysm surgery: a case report (Uchinami et al). 2005;42:552-5 (Case rep.)
Risk-adjusted analysis of early mortality after ruptured abdominal aortic aneurysm repair (Harris et al). 2005;42:387-91
Risk factors and prevalence of perioperative cognitive dysfunction in abdominal aneurysm patients (Benoit et al). 2005;42:884-90
Secondary conversion of the Gore Excluder to operative abdominal aortic aneurysm repair (Kong et al). 2005;42:631-8
Successful treatment of a tuberculous vertebral osteomyelitis eroding the thoracoabdominal aorta: a case report (Falkensammer et al). 2005;42:1010-13 (Case rep.)
Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study (Coggia et al); (Kolvenbach) (Commentary). 2005;42:906-11
Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery (Maleux et al). 2005;42:163-7 (Case rep.)
Treatment of type II endoleaks with a novel polyurethane thrombogenic foam: induction of endoleak thrombosis and elimination of intra-aneurysmal pressure in the canine model (Rhee et al). 2005;42:321-8
Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome (Cordera et al). 2005;42:168-71 (Case rep.)

Aortic aneurysm, thoracic

An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement (Gottardi et al). 2005;42:357-60 (Case rep.)
Endovascular repair of lesions involving the descending thoracic aorta (Reisenman et al). 2005;42:1063
Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization (Ruppert et al). 2005;42:368 (Vascular Images)
Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery (Huynh et al). 2005;42:206-12
In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm (Pirard et al). 2005;42:1213-7 (Case rep.)
Repair of thoracoabdominal aortic aneurysms with fenestrated and branched endovascular stent grafts (Anderson et al). 2005;42:600-7
Spinal cord ischemia after elective stent-graft repair of the thoracic aorta (Chiesa et al). 2005;42:11-17
Successful management of concomitant aortoesophageal and aortotracheal fistulae secondary to thoracic aortic aneurysm: case report and review of the literature (Raghavendran et al). 2005;42:1218-20 (Case rep.)
Successful treatment of a tuberculous vertebral osteomyelitis eroding the thoracoabdominal aorta: a case report (Falkensammer et al). 2005;42:1010-13 (Case rep.)

Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome (Cordera et al). 2005;42:168-71 (Case rep.)

Aortic coarctation

Middle aortic syndrome: surgical treatment in a child with neurofibromatosis (West et al). 2005;42:1236 (Vascular Images)

Aortic diseases

Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings (Fukuchi et al). 2005;42:919-25

Endovascular treatment for aortic disease: is a surgical environment necessary? (Moore et al); (Makaroun and Wholey) (Commentary). 2005;42:645-9

Improved outcomes in the recent management of secondary aortoenteric fistula (Armstrong et al). 2005;42:660-6

Secondary aortoenteric fistula (Yoshimoto et al). 2005;42:805 (Vascular Images)

Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease (Spronk et al); (Kohler) (Commentary). 2005;42:236-42

Aortitis

Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome (Cordera et al). 2005;42:168-71 (Case rep.)

Apoptosis

Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis (Poussier et al). 2005;42:1190

Arm

Improvement in the visualization of superficial arm veins being evaluated for access and bypass (van Bemmelen et al). 2005;42:957-62

Keyhole technique for autologous brachiobasilic transposition arteriovenous fistula (Hill et al). 2005;42:945-50

Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era (Wolford et al). 2005;42:951-6

The two-stage brachial artery–brachial vein autogenous fistula for hemodialysis: an alternative autogenous option for hemodialysis access (Angle and Chandra). 2005;42:806-10 (Tech. Note)

Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial (Zwierska et al). 2005;42:1122

Arterial occlusive diseases

Brachial artery occlusion secondary to hypereosinophilic syndrome (Ponsky et al). 2005;42:796-9 (Case rep.)

C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events (Vainas et al). 2005;42:243-51

Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108

Duration and amplitude decay of acute arterial leg inflow enhancement with intermittent pneumatic leg compression: an insight into the implicated physiologic mechanisms (Delis and Knaggs). 2005;42:717-25

Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race (McDermott et al). 2005;42:1131

Human factors as a source of error in peak Dopple velocity measurement (Lui et al). 2005;42:972-9

Hybrid treatment for juxtarenal aortic occlusion: successful revascularization using iliofemoral semiclosed endarterectomy and kissing-stents technique (Castelli et al) 2005;42:559-63 (Case rep.)

Long-term outcomes and predictors of iliac angioplasty with selective stenting (Kudo et al). 2005;42:466-75

Physician supply, treatment, and amputation rates for peripheral arterial disease (Ho et al). 2005;42:81-7

Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial (Conte et al); (Forbes) (Commentary). 2005;42:456-65

Total laparoscopic aortobifemoral bypass: a review of 22 cases (Olinde et al). 2005;42:27-34

Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial (Zwierska et al). 2005;42:1122

Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease (Spronk et al); (Kohler) (Commentary). 2005;42:236-42

Arteries

Oral bacteria in the occluded arteries of patients with Buerger disease (Iwai et al). 2005;42:107-15

A ruptured aneurysm in persistent sciatic artery: a case report (Ishida et al). 2005;42:556-8 (Case rep.)

Ruptured aneurysm of the inferior thyroid artery: repair with coil embolization (Garrett et al). 2005;42:1226-9 (Case rep.)

Arteriography; *see* Angiography

Arteriovenous fistula

Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access (Rooijens et al); (Huber) (Commentary). 2005;42:481-7

Embracing the fistula first national vascular access improvement initiative (Tonnessen and Money). 2005;42:585-6 (Editorial)

Keyhole technique for autologous brachiobasilic transposition arteriovenous fistula (Hill et al). 2005;42:945-50

Neovascularization in acute venous thrombosis (Labropoulos et al). 2005;42:515-18

Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era (Wolford et al). 2005;42:951-6

Survival with intact cerebral function after gunshot injury to both internal carotid arteries (Rabinovich et al). 2005;42:567-0 (Case rep.)

Arteriovenous malformations

Endograft repair of partially anomalous pulmonary venous connection with dual drainage (Peynircioglu et al). 2005;42:1221-5 (Case rep.)

Role of computed tomographic angiography in the detection and comprehensive evaluation of persistent sciatic artery (Jung et al). 2005;42:678-83

Arteriovenous shunt, surgical

Axillary-axillary interarterial chest loop conduit as an alternative for chronic hemodialysis access (Bünger et al). 2005;42:290-5

The two-stage brachial artery–brachial vein autogenous fistula for hemodialysis: an alternative autogenous option for he-

modialysis access (Angle and Chandra). 2005;42:806-10 (Tech. Note)

Atherosclerosis

B-mode ultrasonographic characterization of carotid atherosclerotic plaques in symptomatic and asymptomatic patients (Grogan et al). 2005;42:435-41

Brachiocephalic reconstruction I: operative and long-term results for complex disease (Takach et al). 2005;42:47-54

Attitude of health personnel

Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs (Caprini et al). 2005;42:726-33

Authorship

Criteria for authorship (Cronenwett and Seeger). 2005;42:559 (Editorial)

The ethics of bylines: would the real authors please stand up? (Jones et al). 2005;42:816-18

B

Bacterial infections

Oral bacteria in the occluded arteries of patients with Buerger disease (Iwai et al). 2005;42:107-15

Bandages

Comparison of elastic versus nonelastic compression in bilateral venous ulcers: a randomized trial (Blecken et al). 2005;42:1150

Behcet's syndrome

Long-term outcome after surgical treatment of arterial lesions in Behçet disease (Hosaka et al). 2005;42:116-21

Regarding "Compelling nature of arterial manifestations in Behçet disease" (Giannoukas) (Letter); (Iscan et al) (Reply). 2005;42:181-2

The surgical treatment of arterial aneurysms in Behçet disease: a report of 16 patients (Kalko et al). 2005;42:673-7

Beta-blockers, adrenergic; *see* Adrenergic beta-antagonists

Biological markers

Clinical implication of plasma level of soluble fibrin monomer-fibrinogen complex in patients with abdominal aortic aneurysm (Hosaka et al). 2005;42:200-5

Blindness

Cerebral venous hypertension and blindness: a reversible complication (Cuadra et al). 2005;42:792-5 (Case rep.)

Blood flow velocity

Computational investigations of a new prosthetic femoral-popliteal bypass graft design (O'Brien et al). 2005;42:1169

Duration and amplitude decay of acute arterial leg inflow enhancement with intermittent pneumatic leg compression: an insight into the implicated physiologic mechanisms (Delis and Knaggs). 2005;42:717-25

The efficacy of a new portable sequential compression device (SCD Express) in preventing venous stasis (Kakkos et al). 2005;42:296-303

Hemodynamic effects of intermittent pneumatic compression in patients with critical limb ischemia (Labropoulos et al). 2005;42:710-16

Human factors as a source of error in peak Dopple velocity measurement (Lui et al). 2005;42:972-9

Blood pressure

Correlation of carotid artery stump pressure and neurologic changes during 474 carotid endarterectomies performed in awake patients (Calligaro and Dougherty). 2005;42:684-9

Blood pressure determination

Effect of intraluminal thrombus on pressure transmission in the abdominal aortic aneurysm (Hinnen et al). 2005;42:1176

Noninvasive measurement of aortic aneurysm sac tension with vibrometry (Mozes et al). 2005;42:963-71

Blood vessel prosthesis

Computational investigations of a new prosthetic femoral-popliteal bypass graft design (O'Brien et al). 2005;42:1169

Non-anastomotic rupture in the guideline of a Dacron thoracic aortic graft (Kawata et al). 2005;42:573 (Vascular Images)

Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model (Cagiannos et al). 2005;42:980-8

Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure (Katzen et al). 2005;42:784-7 (Case rep.)

Secondary conversion of the Gore Excluder to operative abdominal aortic aneurysm repair (Kong et al). 2005;42:631-8

Blood vessel prosthesis implantation

An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement (Gottardi et al). 2005;42:357-60 (Case rep.)

Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access (Rooijens et al); (Huber) (Commentary). 2005;42:481-7

Carotid graft replacement: a durable option (Veldenz et al). 2005;42:220-6

Endograft repair of partially anomalous pulmonary venous connection with dual drainage (Peynircioglu et al). 2005;42:1221-5 (Case rep.)

Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center (Gerassimidis et al); (Ohki) (Commentary). 2005;42:615-23

Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data (Lange et al); (May) (Commentary). 2005;42:624-30

Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization (Ruppert et al). 2005;42:368 (Vascular Images)

Local anesthesia for endovascular abdominal aortic aneurysm repair (Verhoeven et al). 2005;42:402-9

Meta-analysis of alternate autologous vein bypass grafts to infrapopliteal arteries (Albers et al). 2005;42:449-55

National audit of the recent utilization of endovascular abdominal aortic aneurysm repair in Canada: 2003 to 2004 (Forbes et al). 2005;42:410-14

Results of limb-sparing surgery with vascular replacement for soft tissue sarcoma in lower extremity (Schwarzbach et al). 2005;42:88-97

Smoking and the patency of lower extremity bypass grafts: a meta-analysis (Willigendael et al). 2005;42:67-74

Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization (Javerliat et al). 2005;42:361-4 (Case rep.)

Book reviews

Book reviews. 2005;42:184, 385, 827, 1043-4, 1246

Brachial artery

Brachial artery occlusion secondary to hypereosinophilic syndrome (Ponsky et al). 2005;42:796-9 (Case rep.)

Transection of the brachial artery after closed posterior elbow dislocation (Marcheix et al). 2005;42:1230-2 (Case rep.)
The two-stage brachial artery–brachial vein autogenous fistula for hemodialysis: an alternative autogenous option for hemodialysis access (Angle and Chandra). 2005;42:806-10 (Tech. Note)

Brachiocephalic trunk
Brachiocephalic reconstruction I: operative and long-term results for complex disease (Takach et al). 2005;42:47-54

Brachiocephalic veins
Brachiocephalic reconstruction II: operative and endovascular management of single-vessel disease (Takach et al). 2005;42:55-61

Buerger's disease; *see* Thromboangiitis obliterans

C

C-reactive protein
C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events (Vainas et al). 2005;42:243-51

Carotid arteries
Correlation of carotid artery stump pressure and neurologic changes during 474 carotid endarterectomies performed in awake patients (Calligaro and Dougherty). 2005;42:684-9

Carotid artery, internal
Endovascular management of spontaneous carotid artery dissection (Edgell et al); (Mackey) (Commentary). 2005;42:854-60
The inaccuracy of simple visual interpretation for measurement of carotid stenosis by arteriography (Schmittling et al). 2005;42:62-6
Surgical vs. medical treatment for isolated internal carotid artery elongation with coiling or kinking in symptomatic patients: a prospective randomized clinical study (Ballotta et al); (Archie) (Commentary). 2005;42:838-46
Survival with intact cerebral function after gunshot injury to both internal carotid arteries (Rabinovich et al). 2005;42:567-0 (Case rep.)

Carotid artery thrombosis
Surgical management of acute carotid thrombosis after carotid stenting: a report of three cases (Setacci et al). 2005;42:993-6 (Case rep.)

Carotid stenosis
Assessment of short-term outcomes for protected carotid angioplasty with stents using recent evidence (Burton and Lindsay). 2005;42:1094
B-mode ultrasonographic characterization of carotid atherosclerotic plaques in symptomatic and asymptomatic patients (Grogan et al). 2005;42:435-41
Carotid atherosclerotic plaques in patients with transient ischemic attacks and stroke have unstable characteristics compared with plaques in asymptomatic and amaurosis fugax patients (Verhoeven et al). 2005;42:1075
Carotid Revascularization Using Endarterectomy or Stenting Systems (CaRESS) phase I clinical trial: 1-year results (CaRESS Steering Committee). 2005;42:213-19
Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study (Hammer et al); (Myers and Powell) (Commentary). 2005;42:847-53
Endovascular repair of symptomatic external carotid artery stenosis (Eisenberg et al). 2005;42:1210-2 (Case rep.)
The inaccuracy of simple visual interpretation for measurement of carotid stenosis by arteriography (Schmittling et al). 2005;42:62-6
Incidence and risk factors for medical complications after carotid artery stenting (Gröschel et al); (Jordan) (Commentary). 2005;42:1101

Case reports
Case reports. 2005;42:149-71, 344-67, 552-72, 781-804, 989-1025, 1206-9, 1230-2

Catheter ablation
Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications (Puggioni et al). 2005;42:488-93
Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency (Merchant and Pichot); (Wakefield) (Commentary). 2005;42:502-9
Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis" (Pichot and Creton) (Letter); (Salles-Cunha) (Reply). 2005;42:595-7

Catheterization, central venous
Transthoracic cuffed hemodialysis catheters: a method for difficult hemodialysis access (Wellons et al). 2005;42:286-9

Catheterization, peripheral
Catheter occlusion technique to facilitate distal anastomoses using vein grafts (Prionidis and Browne). 2005;42:173-5 (Tech. Note)

Celiac artery
Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm (Qu et al). 2005;42:159-62 (Case rep.)

Cell proliferation
Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis (Poussier et al). 2005;42:1190

Cerebrovascular accident
Carotid atherosclerotic plaques in patients with transient ischemic attacks and stroke have unstable characteristics compared with plaques in asymptomatic and amaurosis fugax patients (Verhoeven et al). 2005;42:1075
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy (McGirt et al); (Huber) (Commentary). 2005;42:829-37
Surgical vs. medical treatment for isolated internal carotid artery elongation with coiling or kinking in symptomatic patients: a prospective randomized clinical study (Ballotta et al); (Archie) (Commentary). 2005;42:838-46

Chemokines, CXC
CXC chemokine expression and synthesis in skeletal muscle during ischemia/reperfusion (Hua et al). 2005;42:337-43

Chronic obstructive lung disease; *see* Lung diseases, obstructive

Clopidogrel; *see* Ticlopidine

Compartment syndromes
Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms (Mehta et al). 2005;42:1047

Compliance
Compliance of abdominal aortic aneurysms evaluated by tissue Doppler imaging: correlation with aneurysm size (Long et al). 2005;42:18-26

Constriction
Suprarenal aortic clamping and reperfusion decreases medullary and cortical blood flow by decreased endogenous renal nitric oxide and PGE_2 synthesis (Myers et al). 2005;42:524-31
Constriction, pathologic
Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases (Hartung et al). 2005;42:275-80
Correspondence; *see* Letters to the Editor
Cost-benefit analysis
Regarding "Cost-effectiveness of different screening strategies for abdominal aortic aneurysm" (Takagi et al) (Letter); (Wanhainen and Björck) (Reply). 2005;42:1244-5
Costs and cost analysis
Follow-up costs increase the cost disparity between endovascular and open abdominal aortic aneurysm repair (Hayter et al). 2005;42:912-18
Coxiella burnetii
Abdominal aortic aneurysm and *Coxiella burnett* infection: report of three cases and review of the literature (Sessa et al). 2005;42:153-8 (Case rep.)
Cranial embolism; *see* Intracranial embolism
Creatinine
Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery (Huynh et al). 2005;42:206-12
Credentialing
Regarding "Ethics of the new economic credentialing" (Satiani) (Letter); (Jones et al) (Reply). 2005;42:385-6

D

Decompression, surgical
Thoracic outlet syndrome: pattern of clinical success after operative decompression (Altobelli et al). 2005;42:122-8
Delirium
Risk factors and prevalence of perioperative cognitive dysfunction in abdominal aneurysm patients (Benoit et al). 2005;42:884-90
Dental plaque
Oral bacteria in the occluded arteries of patients with Buerger disease (Iwai et al). 2005;42:107-15
Diabetes mellitus
The safety of carotid endarterectomy in diabetic patients: clinical predictors of adverse outcomes (Rockman et al). 2005;42:878-83
Dislocations
Transection of the brachial artery after closed posterior elbow dislocation (Marcheix et al). 2005;42:1230-2 (Case rep.)
Dissection
Superficial femoral artery transposition repair for isolated superior mesenteric artery dissection (Picquet et al). 2005;42:788-91 (Case rep.)

E

Eastern Vascular Society
Vascular surgeons and collaterals: president's address, Eastern Vascular Society (Shah). 2005;42:582-4
Economics, medical
Regarding "Ethics of the new economic credentialing" (Satiani) (Letter); (Jones et al) (Reply). 2005;42:385-6
Show me the money: the ethics of physicians' income (Jones et al). 2005;42:377-9
Editorials
Criteria for authorship (Cronenwett and Seeger). 2005;42:559
Embracing the fistula first national vascular access improvement initiative (Tonnessen and Money). 2005;42:585-6
Ehler-Danlos syndrome
The spectrum, management and clinical outcome of Ehlers-Danlos syndrome type IV: a 30-year experience (Oderich et al). 2005;42:98-106
Elbow
Transection of the brachial artery after closed posterior elbow dislocation (Marcheix et al). 2005;42:1230-2 (Case rep.)
Electroencephalography
Correlation of carotid artery stump pressure and neurologic changes during 474 carotid endarterectomies performed in awake patients (Calligaro and Dougherty). 2005;42:684-9
Embolism
Closure of the arteriotomy after carotid endarterectomy: patch type is related to intraoperative microemboli and restenosis rate (Verhoeven et al). 2005;42:1082
Embolization, therapeutic
Amplatzer Vascular Plug to occlude the internal iliac arteries in patients undergoing aortoiliac aneurysm repair (Ha and Calcagno). 2005;42:1058
Ruptured aneurysm of the inferior thyroid artery: repair with coil embolization (Garrett et al). 2005;42:1226-9 (Case rep.)
Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery (Maleux et al). 2005;42:163-7 (Case rep.)
Treatment of type II endoleaks with a novel polyurethane thrombogenic foam: induction of endoleak thrombosis and elimination of intra-aneurysmal pressure in the canine model (Rhee et al). 2005;42:321-8
Endarterectomy
Hybrid treatment for juxtarenal aortic occlusion: successful revascularization using iliofemoral semiclosed endarterectomy and kissing-stents technique (Castelli et al). 2005;42:559-63 (Case rep.)
Endarterectomy, carotid
Carotid graft replacement: a durable option (Veldenz et al). 2005;42:220-6
Carotid Revascularization Using Endarterectomy or Stenting Systems (CaRESS) phase I clinical trial: 1-year results (CaRESS Steering Committee). 2005;42:213-19
Clinical and operative predictors of outcomes of carotid endarterectomy (Halm et al). 2005;42:420-8
Closure of the arteriotomy after carotid endarterectomy: patch type is related to intraoperative microemboli and restenosis rate (Verhoeven et al). 2005;42:1082
Correlation of carotid artery stump pressure and neurologic changes during 474 carotid endarterectomies performed in awake patients (Calligaro and Dougherty). 2005;42:684-9
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy (McGirt et al); (Huber) (Commentary). 2005;42:829-37
Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients (Brothers). 2005;42:429-34
Mini skin incision for carotid endarterectomy (CAW): a new and safe alternative to the standard approach (Ascher et al). 2005;42:1089

A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy (Matsen et al); (Valentine) (Commentary). 2005;42:861-9
Primary closure of the carotid artery is associated with poorer outcomes during carotid endarterectomy (Rockman et al). 2005;42:870-7
Regarding: Carotid endarterectomy in patients with chronic renal insufficiency: a recent series of 184 cases (Chiche et al) (Letter); (Ascher) (Reply). 2005;42:597
The safety of carotid endarterectomy in diabetic patients: clinical predictors of adverse outcomes (Rockman et al). 2005; 42:878-83

Endoleakage; *see* Postoperative complications

Endoscopy
Encouraging results with endoscopic vein harvest for infrainguinal bypass (Erdos and Milner). 2005;42:442-8

Endothelial growth factors
Vascular endothelial growth factor naked DNA gene transfer enhances thrombus recanalization and resolution (Waltham et al). 2005;42:1183

Endothelium, vascular
Age-related increase in wall stress of the human abdominal aorta: an in vivo study (Åstrand et al). 2005;42:926-31
Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway (Asada et al). 2005;42:772-80

Enzyme inhibitors
Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition (Yamanouchi et al). 2005;42:757-64

Eosinophilia
Nontraumatic pseudoaneurysm of the proximal ulnar artery with eosinophilia (Sekino et al). 2005;42:1233-5 (Case rep.)

Equipment design
Computational investigations of a new prosthetic femoral-popliteal bypass graft design (O'Brien et al). 2005;42:1169

Esophagus
In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm (Pirard et al). 2005;42:1213-7 (Case rep.)
Successful management of concomitant aortoesophageal and aortotracheal fistulae secondary to thoracic aortic aneurysm: case report and review of the literature (Raghavendran et al). 2005;42:1218-20 (Case rep.)

Ethics, medical
The ethics of bylines: would the real authors please stand up? (Jones et al). 2005;42:816-18
The ethics of operating on a family member (Jones et al). 2005;42:1033-5
Regarding "Ethics of the new economic credentialing" (Satiani) (Letter); (Jones et al) (Reply). 2005;42:385-6
Show me the money: the ethics of physicians' income (Jones et al). 2005;42:377-9
Turf wars: the ethics of professional territorialism (Jones et al). 2005;42:587-9
Whodunit? Ghost surgery and ethical billing (Jones et al). 2005;42:1239-41
Withdrawal of life-sustaining low-burden care (McCullough et al). 2005;42:176-7

Excitatory amino acids
Protective use of *N*-methyl-d-aspartate receptor antagonists as a spinoplegia against excitatory amino acid neurotoxicity (Cho et al). 2005;42:765-71

Exercise
The effect of exercise intensity on the response to exercise rehabilitation in patients with intermittent claudication (Gardner et al). 2005;42:702-9
High-energy phosphate metabolism in the calf muscle during moderate isotonic exercise under different degrees of cuff compression: a phosphorus 31 magnetic resonance spectroscopy study (Greiner et al). 2005;42:259-67
Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial (Zwierska et al). 2005;42:1122

Exertion
The effect of exercise intensity on the response to exercise rehabilitation in patients with intermittent claudication (Gardner et al). 2005;42:702-9

F

Factor V
Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors (Page et al). 2005;42:1014-18 (Case rep.)

Family
The ethics of operating on a family member (Jones et al). 2005;42:1033-5
The lifetime prevalence of abdominal aortic aneurysms among siblings of aneurysm patients is eightfold higher than among siblings of spouses: an analysis of 187 aneurysm families in Nova Scotia, Canada (Ogata et al). 2005;42: 891-7

Fees and charges
Whodunit? Ghost surgery and ethical billing (Jones et al). 2005;42:1239-41

Femoral artery
Computational investigations of a new prosthetic femoral-popliteal bypass graft design (O'Brien et al). 2005;42:1169
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Duration and amplitude decay of acute arterial leg inflow enhancement with intermittent pneumatic leg compression: an insight into the implicated physiologic mechanisms (Delis and Knaggs). 2005;42:717-25
Interval gangrene complicating superficial femoral artery stent placement (Pua et al). 2005;42:564-6 (Case rep.)
Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery" (Takagi et al) (Letter); (Davies and Suroweic) (Reply). 2005;42:822-5
Superficial femoral artery transposition repair for isolated superior mesenteric artery dissection (Picquet et al). 2005;42: 788-91 (Case rep.)
Total laparoscopic aortobifemoral bypass: a review of 22 cases (Olinde et al). 2005;42:27-34
Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease (Spronk et al); (Kohler) (Commentary). 2005;42:236-42

Femoral vein
Femorofemoral bypass with femoral popliteal vein (D'Addio et al). 2005;42:35-9
Graft-associated hemorrhage from femoropopliteal vein grafts (Ali et al). 2005;42:667-72

Intravascular synovial sarcoma of the external iliac vein and reconstruction with the superficial femoral vein (White et al). 2005;42:365-7 (Case rep.)
Regarding "Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques" (Ravi et al) (Letter); (Kalra et al) (Reply). 2005;42:181-2

Fibrin fibrinogen degradation products
Clinical implication of plasma level of soluble fibrin monomer-fibrinogen complex in patients with abdominal aortic aneurysm (Hosaka et al). 2005;42:200-5

Fibroblasts
Pressure elevation slows the fibroblast response to wound healing (Stanley et al). 2005;42:546-51

Fistula
In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm (Pirard et al). 2005;42:1213-7 (Case rep.)
Successful management of concomitant aortoesophageal and aortotracheal fistulae secondary to thoracic aortic aneurysm: case report and review of the literature (Raghavendran et al). 2005;42:1218-20 (Case rep.)

Fludeoxyglucose
Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings (Fukuchi et al). 2005;42:919-25

Foot
Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization (Sheahan et al). 2005;42:476-80

Foreign body migration
Mid- and long-term device migration after endovascular abdominal aortic aneurysm repair: a comparison of AneuRx and Zenith endografts (Tonnessen et al). 2005;42:392-401

G

Gangrene
Interval gangrene complicating superficial femoral artery stent placement (Pua et al). 2005;42:564-6 (Case rep.)

Gene transfer
Effect of tissue plasminogen activator on vascular smooth muscle cells (Yang et al). 2005;42:532-8
Vascular endothelial growth factor naked DNA gene transfer enhances thrombus recanalization and resolution (Waltham et al). 2005;42:1183

Genetics
The lifetime prevalence of abdominal aortic aneurysms among siblings of aneurysm patients is eightfold higher than among siblings of spouses: an analysis of 187 aneurysm families in Nova Scotia, Canada (Ogata et al). 2005;42:891-7

Giant cell arteritis; *see* Temporal arteritis

Glomerular filtration rate
Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery (Huynh et al). 2005;42:206-12

Gold
Restenosis in gold-coated renal artery stents (Nolan et al). 2005;42:40-6

Graft occlusion, vascular
Cerebral venous hypertension and blindness: a reversible complication (Cuadra et al). 2005;42:792-5 (Case rep.)
Closure of the arteriotomy after carotid endarterectomy: patch type is related to intraoperative microemboli and restenosis rate (Verhoeven et al). 2005;42:1082
Femorofemoral bypass with femoral popliteal vein (D'Addio et al). 2005;42:35-9
Restenosis in gold-coated renal artery stents (Nolan et al). 2005;42:40-6
Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography (Doelman et al). 2005;42:739-46

Graft survival
Femorofemoral bypass with femoral popliteal vein (D'Addio et al). 2005;42:35-9

H

Hematoma
Complete regression of an intramural hematoma of the aorta after distal reperfusion (DeAnda et al). 2005;42:149-52 (Case rep.)

Hemochromatosis
Hemochromatosis C282Y gene mutation increases the risk of venous leg ulceration (Zamboni et al). 2005;42:309-14

Hemodialysis
Axillary-axillary interarterial chest loop conduit as an alternative for chronic hemodialysis access (Bünger et al). 2005;42:290-5
Embracing the fistula first national vascular access improvement initiative (Tonnessen and Money). 2005;42:585-6 (Editorial)
Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era (Wolford et al). 2005;42:951-6
Transthoracic cuffed hemodialysis catheters: a method for difficult hemodialysis access (Wellons et al). 2005;42:286-9

Hemorrhage
Endovascular repair of an actively hemorrhaging gunshot injury to the abdominal aorta (Yeh et al). 2005;42:1007-9 (Case rep.)
Graft-associated hemorrhage from femoropopliteal vein grafts (Ali et al). 2005;42:667-72

Hepatic artery
Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm (Qu et al). 2005;42:159-62 (Case rep.)

History of medicine
The dynamic approach to venous disease—following in the footsteps of Gunnar Bauer and Robert Kistner (Eklöf). 2005;42:369-76

HIV infections
Mycotic aortic aneurysm (Brawley and Clagett). 2005;42:172 (Vascular Images)

Hospital mortality
A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy (Matsen et al); (Valentine) (Commentary). 2005;42:861-9

Hydroxymethylglutaryl-CoA reductase inhibitors
Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition (Yamanouchi et al). 2005;42:757-64

3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy (McGirt et al); (Huber) (Commentary). 2005;42:829-37

Hypereosinophilic syndrome

Brachial artery occlusion secondary to hypereosinophilic syndrome (Ponsky et al). 2005;42:796-9 (Case rep.)

Hyperhidrosis

Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion? (Yazbek et al). 2005;42:281-5

Hyperhomocysteinemia

Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors (Page et al). 2005;42:1014-18 (Case rep.)

Hyperplasia

Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition (Yamanouchi et al). 2005;42:757-64

Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model (Cagiannos et al). 2005;42:980-8

I

Iliac aneurysm

Amplatzer Vascular Plug to occlude the internal iliac arteries in patients undergoing aortoiliac aneurysm repair (Ha and Calcagno). 2005;42:1058

Iliac artery

Amplatzer Vascular Plug to occlude the internal iliac arteries in patients undergoing aortoiliac aneurysm repair (Ha and Calcagno). 2005;42:1058

Long-term outcomes and predictors of iliac angioplasty with selective stenting (Kudo et al). 2005;42:466-75

Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease (Spronk et al); (Kohler) (Commentary). 2005;42:236-42

Iliac vein

Intravascular synovial sarcoma of the external iliac vein and reconstruction with the superficial femoral vein (White et al). 2005;42:365-7 (Case rep.)

Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease (Hartung et al); (Neglen) (Commentary). 2005;42:1138

Income

Show me the money: the ethics of physicians' income (Jones et al). 2005;42:377-9

Inflammation mediators

Inflammatory mediators are associated with 1-year mortality in critical limb ischemia (Barani et al). 2005;42:75-80

Informed consent

Withdrawal of life-sustaining low-burden care (McCullough et al). 2005;42:176-7

Intermittent claudication

The effect of exercise intensity on the response to exercise rehabilitation in patients with intermittent claudication (Gardner et al). 2005;42:702-9

Intermittent pneumatic compression devices

Duration and amplitude decay of acute arterial leg inflow enhancement with intermittent pneumatic leg compression: an insight into the implicated physiologic mechanisms (Delis and Knaggs). 2005;42:717-25

The efficacy of a new portable sequential compression device (SCD Express) in preventing venous stasis (Kakkos et al). 2005;42:296-303

Hemodynamic effects of intermittent pneumatic compression in patients with critical limb ischemia (Labropoulos et al). 2005;42:710-16

Internship and residency

Characteristics of the applicant pool to vascular surgery residency programs (Eidt et al). 2005;42:519-23

Residents with military obligation face discrimination (Deshmukh). 2005;42:181 (Letter)

Intestinal fistula

Improved outcomes in the recent management of secondary aortoenteric fistula (Armstrong et al). 2005;42:660-6

Secondary aortoenteric fistula (Yoshimoto et al). 2005;42:805 (Vascular Images)

Intracranial embolism

Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study (Hammer et al). 2005;42:847-53

Intracranial hypertension

Cerebral venous hypertension and blindness: a reversible complication (Cuadra et al). 2005;42:792-5 (Case rep.)

Intraoperative complications

Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery (Maleux et al). 2005;42:163-7 (Case rep.)

Intubation, gastrointestinal

Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial (Gouëffic et al). 2005;42:654-9

Ischemia

Contemporary results of angioplasty-based infrainguinal percutaneous interventions (Black et al). 2005;42:932-9

Controlled reperfusion using a simplified perfusion system preserves function after acute and persistent limb ischemia: a preliminary study (Wilhelm et al). 2005;42:690-4

CXC chemokine expression and synthesis in skeletal muscle during ischemia/reperfusion (Hua et al). 2005;42:337-43

Hemodynamic effects of intermittent pneumatic compression in patients with critical limb ischemia (Labropoulos et al). 2005;42:710-16

Inflammatory mediators are associated with 1-year mortality in critical limb ischemia (Barani et al). 2005;42:75-80

Wegener's granulomatosis presenting during pregnancy with acute limb ischemia (Bessias et al). 2005;42:800-4 (Case rep.)

Ischemic attack, transient

Carotid atherosclerotic plaques in patients with transient ischemic attacks and stroke have unstable characteristics compared with plaques in asymptomatic and amaurosis fugax patients (Verhoeven et al). 2005;42:1075

J

Jugular veins

Lemierre's syndrome: a potentially fatal complication that may require vascular surgical intervention (Charles et al). 2005;42:1023-5 (Case rep.)

K

Kidney
Exogenous nitric oxide modulates the systemic inflammatory response and improves kidney function after risk-situation abdominal aortic surgery (Lozano et al). 2005;42:129-39

Kidney failure
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Regarding: Carotid endarterectomy in patients with chronic renal insufficiency: a recent series of 184 cases (Chiche et al) (Letter); (Ascher) (Reply). 2005;42:597
Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure (Katzen et al). 2005;42:784-7 (Case rep.)

L

Laparoscopy
Retroperitoneal laparoscopic management of a lymphocele after abdominal aortic aneurysm surgery: a case report (Uchinami et al). 2005;42:552-5 (Case rep.)
Total laparoscopic aortobifemoral bypass: a review of 22 cases (Olinde et al). 2005;42:27-34
Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study (Coggia et al); (Kolvenbach) (Commentary). 2005;42:906-11

Laparotomy
Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial (Gouëffic et al). 2005;42:654-9

Laser surgery
Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications (Puggioni et al). 2005;42:488-93
Endovenous laser treatment combined with a surgical strategy for treatment of venous insufficiency in lower extremity: a report of 208 cases (Huang et al); (Kistner) (Commentary). 2005;42:494-501

Leg
Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race (McDermott et al). 2005;42:1131
Inflammatory mediators are associated with 1-year mortality in critical limb ischemia (Barani et al). 2005;42:75-80
Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg (Ogawa et al). 2005;42:940-4
Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients (Taylor et al); (Valentine) (Commentary). 2005;42:227-35
Role of computed tomographic angiography in the detection and comprehensive evaluation of persistent sciatic artery (Jung et al). 2005;42:678-83
Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization (Javerliat et al). 2005;42:361-4 (Case rep.)
Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial (Zwierska et al). 2005;42:1122

Leg ulcer
Comparison of elastic versus nonelastic compression in bilateral venous ulcers: a randomized trial (Blecken et al). 2005;42:1150
Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs (Milio et al). 2005;42:304-8
Hemochromatosis C282Y gene mutation increases the risk of venous leg ulceration (Zamboni et al). 2005;42:309-14

Letters to the Editor
Regarding: Carotid endarterectomy in patients with chronic renal insufficiency: a recent series of 184 cases (Chiche et al) (Letter); (Ascher) (Reply). 2005;42:597
Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study" (Diaz and Tamashiro) (Letter); (Tielliu et al) (Reply). 2005;42:1040-1
Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture? (Takagi et al) (Letter); (Coleman) (Reply). 2005;42:1040-1
Regarding "Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty" (Molina) (Letter); (Schneider and Messina) (Reply). 2005;42:593
Regarding "Compelling nature of arterial manifestations in Behçet disease" (Giannoukas) (Letter); (Iscan et al) (Reply). 2005;42:181-2
Regarding "Cost-effectiveness of different screening strategies for abdominal aortic aneurysm" (Takagi et al) (Letter); (Wanhainen and Björck) (Reply). 2005;42:1244-5
Regarding "Cutting balloon angioplasty of renal fibromuscular dysplasia: a word of caution" (Lupattelli et al) (Letter); (Tanemoto and Ito) (Reply). 2005;42:1038-40
Regarding "Ethics of the new economic credentialing" (Satiani) (Letter); (Jones et al) (Reply). 2005;42:385-6
Regarding "Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques" (Ravi et al) (Letter); (Kalra et al) (Reply). 2005;42:181-2
Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study" (Lee) (Letter); (Liu) (Reply). 2005;42:821-2
Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery" (Takagi et al) (Letter); (Davies and Suroweic) (Reply). 2005;42:822-5
Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial" (Schouten et al) (Letter); (Powell) (Reply). 2005;42:825-6
Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Adams and Bradbury) (Letter); (Abraham and May) (Reply). 2005;42:595
Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Schouten et al) (Letter); (May and Abraham) (Reply). 2005;42:594-5
Regarding "The study of endovascular repair of small (<5.5-cm) aneurysms (Palamara) (Letter); (Ouriel) (Reply). 2005;42:822

Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis" (Pichot and Creton) (Letter); (Salles-Cunha) (Reply). 2005;42:595-7

Residents with military obligation face discrimination (Deshmukh). 2005;42:181

Limb salvage

Comparative analysis of autogenous infrainguinal bypass grafts in African Americans and Caucasians: the association of race with graft function and limb salvage (Chew et al). 2005;42:695-701

Contemporary results of angioplasty-based infrainguinal percutaneous interventions (Black et al). 2005;42:932-9

Controlled reperfusion using a simplified perfusion system preserves function after acute and persistent limb ischemia: a preliminary study (Wilhelm et al). 2005;42:690-4

Hemodynamic effects of intermittent pneumatic compression in patients with critical limb ischemia (Labropoulos et al). 2005;42:710-16

Meta-analysis of alternate autologous vein bypass grafts to infrapopliteal arteries (Albers et al). 2005;42:449-55

Results of limb-sparing surgery with vascular replacement for soft tissue sarcoma in lower extremity (Schwarzbach et al). 2005;42:88-97

Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial (Conte et al); (Forbes) (Commentary). 2005;42:456-65

Lung diseases, obstructive

Is abdominal aortic aneurysm repair appropriate in oxygen-dependent chronic obstructive pulmonary disease patients? (Compton et al). 2005;42:650-3

Lymphatic system

Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study" (Lee) (Letter); (Liu) (Reply). 2005;42:821-2

Lymphocele

Retroperitoneal laparoscopic management of a lymphocele after abdominal aortic aneurysm surgery: a case report (Uchinami et al). 2005;42:552-5 (Case rep.)

M

Magnetic resonance angiography

Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography (Doelman et al). 2005;42:739-46

Magnetic resonance imaging

Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study" (Lee) (Letter); (Liu) (Reply). 2005;42:821-2

Marfan syndrome

Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome (Cordera et al). 2005;42:168-71 (Case rep.)

Matrix metalloproteinases

Differential transcriptional activation of matrix metalloproteinase-2 and membrane type-1 matrix metalloproteinase by experimental deep venous thrombosis and thrombin (Dahi et al). 2005;42:539-45

Pressure distention compared with pharmacologic relaxation in vein grafting upregulates matrix metalloproteinase-2 and -9 (Chung et al). 2005;42:747-56

Vein wall remodeling after deep vein thrombosis involves matrix metalloproteinases and late fibrosis in a mouse model (Deatrick et al). 2005;42:140-8

Medicare

Show me the money: the ethics of physicians' income (Jones et al). 2005;42:377-9

Mesenteric artery, superior

Superficial femoral artery transposition repair for isolated superior mesenteric artery dissection (Picquet et al). 2005;42:788-91 (Case rep.)

Mesenteric vascular occlusion

Chronic mesenteric ischemia: treatment of recurrent disease (Abularrage et al). 2005;42:1026 (Vascular Images)

Giant cell arteritis manifesting as mesenteric ischemia (Evans et al). 2005;42:1019-22 (Case rep.)

Mesenteric stenting for chronic mesenteric ischemia (Brown et al). 2005;42:268-74

Metoprolol

Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial" (Schouten et al) (Letter); (Powell) (Reply). 2005;42:825-6

Microcirculation

Evaluation of the microcirculation in vascular disease (Abularrage et al). 2005;42:574-81 (Review article)

Molsidomine

Exogenous nitric oxide modulates the systemic inflammatory response and improves kidney function after risk-situation abdominal aortic surgery (Lozano et al). 2005;42:129-39

Mortality

Inflammatory mediators are associated with 1-year mortality in critical limb ischemia (Barani et al). 2005;42:75-80

Risk-adjusted analysis of early mortality after ruptured abdominal aortic aneurysm repair (Harris et al). 2005;42:387-91

Muscle, skeletal

CXC chemokine expression and synthesis in skeletal muscle during ischemia/reperfusion (Hua et al). 2005;42:337-43

Muscle, smooth, vascular

Effect of tissue plasminogen activator on vascular smooth muscle cells (Yang et al). 2005;42:532-8

Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis (Poussier et al). 2005;42:1190

Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway (Asada et al). 2005;42:772-80

Mutation

Hemochromatosis C282Y gene mutation increases the risk of venous leg ulceration (Zamboni et al). 2005;42:309-14

Myocardial ischemia

Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Adams and Bradbury) (Letter); (Abraham and May) (Reply). 2005;42:595

Regarding "A prospective study of subclinical myocardial damage in endovascular versus open repair of infrarenal abdominal aortic aneurysms" (Schouten et al) (Letter); (May and Abraham) (Reply). 2005;42:594-5

N

Nasogastric intubation; *see* Intubation, gastrointestinal

Neovascularization

Neovascularization in acute venous thrombosis (Labropoulos et al). 2005;42:515-18

A prospective study of the fate of venous leg perforators after varicose vein surgery (van Rij et al). 2005;42:1156

Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis" (Pichot and Creton) (Letter); (Salles-Cunha) (Reply). 2005;42:595-7

Neurofibromatoses

Middle aortic syndrome: surgical treatment in a child with neurofibromatosis (West et al). 2005;42:1236 (Vascular Images)

Neuroprotective agents

Protective use of *N*-methyl-d-aspartate receptor antagonists as a spinoplegia against excitatory amino acid neurotoxicity (Cho et al). 2005;42:765-71

Nitric oxide

eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm (Fatini et al). 2005;42:415-19

Role of nitric oxide in resveratrol-induced renal protective effects of ischemic preconditioning (Chandar and Chopra). 2005;42:1198

Suprarenal aortic clamping and reperfusion decreases medullary and cortical blood flow by decreased endogenous renal nitric oxide and PGE_2 synthesis (Myers et al). 2005;42:524-31

Nitric oxide donors

Exogenous nitric oxide modulates the systemic inflammatory response and improves kidney function after risk-situation abdominal aortic surgery (Lozano et al). 2005;42:129-39

Nuclear magnetic resonance

High-energy phosphate metabolism in the calf muscle during moderate isotonic exercise under different degrees of cuff compression: a phosphorus 31 magnetic resonance spectroscopy study (Greiner et al). 2005;42:259-67

O

Observer variation

The inaccuracy of simple visual interpretation for measurement of carotid stenosis by arteriography (Schmittling et al). 2005;42:62-6

Outcome assessment (health care); *see also* Treatment outcome

Brachiocephalic reconstruction I: operative and long-term results for complex disease (Takach et al). 2005;42:47-54

Clinical and operative predictors of outcomes of carotid endarterectomy (Halm et al). 2005;42:420-8

Endovascular repair of abdominal aortic aneurysms in octogenarians: an analysis based on EUROSTAR data (Lange et al); (May) (Commentary). 2005;42:624-30

Endovascular treatment for aortic disease: is a surgical environment necessary? (Moore et al); (Makaroun and Wholey) (Commentary). 2005;42:645-9

Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures (Lifeline Registry of EVAR Publications Committee). 2005;42:1-10

Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency (Merchant and Pichot); (Wakefield) (Commentary). 2005;42:502-9

Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization (Sheahan et al). 2005;42:476-80

National audit of the recent utilization of endovascular abdominal aortic aneurysm repair in Canada: 2003 to 2004 (Forbes et al). 2005;42:410-14

Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era (Wolford et al). 2005;42:951-6

Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients (Taylor et al); (Valentine) (Commentary). 2005;42:227-35

Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial (Conte et al); (Forbes) (Commentary). 2005;42:456-65

Surgical vs. medical treatment for isolated internal carotid artery elongation with coiling or kinking in symptomatic patients: a prospective randomized clinical study (Ballotta et al); (Archie) (Commentary). 2005;42:838-46

P

P-selectin, antagonists and inhibitors

Decreased venous thrombosis with an oral inhibitor of P selectin (Myers et al). 2005;42:329-36

Para-aortic bodies

Extra-adrenal pheochromocytoma: an unusual cause of deep vein thrombosis (Stevenson et al). 2005;42:570-2 (Case rep.)

Perfusion

Controlled reperfusion using a simplified perfusion system preserves function after acute and persistent limb ischemia: a preliminary study (Wilhelm et al). 2005;42:690-4

Peripheral vascular diseases

Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors (Page et al). 2005;42:1014-18 (Case rep.)

C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events (Vainas et al). 2005;42:243-51

Clopidogrel has no effect on D-dimer and thrombin-antithrombin III levels in patients with peripheral arterial disease undergoing peripheral percutaneous transluminal angioplasty (Cassar et al). 2005;42:252-8

Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race (McDermott et al). 2005;42:1131

Physician supply, treatment, and amputation rates for peripheral arterial disease (Ho et al). 2005;42:81-7

Smoking and the patency of lower extremity bypass grafts: a meta-analysis (Willigendael et al). 2005;42:67-74

Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized controlled trial (Zwierska et al). 2005;42:1122

Phenols
Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis (Poussier et al). 2005;42:1190
Role of nitric oxide in resveratrol-induced renal protective effects of ischemic preconditioning (Chandar and Chopra). 2005;42:1198
Pheochromocytoma
Extra-adrenal pheochromocytoma: an unusual cause of deep vein thrombosis (Stevenson et al). 2005;42:570-2 (Case rep.)
Phosphate
High-energy phosphate metabolism in the calf muscle during moderate isotonic exercise under different degrees of cuff compression: a phosphorus 31 magnetic resonance spectroscopy study (Greiner et al). 2005;42:259-67
Phosphocreatine
High-energy phosphate metabolism in the calf muscle during moderate isotonic exercise under different degrees of cuff compression: a phosphorus 31 magnetic resonance spectroscopy study (Greiner et al). 2005;42:259-67
Physician-patient relations
The ethics of operating on a family member (Jones et al). 2005;42:1033-5
Physicians
Physician supply, treatment, and amputation rates for peripheral arterial disease (Ho et al). 2005;42:81-7
Platelet aggregation inhibitors
Clopidogrel has no effect on D-dimer and thrombin-antithrombin III levels in patients with peripheral arterial disease undergoing peripheral percutaneous transluminal angioplasty (Cassar et al). 2005;42:252-8
Polymorphism (genetics)
eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm (Fatini et al). 2005;42:415-19
Polytetrafluoroethylene
Carotid graft replacement: a durable option (Veldenz et al). 2005;42:220-6
Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model (Cagiannos et al). 2005;42:980-8
Polyurethanes
Treatment of type II endoleaks with a novel polyurethane thrombogenic foam: induction of endoleak thrombosis and elimination of intra-aneurysmal pressure in the canine model (Rhee et al). 2005;42:321-8
Popliteal artery
Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors (Page et al). 2005;42:1014-18 (Case rep.)
Computational investigations of a new prosthetic femoral-popliteal bypass graft design (O'Brien et al). 2005;42:1169
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material (Ascher et al). 2005;42:1114
Meta-analysis of alternate autologous vein bypass grafts to infrapopliteal arteries (Albers et al). 2005;42:449-55
Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study (Antonello et al). 2005;42:185-93
Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study" (Diaz and Tamashiro) (Letter); (Tielliu et al) (Reply). 2005;42:1040-1
Popliteal vein
Femorofemoral bypass with femoral popliteal vein (D'Addio et al). 2005;42:35-9
Graft-associated hemorrhage from femoropopliteal vein grafts (Ali et al). 2005;42:667-72
Postoperative care
Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial (Gouëffic et al). 2005;42:654-9
Postoperative complications
Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study (Hammer et al). 2005;42:847-53
Clinical and operative predictors of outcomes of carotid endarterectomy (Halm et al). 2005;42:420-8
Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia (Peppelenbosch et al). 2005;42:608-14
Graft-associated hemorrhage from femoropopliteal vein grafts (Ali et al). 2005;42:667-72
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy (McGirt et al); (Huber) (Commentary). 2005;42:829-37
Incidence and risk factors for medical complications after carotid artery stenting (Gröschel et al); (Jordan) (Commentary). 2005;42:1101
Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients (Brothers). 2005;42:429-34
Mid- and long-term device migration after endovascular abdominal aortic aneurysm repair: a comparison of AneuRx and Zenith endografts (Tonnessen et al). 2005;42:392-401
Nonoperative approach to endotension (Mennander et al); (Matsumura) (Commentary). 2005;42:194-9
Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure (Katzen et al). 2005;42:784-7 (Case rep.)
Retroperitoneal laparoscopic management of a lymphocele after abdominal aortic aneurysm surgery: a case report (Uchinami et al). 2005;42:552-5 (Case rep.)
Risk factors and prevalence of perioperative cognitive dysfunction in abdominal aneurysm patients (Benoit et al). 2005;42:884-90
The safety of carotid endarterectomy in diabetic patients: clinical predictors of adverse outcomes (Rockman et al). 2005;42:878-83
Secondary conversion of the Gore Excluder to operative abdominal aortic aneurysm repair (Kong et al). 2005;42:631-8
Sensory abnormalities and bruising after long saphenous vein stripping: impact on short-term quality of life (Subramonia and Lees). 2005;42:510-14
The spectrum, management and clinical outcome of Ehlers-Danlos syndrome type IV: a 30-year experience (Oderich et al). 2005;42:98-106
Spinal cord ischemia after elective stent-graft repair of the thoracic aorta (Chiesa et al). 2005;42:11-17

Surgical management of acute carotid thrombosis after carotid stenting: a report of three cases (Setacci et al). 2005;42:993-6 (Case rep.)

Treatment of type II endoleaks with a novel polyurethane thrombogenic foam: induction of endoleak thrombosis and elimination of intra-aneurysmal pressure in the canine model (Rhee et al). 2005;42:321-8

Practice guidelines

Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs (Caprini et al). 2005;42:726-33

Pregnancy complications

Wegener's granulomatosis presenting during pregnancy with acute limb ischemia (Bessias et al). 2005;42:800-4 (Case rep.)

Prejudice

Residents with military obligation face discrimination (Deshmukh). 2005;42:181 (Letter)

Pressure

Calf compression pressure required to achieve venous closure from supine to standing positions (Partsch and Partsch). 2005;42:734-8

Comparison of elastic versus nonelastic compression in bilateral venous ulcers: a randomized trial (Blecken et al). 2005;42:1150

Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg (Ogawa et al). 2005;42:940-4

Nonoperative approach to endotension (Mennander et al); (Matsumura) (Commentary). 2005;42:194-9

Pressure distention compared with pharmacologic relaxation in vein grafting upregulates matrix metalloproteinase-2 and -9 (Chung et al). 2005;42:747-56

Pressure elevation slows the fibroblast response to wound healing (Stanley et al). 2005;42:546-51

Prevalence

The lifetime prevalence of abdominal aortic aneurysms among siblings of aneurysm patients is eightfold higher than among siblings of spouses: an analysis of 187 aneurysm families in Nova Scotia, Canada (Ogata et al). 2005;42:891-7

Prostaglandins E

Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs (Milio et al). 2005;42:304-8

Suprarenal aortic clamping and reperfusion decreases medullary and cortical blood flow by decreased endogenous renal nitric oxide and PGE_2 synthesis (Myers et al). 2005;42:524-31

Prosthesis failure

Detection of endograft fractures with multidetector row computed tomography (Roos et al). 2005;42:1002-6 (Case rep.)

Non-anastomotic rupture in the guideline of a Dacron thoracic aortic graft (Kawata et al). 2005;42:573 (Vascular Images)

Retrograde migration of an abdominal aortic aneurysm endograft leading to postoperative renal failure (Katzen et al). 2005;42:784-7 (Case rep.)

Prosthesis-related infections

Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings (Fukuchi et al). 2005;42:919-25

Interval gangrene complicating superficial femoral artery stent placement (Pua et al). 2005;42:564-6 (Case rep.)

Preservation of infected and exposed vascular grafts using vacuum assisted closure without muscle flap coverage (Dosluoglu et al). 2005;42:989-92 (Case rep.)

Protein kinases

Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway (Asada et al). 2005;42:772-80

Protein-serine-threonine Kinases

Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition (Yamanouchi et al). 2005;42:757-64

Pseudoaneurysm; *see* Aneurysm, false

Pulmonary embolism

Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs (Caprini et al). 2005;42:726-33

Pulmonary veins

Endograft repair of partially anomalous pulmonary venous connection with dual drainage (Peynircioglu et al). 2005;42:1221-5 (Case rep.)

Q

Quality of life

Sensory abnormalities and bruising after long saphenous vein stripping: impact on short-term quality of life (Subramonia and Lees). 2005;42:510-14

R

Radiation, ionizing

Radiation: basic principles (Mehta). 2005;42:1237-8

Radiofrequency ablation; *see* Catheter ablation

Radioisotopes

Radiation: basic principles (Mehta). 2005;42:1237-8

Radionuclide imaging

Regarding "Noncontrast three-dimensional magnetic resonance imaging vs lymphoscintigraphy in the evaluation of lymph circulation disorders: a comparative study" (Lee) (Letter); (Liu) (Reply). 2005;42:821-2

Rapamycin; *see* Sirolimus

Receptors, N-methyl-d-aspartate, antagonists and inhibitors

Protective use of *N*-methyl-d-aspartate receptor antagonists as a spinoplegia against excitatory amino acid neurotoxicity (Cho et al). 2005;42:765-71

Registries

Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures (Lifeline Registry of EVAR Publications Committee). 2005;42:1-10

Reimbursement mechanisms

Whodunit? Ghost surgery and ethical billing (Jones et al). 2005;42:1239-41

Renal artery

Restenosis in gold-coated renal artery stents (Nolan et al). 2005;42:40-6

Renal artery obstruction

Hybrid treatment for juxtarenal aortic occlusion: successful revascularization using iliofemoral semiclosed endarterectomy and kissing-stents technique (Castelli et al). 2005;42:559-63 (Case rep.)

Regarding "Cutting balloon angioplasty of renal fibromuscular dysplasia: a word of caution" (Lupattelli et al) (Letter); (Tanemoto and Ito) (Reply). 2005;42:1038-40

Renal blood flow
Suprarenal aortic clamping and reperfusion decreases medullary and cortical blood flow by decreased endogenous renal nitric oxide and PGE_2 synthesis (Myers et al). 2005;42:524-31

Renal veins
Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases (Hartung et al). 2005;42:275-80

Reoperation
Repair of juxtarenal para-anastomotic aortic aneurysms after previous open repair with fenestrated and branched endovascular stent grafts (Adam et al). 2005;42:997-1001 (Case rep.)
Secondary conversion of the Gore Excluder to operative abdominal aortic aneurysm repair (Kong et al). 2005;42:631-8

Reperfusion
Complete regression of an intramural hematoma of the aorta after distal reperfusion (DeAnda et al). 2005;42:149-52 (Case rep.)
Controlled reperfusion using a simplified perfusion system preserves function after acute and persistent limb ischemia: a preliminary study (Wilhelm et al). 2005;42:690-4

Reperfusion injury
CXC chemokine expression and synthesis in skeletal muscle during ischemia/reperfusion (Hua et al). 2005;42:337-43
Role of nitric oxide in resveratrol-induced renal protective effects of ischemic preconditioning (Chandar and Chopra). 2005;42:1198

Restenosis; *see* Graft occlusion, vascular

Revascularization
Carotid Revascularization Using Endarterectomy or Stenting Systems (CaRESS) phase I clinical trial: 1-year results (CaRESS Steering Committee). 2005;42:213-19
Chronic mesenteric ischemia: treatment of recurrent disease (Abularrage et al). 2005;42:1026 (Vascular Images)
Comparative analysis of autogenous infrainguinal bypass grafts in African Americans and Caucasians: the association of race with graft function and limb salvage (Chew et al). 2005;42:695-701
Contemporary results of angioplasty-based infrainguinal percutaneous interventions (Black et al). 2005;42:932-9
Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization (Ruppert et al). 2005;42:368 (Vascular Images)
Femorofemoral bypass with femoral popliteal vein (D'Addio et al). 2005;42:35-9
Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization (Sheahan et al). 2005;42:476-80
Risk factors, medical therapies and perioperative events in limb salvage surgery: observations from the PREVENT III multicenter trial (Conte et al); (Forbes) (Commentary). 2005;42:456-65
Total laparoscopic aortobifemoral bypass: a review of 22 cases (Olinde et al). 2005;42:27-34
Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization (Javerliat et al). 2005;42:361-4 (Case rep.)

Risk factors
Clinical and operative predictors of outcomes of carotid endarterectomy (Halm et al). 2005;42:420-8
eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm (Fatini et al). 2005;42:415-19
Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms (Mehta et al). 2005;42:1047
Incidence and risk factors for medical complications after carotid artery stenting (Gröschel et al); (Jordan) (Commentary). 2005;42:1101
A personal experience with factors influencing survival after elective open repair of infrarenal aortic aneurysms (Hertzer and Mascha). 2005;42:898-905
A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy (Matsen et al); (Valentine) (Commentary). 2005;42:861-9
Preoperative clinical factors predict postoperative functional outcomes after major lower limb amputation: an analysis of 553 consecutive patients (Taylor et al); (Valentine) (Commentary). 2005;42:227-35
Risk factors and prevalence of perioperative cognitive dysfunction in abdominal aneurysm patients (Benoit et al). 2005;42:884-90
The safety of carotid endarterectomy in diabetic patients: clinical predictors of adverse outcomes (Rockman et al). 2005;42:878-83

S

Saliva
Oral bacteria in the occluded arteries of patients with Buerger disease (Iwai et al). 2005;42:107-15

Saphenous vein
Calf compression pressure required to achieve venous closure from supine to standing positions (Partsch and Partsch). 2005;42:734-8
Can phlebectomy be deferred in the treatment of varicose veins? (Monahan). 2005;42:1145
Changes in superficial and perforating vein reflux after varicose vein surgery (Blomgren et al). 2005;42:315-20
Encouraging results with endoscopic vein harvest for infrainguinal bypass (Erdos and Milner). 2005;42:442-8
Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications (Puggioni et al). 2005;42:488-93
Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency (Merchant and Pichot); (Wakefield) (Commentary). 2005;42:502-9
Regarding "Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques" (Ravi et al) (Letter); (Kalra et al) (Reply). 2005;42:181-2
Regarding "Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis" (Pichot and Creton) (Letter); (Salles-Cunha) (Reply). 2005;42:595-7
Sensory abnormalities and bruising after long saphenous vein stripping: impact on short-term quality of life (Subramonia and Lees). 2005;42:510-14

Sarcoma
Results of limb-sparing surgery with vascular replacement for soft tissue sarcoma in lower extremity (Schwarzbach et al). 2005;42:88-97
Sarcoma, synovial
Intravascular synovial sarcoma of the external iliac vein and reconstruction with the superficial femoral vein (White et al). 2005;42:365-7 (Case rep.)
Scintigraphy; *see* Radionuclide imaging
Severity of illness index
C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events (Vainas et al). 2005;42:243-51
Clinical and hemodynamic significance of corona phlebectatica in chronic venous disorders (Uhl et al). 2005;42:1237
A preliminary clinical scale to predict the risk of in-hospital death after carotid endarterectomy (Matsen et al); (Valentine) (Commentary). 2005;42:861-9
Sex factors
Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race (McDermott et al). 2005;42:1131
Signs and symptoms
Clinical and hemodynamic significance of corona phlebectatica in chronic venous disorders (Uhl et al). 2005;42:1237
Sirolimus
Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model (Cagiannos et al). 2005;42:980-8
Smoking
Smoking and the patency of lower extremity bypass grafts: a meta-analysis (Willigendael et al). 2005;42:67-74
Society for Vascular Surgery
Vascular surgery: a specialty in transformation with a bright future (Sicard). 2005;42:811-15 (Presidential address)
Solubility
Clinical implication of plasma level of soluble fibrin monomer-fibrinogen complex in patients with abdominal aortic aneurysm (Hosaka et al). 2005;42:200-5
Specialties, surgical
Turf wars: the ethics of professional territorialism (Jones et al). 2005;42:587-9
Spectroscopy, magnetic resonance; *see* Nuclear magnetic resonance
Spinal cord ischemia
Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia (Peppelenbosch et al). 2005;42:608-14
Spinal cord ischemia after elective stent-graft repair of the thoracic aorta (Chiesa et al). 2005;42:11-17
Splenic artery
Giant splenic artery aneurysms: case report and review of the literature (Pescarus et al). 2005;42:344-7 (Case rep.)
Statins; *see* Hydroxymethylglutaryl-CoA reductase inhibitors
Stents
Absence of proximal neck dilatation and graft migration after endovascular aneurysm repair with balloon-expandable stent-based endografts (Malas et al). 2005;42:639-44
An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement (Gottardi et al). 2005;42:357-60 (Case rep.)
Assessment of short-term outcomes for protected carotid angioplasty with stents using recent evidence (Burton and Lindsay). 2005;42:1094
Brachiocephalic reconstruction II: operative and endovascular management of single-vessel disease (Takach et al). 2005;42:55-61
Carotid Revascularization Using Endarterectomy or Stenting Systems (CaRESS) phase I clinical trial: 1-year results (CaRESS Steering Committee). 2005;42:213-19
Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study (Hammer et al). 2005;42:847-53
Combined open and endovascular treatment of a right subclavian artery aneurysm: a case report (Resch et al). 2005;42:1206-9 (Case rep.)
Detection of endograft fractures with multidetector row computed tomography (Roos et al). 2005;42:1002-6 (Case rep.)
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Emergency endovascular treatment for ruptured abdominal aortic aneurysm and the risk of spinal cord ischemia (Peppelenbosch et al). 2005;42:608-14
Endoaortic stent grafting of a giant infected hepatic-celiac pseudoaneurysm (Qu et al). 2005;42:159-62 (Case rep.)
Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center (Gerassimidis et al); (Ohki) (Commentary). 2005;42:615-23
Endovascular management of spontaneous carotid artery dissection (Edgell et al); (Mackey) (Commentary). 2005;42:854-60
Endovascular repair of an actively hemorrhaging gunshot injury to the abdominal aorta (Yeh et al). 2005;42:1007-9 (Case rep.)
Endovascular repair of lesions involving the descending thoracic aorta (Reisenman et al). 2005;42:1063
Endovascular repair of symptomatic external carotid artery stenosis (Eisenberg et al). 2005;42:1210-2 (Case rep.)
Endovascular stent graft for symptomatic mobile thrombus of the thoracic aorta (Fueglistaler et al). 2005;42:781-3 (Case rep.)
Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases (Hartung et al). 2005;42:275-80
Endovascular treatment for aortic disease: is a surgical environment necessary? (Moore et al); (Makaroun and Wholey) (Commentary). 2005;42:645-9
Incidence and risk factors for medical complications after carotid artery stenting (Gröschel et al); (Jordan) (Commentary). 2005;42:1101
Interval gangrene complicating superficial femoral artery stent placement (Pua et al). 2005;42:564-6 (Case rep.)
Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures (Lifeline Registry of EVAR Publications Committee). 2005;42:1-10
Mesenteric stenting for chronic mesenteric ischemia (Brown et al). 2005;42:268-74
Mid- and long-term device migration after endovascular abdominal aortic aneurysm repair: a comparison of AneuRx and Zenith endografts (Tonnessen et al). 2005;42:392-401

Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study (Antonello et al). 2005;42:185-93

Regarding: "Endovascular treatment of popliteal artery aneurysms: results of a prospective cohort study" (Diaz and Tamashiro) (Letter); (Tielliu et al) (Reply). 2005;42:1040-1

Regarding "Percutaneous angioplasty and stenting of the superficial femoral artery" (Takagi et al) (Letter); (Davies and Suroweic) (Reply). 2005;42:822-5

Repair of juxtarenal para-anastomotic aortic aneurysms after previous open repair with fenestrated and branched endovascular stent grafts (Adam et al). 2005;42:997-1001 (Case rep.)

Repair of thoracoabdominal aortic aneurysms with fenestrated and branched endovascular stent grafts (Anderson et al). 2005;42:600-7

Restenosis in gold-coated renal artery stents (Nolan et al). 2005;42:40-6

Spinal cord ischemia after elective stent-graft repair of the thoracic aorta (Chiesa et al). 2005;42:11-17

Surgical management of acute carotid thrombosis after carotid stenting: a report of three cases (Setacci et al). 2005;42:993-6 (Case rep.)

Stress, mechanical

Age-related increase in wall stress of the human abdominal aorta: an in vivo study (Åstrand et al). 2005;42:926-31

Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway (Asada et al). 2005;42:772-80

Subclavian artery

Combined open and endovascular treatment of a right subclavian artery aneurysm: a case report (Resch et al). 2005;42:1206-9 (Case rep.)

Surgical Ethics Challenges

The ethics of bylines: would the real authors please stand up? (Jones et al). 2005;42:816-18

The ethics of operating on a family member (Jones et al). 2005;42:1033-5

Show me the money: the ethics of physicians' income (Jones et al). 2005;42:377-9

Turf wars: the ethics of professional territorialism (Jones et al). 2005;42:587-9

Whodunit? Ghost surgery and ethical billing (Jones et al). 2005;42:1239-41

Withdrawal of life-sustaining low-burden care (McCullough et al). 2005;42:176-7

Survival

Is abdominal aortic aneurysm repair appropriate in oxygen-dependent chronic obstructive pulmonary disease patients? (Compton et al). 2005;42:650-3

A personal experience with factors influencing survival after elective open repair of infrarenal aortic aneurysms (Hertzer and Mascha). 2005;42:898-905

Sympathectomy

Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion? (Yazbek et al). 2005;42:281-5

T

Technical Notes

Technical Notes. 2005;42:173-5, 806-10, 1027-32

Temporal arteritis

Giant cell arteritis manifesting as mesenteric ischemia (Evans et al). 2005;42:1019-22 (Case rep.)

Thoracic injuries

Intercostal artery pseudoaneurysm due to stab wound (Sekino et al). 2005;42:352-6 (Case rep.)

Thoracic outlet syndrome

Regarding "Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty" (Molina) (Letter); (Schneider and Messina) (Reply). 2005;42:593

Thoracic outlet syndrome: pattern of clinical success after operative decompression (Altobelli et al). 2005;42:122-8

Thoracic surgery, video-assisted

Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion? (Yazbek et al). 2005;42:281-5

Thrombectomy

Surgical management of acute carotid thrombosis after carotid stenting: a report of three cases (Setacci et al). 2005;42:993-6 (Case rep.)

Thrombin

Differential transcriptional activation of matrix metalloproteinase-2 and membrane type-1 matrix metalloproteinase by experimental deep venous thrombosis and thrombin (Dahi et al). 2005;42:539-45

Translumbar thrombin embolization of an aortic pseudoaneurysm complicating lumbar disk surgery (Maleux et al). 2005;42:163-7 (Case rep.)

Thromboangiitis obliterans

Oral bacteria in the occluded arteries of patients with Buerger disease (Iwai et al). 2005;42:107-15

Thromboembolism

Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs (Caprini et al). 2005;42:726-33

Thrombolytic therapy

Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg (Ogawa et al). 2005;42:940-4

Thrombophlebitis

Lemierre's syndrome: a potentially fatal complication that may require vascular surgical intervention (Charles et al). 2005;42:1023-5 (Case rep.)

Thrombosis

Arterial thrombosis associated with heterozygous factor V Leiden disorder, hyperhomocysteinemia, and peripheral arterial disease: Importance of synergistic factors (Page et al). 2005;42:1014-18 (Case rep.)

Effect of intraluminal thrombus on pressure transmission in the abdominal aortic aneurysm (Hinnen et al). 2005;42:1176

Endovascular stent graft for symptomatic mobile thrombus of the thoracic aorta (Fueglistaler et al). 2005;42:781-3 (Case rep.)

Regarding "Axillobifemoral bypass and aortic embolization for the treatment of two patients with ruptured infrarenal aortic aneurysms": complete thrombosis of aneurysm prevents rupture? (Takagi et al) (Letter); (Coleman) (Reply). 2005;42:1040-1

Thyroid gland

Ruptured aneurysm of the inferior thyroid artery: repair with coil embolization (Garrett et al). 2005;42:1226-9 (Case rep.)

Ticlopidine
Clopidogrel has no effect on D-dimer and thrombin-antithrombin III levels in patients with peripheral arterial disease undergoing peripheral percutaneous transluminal angioplasty (Cassar et al). 2005;42:252-8
Tissue harvesting
Encouraging results with endoscopic vein harvest for infrainguinal bypass (Erdos and Milner). 2005;42:442-8
Improvement in the visualization of superficial arm veins being evaluated for access and bypass (van Bemmelen et al). 2005;42:957-62
Tissue plasminogen activator
Effect of tissue plasminogen activator on vascular smooth muscle cells (Yang et al). 2005;42:532-8
Tomography, emission-computed
Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings (Fukuchi et al). 2005;42:919-25
Tomography, x-ray computed
Detection of aortic graft infection by fluorodeoxyglucose positron emission tomography: comparison with computed tomographic findings (Fukuchi et al). 2005;42:919-25
Detection of endograft fractures with multidetector row computed tomography (Roos et al). 2005;42:1002-6 (Case rep.)
Role of computed tomographic angiography in the detection and comprehensive evaluation of persistent sciatic artery (Jung et al). 2005;42:678-83
Trachea
Successful management of concomitant aortoesophageal and aortotracheal fistulae secondary to thoracic aortic aneurysm: case report and review of the literature (Raghavendran et al). 2005;42:1218-20 (Case rep.)
Trans-activation (genetics)
Differential transcriptional activation of matrix metalloproteinase-2 and membrane type-1 matrix metalloproteinase by experimental deep venous thrombosis and thrombin (Dahi et al). 2005;42:539-45
Transplantation, homologous
In situ aortic allograft insertion to repair a primary aortoesophageal fistula due to thoracic aortic aneurysm (Pirard et al). 2005;42:1213-7 (Case rep.)
Treatment outcome; ***see also*** Outcome assessment (health care)
Absence of proximal neck dilatation and graft migration after endovascular aneurysm repair with balloon-expandable stent-based endografts (Malas et al). 2005;42:639-44
Assessment of short-term outcomes for protected carotid angioplasty with stents using recent evidence (Burton and Lindsay). 2005;42:1094
Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access (Rooijens et al); (Huber) (Commentary). 2005;42:481-7
Axillary-axillary interarterial chest loop conduit as an alternative for chronic hemodialysis access (Bünger et al). 2005;42:290-5
Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material (Ascher et al). 2005;42:1114
Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs (Milio et al). 2005;42:304-8
Endovascular management of ruptured abdominal aortic aneurysms: 6-year experience from a Greek center (Gerassimidis et al); (Ohki) (Commentary). 2005;42:615-23
Endovascular management of spontaneous carotid artery dissection (Edgell et al); (Mackey) (Commentary). 2005;42:854-60
Endovascular repair of lesions involving the descending thoracic aorta (Reisenman et al). 2005;42:1063
Endovenous laser treatment combined with a surgical strategy for treatment of venous insufficiency in lower extremity: a report of 208 cases (Huang et al); (Kistner) (Commentary). 2005;42:494-501
Glomerular filtration rate is superior to serum creatinine for prediction of mortality after thoracoabdominal aortic surgery (Huynh et al). 2005;42:206-12
Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients (Brothers). 2005;42:429-34
Is abdominal aortic aneurysm repair appropriate in oxygen-dependent chronic obstructive pulmonary disease patients? (Compton et al). 2005;42:650-3
Local anesthesia for endovascular abdominal aortic aneurysm repair (Verhoeven et al). 2005;42:402-9
Long-term outcome after surgical treatment of arterial lesions in Behçet disease (Hosaka et al). 2005;42:116-21
Long-term outcomes and predictors of iliac angioplasty with selective stenting (Kudo et al). 2005;42:466-75
Mesenteric stenting for chronic mesenteric ischemia (Brown et al). 2005;42:268-74
Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease (Hartung et al); (Neglen) (Commentary). 2005;42:1138
Mini skin incision for carotid endarterectomy (CAW): a new and safe alternative to the standard approach (Ascher et al). 2005;42:1089
Open repair versus endovascular treatment for asymptomatic popliteal artery aneurysm: results of a prospective randomized study (Antonello et al). 2005;42:185-93
Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion? (Yazbek et al). 2005;42:281-5
Primary closure of the carotid artery is associated with poorer outcomes during carotid endarterectomy (Rockman et al). 2005;42:870-7
Risk-adjusted analysis of early mortality after ruptured abdominal aortic aneurysm repair (Harris et al). 2005;42:387-91
The spectrum, management and clinical outcome of Ehlers-Danlos syndrome type IV: a 30-year experience (Oderich et al). 2005;42:98-106
The surgical treatment of arterial aneurysms in Behçet disease: a report of 16 patients (Kalko et al). 2005;42:673-7
Thoracic outlet syndrome: pattern of clinical success after operative decompression (Altobelli et al). 2005;42:122-8
Total laparoscopic versus conventional abdominal aortic aneurysm repair: a case-control study (Coggia et al); (Kolvenbach) (Commentary). 2005;42:906-11
Tuberculosis, osteoarticular
Successful treatment of a tuberculous vertebral osteomyelitis eroding the thoracoabdominal aorta: a case report (Falkensammer et al). 2005;42:1010-13 (Case rep.)

Tunica intima
Hydrophilic statin suppresses vein graft intimal hyperplasia via endothelial cell-tropic Rho-kinase inhibition (Yamanouchi et al). 2005;42:757-64
Rapamycin-coated expanded polytetrafluoroethylene bypass grafts exhibit decreased anastomotic neointimal hyperplasia in a porcine model (Cagiannos et al). 2005;42:980-8
Tunica media
Type IV thoracoabdominal aortic aneurysm with lymphoplasmacytic aortitis and cystic medial degeneration in a 32-year-old patient with Marfan syndrome (Cordera et al). 2005;42:168-71 (Case rep.)

U

Ulnar artery
Nontraumatic pseudoaneurysm of the proximal ulnar artery with eosinophilia (Sekino et al). 2005;42:1233-5 (Case rep.)
Ultrasonography
B-mode ultrasonographic characterization of carotid atherosclerotic plaques in symptomatic and asymptomatic patients (Grogan et al). 2005;42:435-41
Ultrasonography, Doppler
Compliance of abdominal aortic aneurysms evaluated by tissue Doppler imaging: correlation with aneurysm size (Long et al). 2005;42:18-26
Ultrasonography, Doppler, color
Stenosis detection in failing hemodialysis access fistulas and grafts: comparison of color Doppler ultrasonography, contrast-enhanced magnetic resonance angiography, and digital subtraction angiography (Doelman et al). 2005;42:739-46
Ultrasonography, Doppler, duplex
Bedside placement of inferior vena cava filters by using transabdominal duplex ultrasonography and intravascular ultrasound imaging (Passman et al). 2005;42:1027-32 (Tech. note)
Changes in superficial and perforating vein reflux after varicose vein surgery (Blomgren et al). 2005;42:315-20
Duplex-guided balloon angioplasty and stenting for femoropopliteal arterial occlusive disease: an alternative in patients with renal insufficiency (Ascher et al). 2005;42:1108
Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material (Ascher et al). 2005;42:1114
Human factors as a source of error in peak Dopple velocity measurement (Lui et al). 2005;42:972-9
Improvement in the visualization of superficial arm veins being evaluated for access and bypass (van Bemmelen et al). 2005;42:957-62
Mini skin incision for carotid endarterectomy (CAW): a new and safe alternative to the standard approach (Ascher et al). 2005;42:1089
A prospective study of the fate of venous leg perforators after varicose vein surgery (van Rij et al). 2005;42:1156
Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease (Spronk et al); (Kohler) (Commentary). 2005;42:236-42
Ultrasonography, interventional
Bedside placement of inferior vena cava filters by using transabdominal duplex ultrasonography and intravascular ultrasound imaging (Passman et al). 2005;42:1027-32 (Tech. note)
Urinary plasminogen activator
Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg (Ogawa et al). 2005;42:940-4
Utilization review
National audit of the recent utilization of endovascular abdominal aortic aneurysm repair in Canada: 2003 to 2004 (Forbes et al). 2005;42:410-14

V

Vacuum
Preservation of infected and exposed vascular grafts using vacuum assisted closure without muscle flap coverage (Dosluoglu et al). 2005;42:989-92 (Case rep.)
Varicose ulcer
Comparison of elastic versus nonelastic compression in bilateral venous ulcers: a randomized trial (Blecken et al). 2005;42:1150
Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs (Milio et al). 2005;42:304-8
Hemochromatosis C282Y gene mutation increases the risk of venous leg ulceration (Zamboni et al). 2005;42:309-14
Varicose veins
Can phlebectomy be deferred in the treatment of varicose veins? (Monahan). 2005;42:1145
Changes in superficial and perforating vein reflux after varicose vein surgery (Blomgren et al). 2005;42:315-20
A prospective study of the fate of venous leg perforators after varicose vein surgery (van Rij et al). 2005;42:1156
Sensory abnormalities and bruising after long saphenous vein stripping: impact on short-term quality of life (Subramonia and Lees). 2005;42:510-14
Vascular diseases
Evaluation of the microcirculation in vascular disease (Abularrage et al). 2005;42:574-81 (Review article)
Vascular fistula
Improved outcomes in the recent management of secondary aortoenteric fistula (Armstrong et al). 2005;42:660-6
Secondary aortoenteric fistula (Yoshimoto et al). 2005;42:805 (Vascular Images)
Vascular Images
Chronic mesenteric ischemia: treatment of recurrent disease (Abularrage et al). 2005;42:1026
Endovascular repair of thoracoabdominal aortic aneurysm with multivisceral revascularization (Ruppert et al). 2005;42:368
Middle aortic syndrome: surgical treatment in a child with neurofibromatosis (West et al). 2005;42:1236
Mycotic aortic aneurysm (Brawley and Clagett). 2005;42:172
Non-anastomotic rupture in the guideline of a Dacron thoracic aortic graft (Kawata et al). 2005;42:573
Secondary aortoenteric fistula (Yoshimoto et al). 2005;42:805
Vascular neoplasms
Results of limb-sparing surgery with vascular replacement for soft tissue sarcoma in lower extremity (Schwarzbach et al). 2005;42:88-97
Vascular patency
Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access (Rooijens et al); (Huber) (Commentary). 2005;42:481-7

Axillary-axillary interarterial chest loop conduit as an alternative for chronic hemodialysis access (Bünger et al). 2005;42:290-5
Comparative analysis of autogenous infrainguinal bypass grafts in African Americans and Caucasians: the association of race with graft function and limb salvage (Chew et al). 2005;42:695-701
Compliance of abdominal aortic aneurysms evaluated by tissue Doppler imaging: correlation with aneurysm size (Long et al). 2005;42:18-26
Meta-analysis of alternate autologous vein bypass grafts to infrapopliteal arteries (Albers et al). 2005;42:449-55
Pressure distention compared with pharmacologic relaxation in vein grafting upregulates matrix metalloproteinase-2 and -9 (Chung et al). 2005;42:747-56
Smoking and the patency of lower extremity bypass grafts: a meta-analysis (Willigendael et al). 2005;42:67-74

Vascular surgery
Characteristics of the applicant pool to vascular surgery residency programs (Eidt et al). 2005;42:519-23
The dynamic approach to venous disease—following in the footsteps of Gunnar Bauer and Robert Kistner (Eklöf). 2005;42:369-76 (Presidential address)
Vascular surgeons and collaterals: president's address, Eastern Vascular Society (Shah). 2005;42:582-4
Vascular surgery: a specialty in transformation with a bright future (Sicard). 2005;42:811-15 (Presidential address)

Vascular surgical procedures
An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement (Gottardi et al). 2005;42:357-60 (Case rep.)
Bedside placement of inferior vena cava filters by using transabdominal duplex ultrasonography and intravascular ultrasound imaging (Passman et al). 2005;42:1027-32 (Tech. note)
Brachiocephalic reconstruction I: operative and long-term results for complex disease (Takach et al). 2005;42:47-54
Brachiocephalic reconstruction II: operative and endovascular management of single-vessel disease (Takach et al). 2005;42:55-61
Can phlebectomy be deferred in the treatment of varicose veins? (Monahan). 2005;42:1145
Carotid graft replacement: a durable option (Veldenz et al). 2005;42:220-6
Catheter occlusion technique to facilitate distal anastomoses using vein grafts (Prionidis and Browne). 2005;42:173-5 (Tech. Note)
Closure of the arteriotomy after carotid endarterectomy: patch type is related to intraoperative microemboli and restenosis rate (Verhoeven et al). 2005;42:1082
Duplex-guided balloon angioplasty and subintimal dissection of infrapopliteal arteries: early results with a new approach to avoid radiation exposure and contrast material (Ascher et al). 2005;42:1114
Encouraging results with endoscopic vein harvest for infrainguinal bypass (Erdos and Milner). 2005;42:442-8
Follow-up costs increase the cost disparity between endovascular and open abdominal aortic aneurysm repair (Hayter et al). 2005;42:912-18
Keyhole technique for autologous brachiobasilic transposition arteriovenous fistula (Hill et al). 2005;42:945-50
Mini skin incision for carotid endarterectomy (CAW): a new and safe alternative to the standard approach (Ascher et al). 2005;42:1089
Preservation of infected and exposed vascular grafts using vacuum assisted closure without muscle flap coverage (Dosluoglu et al). 2005;42:989-92 (Case rep.)
Primary closure of the carotid artery is associated with poorer outcomes during carotid endarterectomy (Rockman et al). 2005;42:870-7
Regarding "Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty" (Molina) (Letter); (Schneider and Messina) (Reply). 2005;42:593
Regarding "Perioperative beta-blockade (POBBLE) for patients undergoing infrarenal vascular surgery: results of a randomized double-blind controlled trial" (Schouten et al) (Letter); (Powell) (Reply). 2005;42:825-6
Superficial femoral artery transposition repair for isolated superior mesenteric artery dissection (Picquet et al). 2005;42:788-91 (Case rep.)
Transthoracic cuffed hemodialysis catheters: a method for difficult hemodialysis access (Wellons et al). 2005;42:286-9
The two-stage brachial artery–brachial vein autogenous fistula for hemodialysis: an alternative autogenous option for hemodialysis access (Angle and Chandra). 2005;42:806-10 (Tech. Note)

Vasodilation
Evaluation of the microcirculation in vascular disease (Abularrage et al). 2005;42:574-81 (Review article)

Vasodilator agents
Pressure distention compared with pharmacologic relaxation in vein grafting upregulates matrix metalloproteinase-2 and -9 (Chung et al). 2005;42:747-56

Veins
Catheter occlusion technique to facilitate distal anastomoses using vein grafts (Prionidis and Browne). 2005;42:173-5 (Tech. Note)
Improvement in the visualization of superficial arm veins being evaluated for access and bypass (van Bemmelen et al). 2005;42:957-62
Keyhole technique for autologous brachiobasilic transposition arteriovenous fistula (Hill et al). 2005;42:945-50
Outcome after autogenous brachial-basilar upper arm transpositions in the post-National Kidney Foundation Dialysis Outcomes Quality Initiative era (Wolford et al). 2005;42:951-6

Vena cava, inferior
Vein wall remodeling after deep vein thrombosis involves matrix metalloproteinases and late fibrosis in a mouse model (Deatrick et al). 2005;42:140-8

Vena cava, superior
Endograft repair of partially anomalous pulmonary venous connection with dual drainage (Peynircioglu et al). 2005;42:1221-5 (Case rep.)
Transthoracic cuffed hemodialysis catheters: a method for difficult hemodialysis access (Wellons et al). 2005;42:286-9

Vena cava filters
Bedside placement of inferior vena cava filters by using transabdominal duplex ultrasonography and intravascular ultrasound imaging (Passman et al). 2005;42:1027-32 (Tech. note)

Vena cavae
Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease (Hartung et al); (Neglen) (Commentary). 2005;42:1138

Venous insufficiency
Calf compression pressure required to achieve venous closure from supine to standing positions (Partsch and Partsch). 2005;42:734-8
Changes in superficial and perforating vein reflux after varicose vein surgery (Blomgren et al). 2005;42:315-20
Clinical and hemodynamic significance of corona phlebectatica in chronic venous disorders (Uhl et al). 2005;42:1237
The dynamic approach to venous disease—following in the footsteps of Gunnar Bauer and Robert Kistner (Eklöf). 2005;42:369-76 (Presidential address)
The efficacy of a new portable sequential compression device (SCD Express) in preventing venous stasis (Kakkos et al). 2005;42:296-303
Endovascular stenting in the treatment of pelvic vein congestion caused by nutcracker syndrome: lessons learned from the first five cases (Hartung et al). 2005;42:275-80
Endovenous laser treatment combined with a surgical strategy for treatment of venous insufficiency in lower extremity: a report of 208 cases (Huang et al); (Kistner) (Commentary). 2005;42:494-501
Giant cell arteritis manifesting as mesenteric ischemia (Evans et al). 2005;42:1019-22 (Case rep.)
Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency (Merchant and Pichot); (Wakefield) (Commentary). 2005;42:502-9
Mid-term results of endovascular treatment for symptomatic chronic nonmalignant iliocaval venous occlusive disease (Hartung et al); (Neglen) (Commentary). 2005;42:1138

Venous pressure
The efficacy of a new portable sequential compression device (SCD Express) in preventing venous stasis (Kakkos et al). 2005;42:296-303

Venous thrombosis
Decreased venous thrombosis with an oral inhibitor of P selectin (Myers et al). 2005;42:329-36
Differential transcriptional activation of matrix metalloproteinase-2 and membrane type-1 matrix metalloproteinase by experimental deep venous thrombosis and thrombin (Dahi et al). 2005;42:539-45
Extra-adrenal pheochromocytoma: an unusual cause of deep vein thrombosis (Stevenson et al). 2005;42:570-2 (Case rep.)
Intermittent pneumatic compression of the foot and calf improves the outcome of catheter-directed thrombolysis using low-dose urokinase in patients with acute proximal venous thrombosis of the leg (Ogawa et al). 2005;42:940-4
Neovascularization in acute venous thrombosis (Labropoulos et al). 2005;42:515-18
Treatment of venous thromboembolism: adherence to guidelines and impact of physician knowledge, attitudes, and beliefs (Caprini et al). 2005;42:726-33
Vascular endothelial growth factor naked DNA gene transfer enhances thrombus recanalization and resolution (Waltham et al). 2005;42:1183
Vein wall remodeling after deep vein thrombosis involves matrix metalloproteinases and late fibrosis in a mouse model (Deatrick et al). 2005;42:140-8

Venous ulcer; *see* Varicose ulcer

Vertebral artery
An alternative approach in treating an aortic arch aneurysm with an anatomic variant by supraaortic reconstruction and stent-graft placement (Gottardi et al). 2005;42:357-60 (Case rep.)
Giant mycotic aneurysm of the vertebral artery: a case report (Singh et al). 2005;42:348-51 (Case rep.)

Vibration
Noninvasive measurement of aortic aneurysm sac tension with vibrometry (Mozes et al). 2005;42:963-71

Video-assisted surgery
Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization (Javerliat et al). 2005;42:361-4 (Case rep.)

W

Wegener's granulomatosis
Wegener's granulomatosis presenting during pregnancy with acute limb ischemia (Bessias et al). 2005;42:800-4 (Case rep.)

Wine
Resveratrol inhibits vascular smooth muscle cell proliferation and induces apoptosis (Poussier et al). 2005;42:1190
Role of nitric oxide in resveratrol-induced renal protective effects of ischemic preconditioning (Chandar and Chopra). 2005;42:1198

Wound healing
Preservation of infected and exposed vascular grafts using vacuum assisted closure without muscle flap coverage (Dosluoglu et al). 2005;42:989-92 (Case rep.)
Pressure elevation slows the fibroblast response to wound healing (Stanley et al). 2005;42:546-51

Wounds, gunshot
Endovascular repair of an actively hemorrhaging gunshot injury to the abdominal aorta (Yeh et al). 2005;42:1007-9 (Case rep.)
Survival with intact cerebral function after gunshot injury to both internal carotid arteries (Rabinovich et al). 2005;42:567-0 (Case rep.)

Wounds, stab
Intercostal artery pseudoaneurysm due to stab wound (Sekino et al). 2005;42:352-6 (Case rep.)